# Tetrahedron: *Asymmetry*

The International Journal for Rapid Publication on all Aspects of Asymmetry in Organic, Inorganic, Organometallic, Physical and Bio-organic Chemistry

Editor-in-Chief: **STEPHEN G. DAVIES**, *University of Oxford, Oxford, UK*
Chairman of the Executive Board of Editors for Tetrahedron Publications: Sir Derek Barton, *Texas A&M University, USA*

## SUBJECT INDEX AND AUTHOR INDEX
**Volume 5 (1994)**

**Pergamon**

# TETRAHEDRON: *Asymmetry*



*Editor-in-Chief:* **Dr S. G. DAVIES,** Dyson Perrins Laboratory
South Parks Road, Oxford OX1 3QY, UK
Fax: (44) 1865 275633
e-mail: SGD@vax.ox.ac.uk

*Japanese Regional Editor:* **Professor T. Hayashi,** Department of Chemistry, Faculty of Science, Kyoto University, Kyoto 606, Japan
Fax: (81) 75-753-3988
e-mail: thayashi@th1.orgchem.kuchem.kyoto-u.ac.jp

*American Regional Editor:* **Professor D. P. Curran,** Department of Chemistry, University of Pittsburgh, Pittsburgh PA 15260, USA
Fax: (1) 412 624-9861
e-mail: curran+@Pitt.edu



## EXECUTIVE BOARD OF EDITORS FOR TETRAHEDRON PUBLICATIONS

*Chairman:* **Professor Sir Derek Barton, FRS,** Department of Chemistry, Texas A & M University, College Station, Texas 77843-3255, USA

**Professor J. E. Baldwin, FRS,** Dyson Perrins Laboratory, Oxford, OX1 3QY, UK

**Professor D. L. Boger,** Department of Chemistry, The Scripps Research Institute, La Jolla, CA 92037, USA

**Professor L. Ghosez,** Laboratoire de Chimie Organique de Synthèse, Université Catholique de Louvain, B-1348 Louvain-la-Neuve, Belgium

**Professor S. Ito,** Faculty of Pharmaceutical Sciences, Tokushima Bunri University, Yamashiro-cho, Tokushima 770, Japan
(Associate Editor, Professor Y. Shizuri)

**Professor A. R. Katritzky, FRS,** Department of Chemistry, University of Florida, Gainesville, FL 32611, USA

**Professor N. K. Kochetkov,** N. D. Zelinsky Institute of Organic Chemistry, Academy of Sciences, Moscow B-334, Russia

**Professor Lin Guo-Qiang,** Shanghai Institute of Organic Chemistry, Academia Sinica, Shanghai 200032, China

**Professor S. F. Martin,** Department of Chemistry and Biochemistry, University of Texas, Austin, TX 78712, USA

**Professor A. McKillop,** University of East Anglia, School of Chemical Sciences, University Plain, Norwich, NR4 7TJ, UK

**Professor W. B. Motherwell,** Department of Chemistry, University College, 20 Gordon Street, London WC1H 0AJ, UK

**Professor A. Nickon,** Department of Chemistry, The Johns Hopkins University, Baltimore, MD 21218, USA

**Professor G. Ourisson,** Centre National de la Recherche Scientifique, Centre de Neurochimie, 67084 Strasbourg, Cedex, France
(Associate Editor, Professor G. Solladié)

**Professor T. Shioiri,** Faculty of Pharmaceutical Sciences, Nagoya City University, Tanabe-dori, Mizuho-ku, Nagoya 467, Japan

**Professor W. Steglich,** Institut für Organische Chemie der Universität München, Karlstr. 23, D-80333 München, Germany

**Professor H. H. Wasserman,** Department of Chemistry, Yale University, PO Box 208107, New Haven, CT 06520-8107, USA

**Professor C.-H. Wong,** Department of Chemistry, The Scripps Research Institute, La Jolla, CA 92037, USA

**BOARD OF CONSULTING EDITORS**

**F. Arcamone,** Florence
**D. Arigoni,** Zurich
**A. R. Battersby,** Cambridge
**A. L. J. Beckwith,** Canberra
**R. Breslow,** New York, NY
**H. C. Brown,** Lafayette, IN
**J. M. Brown,** Oxford
**H. Brunner,** Regensburg
**A. Collet,** Lyon
**E. J. Corey,** Cambridge, MA
**P. Deslongchamps,** Sherbrooke
**W. von E. Doering,** Cambridge, MA
**J. Elguero,** Madrid
**D. Enders,** Aachen
**A. Eschenmoser,** Zurich
**C. Gennari,** Milan
**L. M. Harwood,** Oxford
**G. Helmchen,** Heidelberg
**Y. Hirata,** Nagoya
**R. Huisgen,** Munich
**W. S. Johnson,** Stanford, CA
**J. B. Jones,** Toronto
**H. B. Kagan,** Orsay
**V. A. Koptyug,** Novosibirsk
**X. T. Liang,** Beijing
**J. Michalski,** Lodz
**K. Mori,** Tokyo
**T. Mukaiyama,** Tokyo
**K. Nakanishi,** New York, NY
**T. Norin,** Stockholm
**R. Noyori,** Nagoya
**S. Nozoe,** Sendai
**W. Oppolzer,** Geneva
**L. E. Overman,** Irvine, CA
**P. Potier,** Gif-sur-Yvette
**V. Prelog,** Zurich
**G. Quinkert,** Frankfurt
**C. W. Rees,** London
**A. I. Scott,** College Station, TX
**K. B. Sharpless,** La Jolla, CA
**G. Solladié,** Strasbourg
**H. A. Staab,** Heidelberg
**G. Stork,** New York, NY
**Sukh Dev,** New Delhi
**W. Tochtermann,** Kiel
**H. G. Viehe,** Louvain-la-Neuve
**E. Vogel,** Cologne
**P. von Ragué Schleyer,** Erlangen
**Y. Wang,** Shanghai
**G. H. Whitham,** Oxford
**K. B. Wiberg,** New Haven, CT
**S. B. Wild,** Canberra
**E. Winterfeldt,** Hannover
**H. Yamamoto,** Nagoya
**N. S. Zefirov,** Moscow



PUBLISHED MONTHLY

*Tetrahedron: Asymmetry* is included in subscriptions to *Tetrahedron* but can also be ordered separately

*Publishing, Subscription and Advertising Office:*
Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford, OX5 1GB, UK (Tel: (01865) 843000; Fax: (01865) 843010)

*Subscription Rates*
Annual Institutional Subscription Rates 1995: North, Central and South America, U.S.$ 820.00, Rest of World £ 550.00. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice. Subscription enquiries from customers in North America should be sent to: Elsevier Science Inc., 660 White Plains Road, Tarrytown, New York 10591-5153, USA, and for the remainder of the world to: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK.
Second Class Postage paid at Newark, NJ and additional mailing offices. Postmaster send address corrections to Elsevier Science Inc., 660 White Plains Road, Tarrytown, New York 10591-5153, USA.



Copyright © 1995 Elsevier Science Ltd

# Subject Index 1994


**Corrigenda,**
Diaz M., Ibarzo J. and Ortuno R.M.:1,37 (1994); Stereochemistry Abstract given to replace one published in above issue, 297
Ezquerra J., Pedregal C., Mico I. and Najera C.: Vol 5, 921(1994): the correct structure of compd 4 given should replace that in the text and stereochemistry abstract, 1865
Griffiths S.L., Perrio S. and Thomas S.E.: Vol 5, 1847(1994): the corrected version of this article has been reproduced, 1865
Marko I.E. and Hollinshead D.M.: Vol 5, 569(1994): this work was carried out in the Chemistry dept, Iniversity of Sheffield U.K., 1865
Sugimura T., Nishiyami A. Tai, and Hakushu T.: Vol 4, 43(1993): the last line on page 43 has been corrected, 1127

A

**Acceptor-substrate** recognition by N-acetylglucos-aminyl-transferase role of mannose residue in βDGlcNAc(1->2)αMan(1->6)βDGlcOR, 2415
**Acetals** ketals, cyclic of pentonolactones, formation, isomerization, spectroscopic, crystallographic, computational studies, 2535
**Acetate esters** tert α-acetylene, resolution by lipase from *Candida cylindracea*, 1111
**Acetone** different reactivities of D-ribono-, L-arabinono-, D-xylono-, D-lyxono- and 2-deoxy-D-ribono-lactones, 2535
**Acetonides** δ-heptonolactones, synthesis by Kiliani ascension of 3-O-benzyl-D-glucose and D-allose, 431
**Acetophenone** reduction with borane, presence cyclic α-amino acids and their β-amino alcohols, 185
**α-Acetyl-γ-butyrolactone** *syn-* and *anti-* enantiomerically pure isomers via microbial reduction, 1631
**Acetylated derivs** partial, stereoidentification, NMR acetyl methyl resonances peracetylated lilioside B, 1993
**Acetylation**
α-(3-chloropropyl)-4-fluoro-benzenemethanol, resolution using lipase, 1925
**N-Acetylneuraminic acid** synthesis via conjugate addition trimethylsilyl azide to 2-thiazolyl α,β-enone, 2209
**N-Acetylneuraminic acids** 7-deoxy- and 7-O-methyl-derivs, enzymatic syntheses, 2437
**Acrolein** coordination to chiral N-sulfonylated 1,3,2-oxaza-borolidines, conformation, 767
**Addition reactions**
alkynylation aldehydes with dialkyl-Zn using tridentate ligands, 1901
asymmetric Michael, homochiral magnesium amides, 35
conjugate, prep muramic acid analogs via carbohydrates as nucleophiles, 2339
conjugate, lithium (α-methylbenzyl)benzylamide to t-butylcinnamate, stereoselectivity, 1999
diastereotopic group selective intramolecular conjugate of 4-(2-hydroxyethyl)-*p*-quinol derivs, 333
diethyl-Zn to aldehydes, enantiopure 1-hydroxy-methyl-2-dimethyl-aminomethyl-ferrocene catalyst, 1639
Grignard to aldehydes, inverse correlation between ee and temp, 569
intramolecular Michael chiral imines to enoates, asymmetric bridging annulation, 339
Lewis acid mediated, olefins to O-benzyl protected sugars, 2265
organo-Cu-Mg reagents to chiral dienyl cyclic carbonates, 21
photo-generated radicals to (5*R*)-(-)-menthyloxy-2[5*H*]-furanone, synthesis (-)-terebic acid, 879
thiols to (1*R*,2*R*,4*R*)-(-)-2,10-N-enoylcamphorsultam, 1195
**Alanines**
heteroaryl, synthesis, 1793
optically pure (*R*)- and (*S*)-trifluoromethyl deriv, synthesis, 2009
**Alcohols**
chiral, enantiomeric excess by $^{31}$NMR using α-phenylethyl-amine based chiral phospholidines, 699
tert, resolution by lipase from *Candida cylindracea*, 1111
tethered oxazolines, enantio-merically pure, prep and use in asymmetric catalysis, 277
trifluoromethyl chiral β-peptidyl deriv, stereoselective synthesis and inhibition of human leukocyte elastase, 1099
trifluoromethylbenzylic derivs with *p*-substituents baker's yeast reduction, 1095
**Aldehydes**
alkynylation with dialkyl-Zn using tridentate ligands, 1901
aryl, substituent effects on hydrocyanation, 1541

asymmetric reaction with dialkyl-Zn presence chiral pyridyl alcohols as ligands, 411
chelation controlled allylation with chiral allylsilylene from 10-phenylpinanediol, 797
diethyl-Zn addition, enantiopure 1-hydroxymethyl-2-dimethylaminomethylferrocene catalyst, 1639
ethylation via chiral C2-symmetrical β-hydroxy-*m*-xylylene diamines, 67
Grignard addition, inverse correlation between ee and temp, 569
**Aldol reactions**
asymmetric reactions, control by gulonic acid derived 1,3-oxazin-2-one, 2447
enantioselective, homochiral lithium amides as non-covalently bound chiral auxiliaries, 541
fluorinated benzaldehydes with β-isocyanoacetamide, gold catalysis, 1091
**Alkaloids**
(+)-aristolone synthesis, 2025
(-)-horsfiline, synthesis, 1979
ephedra, sulfur derivs, chiral catalysts, 31
ergot, enantioselective synthesis (-)-chanoclavine, 1525
pyridine, via nonracemic 2-methyl-3-(2-thiophene)-1-propanols as chiral building blocks, 1653
sesbanimide, stereocontrolled synthesis B-ring moiety, 247
**Alkanols** (*R*)-2-methyl, enantioselective synthesis via biohydrogenation 2-substit allyl alcohols, 19
**Alkoxides** internal effect in *meso*-epoxide to allyl alcohol rearrangement in carbocyclic nucleoside synthesis, 337
**Alkylation**
aldehydes, via chiral C2-symmetric hydroxy-*m*-xylylenediamine, 67
asymmetric:
allylic, (-)-α-isosparteine as chiral ligand, 1347
synthesis (-)-esermethole, 363
enolates derived from 1,3-diacylimidazolidine-2-thiones and 2-ones, 585
**Alkynylation** aldehydes with dialkyl-Zn using tridentate ligands, 1901
**Allyl alcohol**
2-substit, biohydrogenation, enantioselective synthesis (*R*)-2-methyl alkanols, 19
*meso*-epoxide, rearrangement for carbocyclic nucleoside synthesis, internal alkoxide effect 337
**Allylation** chelation controlled, aldehydes with chiral allylsilylene from (-)-10-phenylpinanediol, 797
**Allylsilylene** chiral from (-)-10-phenylpinanediol, chelation controlled allylation aldehydes, 797
**Aluminium** hydride reagents prepared from LAH and chiral diethanolamines, reduction prochiral ketones, 377
**AMBER** calculations, enantioselection rationalized, asymmetric Michael addition of camphor crown ethers, 935
**Amides**
allylic, dihydroxylation via osmium catalysis, 625
β-chloro-substit, samarium iodide intramolecular reductive cyclization to optically active cyclopropanols, 531
homochiral magnesium, asymmetric Michael addition, 35
primary, routine method for enantiomeric purity, 1711
sugar, synthesis, conformational properties, 2313
**Amination**
allylic, chiral (phosphinophenyl-oxazoline) catalysts, 573
chiral enolates, synthesis chiral key intermediates β-lactam antibiotics, 1465
silyl ketene acetal derivs (*R*)-3-phenylbutanoic acid, 473
**Amines**
assisted enzymatic esterification, 1,2-diol monotosylates, 153
chiral, enantiomeric excess by $^{31}$NMR using α-phenylethylamine based chiral phospholidines, 699
N, N-ditosyl derivs, nucleophilic substitution, 895
via asymmetric supported reactions, 817
**Amino acids**
α, chiral auxiliary, enantioselective catalytic reduction acetophenone with borane, 185
α-trifluoromethyl substit via 3-hydroxy-3-trifluoromethyl-2,5-diketo-piperazine, 1051
β-fluoroalkyl-deriv, biocatalytic resolution, 1119
(*R*) and (*S*) intermediate, synthesis (3*R*, 6*R*)- and (3*S*, 6*S*)-3,6-dialkylpiperazin-2, 5-dione derivs, 453
asymmetric synthesis α-methylphenyl-alanine, 261
cyclosporine (4*R*)-4-(*E*)-2-butenyl-4, N-dimethyl-L-threonine synthesis, 717
derivs, enantiomer separation, hollow fiber membrane technology, 773
intercalator, synthesis heteroaryl alanines, 1793
unprotected, enantiomeric excess detn, new reagent using $^{31}$NMR, 1701
use of selone chiral derivatizing agent for detn abs configuration, 1627
**Amino alcohols**
bicyclic, derived α,β-unsat carboxamides, cyclopropanation, 1175
C2-symmetrical enantiopure, derived from *m*-xylylene diamine, 57
chiral, via chemoenzymatic synthesis chiral β-azido-alcohols, 1727
chiral C 2-symmetric, derived from *m*-xylylene diamine, ethylation aldehydes, 67
*cis*-2-amino-1-acenaphthenol,

synthesis, resolution, application to diastereoselective [2,3]-Wittig rearrangement, 1333
**Amino esters**
2-hydroxypinan-3-onyl, diastereoselective cyclization, 1643
by hydride reduction homochiral β-enamino esters, 1455
**Amino lactols** chiral, derived from L-aspartic acid, diastereoselective reactions with Grignard reagents, 169
**Amino-1-arylmethylphosphonic acid** N-aryl, fluorinated diethyl esters, chiral HPLC separation enantiomers, 141
**3-Amino-2-hydroxydecanoic acid** (2*S*, 3*R*)-deriv, amino acid component of microginin, asymmetric synthesis, 203
**3-Amino-2-phenylthietane** (2*S*, 3*S*), synthesis, 1327
**2-Amino-4H-pyrans**
3-alkoxycarbonyl-5-cyano-4,6-diphenyl-derivs, asymmetric syntheses, 1435
**β-Amino-α-keto esters**
N-protected, enantiomerically pure, synthesis from α-amino acids and dipeptides, 195
**4-Amino-1,2,4-triazole** chiral C-2 building blocks, prep enantiomeric purity detn, 1291
**Ammonium ions** optically active ionic chiral handles, photochemistry 4-(2,4,6-triisopropylbenzoyl)benzoate anion, 1415
**1,6-Anhydro-saccharides**
intramolecular Ferrier synthesis using claysil catalyst, 1905
**Annulation** asymmetric bridging involving intramolecular Michael
addition, chiral imines to enoates, 339
**Antagonists**
binding to lectin domains of E-selectin adhesion molecule, prep disaccharide mimics $Le^x$ ligands, 2061
CCK, nonpeptide, [(+)-]RP 66803 enantiospecific synthesis, abs configuration, 235
**Antibiotics**
1-methylcarbapenem precursors from D-glucosamine, use of radical decarboxylation, 2137
β-lactam, synthesis chiral key intermediates, amination chiral enolates, 1465
**Antibodies**
antigen interaction, 2283
with saccharidase activity, prep via two cationic analogs of disaccharide heterolysis, 2255
**Antiinfective agents** PD 138312, synthesis of (R)-3-(1-amino-1-methylethyl)-pyrrolidines, 1131
**Antimalarials**
hydroxychloroquine enantiomers, synthesis, 1815
**Antitumor agents** (3*S*, 4*R*) and (3*S*, 4*R*, 7*S*) diastereoisomers of goniofufurones enantiospecific syntheses, 1269
***meta*-Arene-alkene**
photocycloaddition linked by chiral auxiliary, regio- and diastereo-control, 1163
**(+)-Aristolone** alkaloids synthesis, 2025
***trans*-2-Arylcyclohexan-1-ols**
resolution using crude chicken liver esterase biocatalyst, 223
**L-Aspartic acid** derived amino lactols, diastereoselective reactions with Grignard reagents, 169
**Assays** continual, ceramide glycanase by bifluorescence labelled lactoside, 2335
**Asymmetric compds** ketone reduction catalysts with N-P=O structural unit, stereoelectronic requirements, 801
**Asymmetric induction**
[2+2]cycloaddition, chlorosulfonyl isocyanate to 1,2-O-isopropylidene- 3-O-vinyl-glycofuranoses, 2179
involving lithium enolates of 1-menthylpropionate, 1873
thermodynamically controlled, intramolecular Diels-Alder reactions, furan diene, 1411
**Asymmetric reactions**
[1,3]-dipolar cycloaddition to 5-(*R*)-menthyloxy-2(5H)-furanone, 607
addition:
Grignard to aldehydes, inverse
. correlation between ee and
. temp, 569
Michael of camphor crown
. ethers, rationalization
. enantioselection by AMI and
. AMBER calculations, 935
thiols to (1*R*,2*R*,4*R*)-(-)-2,10-
. N-enoylcamphorsultam, 1195
aldehydes to dialkyl-Zn presence chiral pyridyl alcohols as ligands, 411
aldol:
and Diels-Alder, control by
. gulonic acid derived [1,3]-
. oxazin-2-one, 2447
fluorinated benzaldehydes with
. α-isocyanoacetamide,
. gold catalysis, 1091
allylic alkylation, (-)-α-isosparteine as chiral ligand, 1347
autocatalytic, synthesis bis[2-(1-hydroxyalkyl)phenyl]ether, 789
bridging annulation involving intramolecular Michael addition, chiral imines to enoates, 339
catalysis:
dihydroxylation, prep Mosher's
. acid precursor, 1473
heterobidentate ligands for
. asymmetric catalysis,
. synthesis, Rh-catalysed
. reactions S-alkyl(R)2-
. diphenylphosphino-1,1'-
. binaphthyl-2-thiol, 1143
prep and use enantiomerically
. pure oxazolines tethered to
. alcohols, 277
Diels-Alder:
chiral azlactone, 157, 759
enantiopure 1-methoxy-3-
. (phenyl-2-hydroxy-
. ethylsulfinyl)-1,3-
. butadienes, 805
.intermolecular, enatiopure
. sulfinyl-homo- and
. -hetero-dienes, 781
epoxidation using chiral sulfur ylides, 723
hydrogenation activated keto compds via chiral arene ruthenium aminophosphine-

phosphinite complexes, 515
hydrolysis, lipase catalysed and regioselective bromination of 1,4-dihydropyridine, synthesis (*R*)-(+)-nilvadipine, 1447
Michael involving chiral imines, acrylonitrile as acceptor and functionalization of adducts, 1645
nitroaldol, enantiomerically pure guanidine-catalysed, 1393
oxidation:
alkylthio substit tricarbonyl-
. $\eta^6$-arene) Cr complexes as
. substrates, 1847
sulfenyl substit tricarbonyl-
. $\eta^6$-arene)chromium
. complexes, 545
reductions:
α-acetylenic α'-fluoroalkyl
. ketones with B-chlorodi-
. isopinocamphenylborane or
. B-isopinocamphenyl-9-
. borabicyclo[3.3.1]nonane,
. effect of fluoro groups, 1061
α-fluoromethylketones with
. B-chlorocamphenylborane
. and B-isopinocamphenyl-
. 9-borabicyclo[3.3.1]nonane,
. elctronic and steric
. contributions to enantio-
. control, 1075
supported, synthesis of chiral amines, 817
**Asymmetric syntheses**
3-alkoxycarbonyl-2-amino-5-cyano-4,6-diphenyl-4H-pyrans, 1435
(2*S*,3*R*)-3-amino-2-hydroxydecanoic acid, amino acid component of microginin, 203
(-)-carbovir, 1649
(-)-esermethole, 363
α-hydroxy-phosphonamides, phosphonates and phosphonic acids, 499
α-methylphenylalanine, 261
α-trifluoromethyl substit amino acids via 3-hydroxy-3-trifluoromethyl-2,5-diketopiperazine, 1051
bicyclo[4.3.0]nonan-8-ones via intramolecular Pauson-Khand reaction, 307
butenolide and butyrolactone derivs, 1745
by chiral sulfoxides, 2-deoxy-sugars from β-ketoesters via malic acid, 1717
chiral spiroacetals from chiral diketodisulfoxides, 2,8-dimethyl-1,7-dioxaspiro[5,5]undecane, 255
*cis*-β-lactams, precursors optically active 2-oxaisocephems, 441
D- and L-2-deoxy-4-thioriboses, 101
diastereoisomer *trans*-α-(2-carboxymethylcyclopropyl)glycine from *Blighia unijugata*, 1221
difluorocyclopropanes, 1423
ionic chiral handle-induced, solid state Norrish type photoreaction, 1415
isopodophyllotoxin, 909
isostegane derivs using trivalent iodine reagents, 329
N-(ethoxycarbonyl)-β-methylphenylalanine esters, 473
oxidation using *Helminthosporium sp* NRRL,4671, 1129
oxiranes from carbonyl compds by methylene transfer using chiral S-methyl-S-neomenthyl-N-tosyl sulfoximines, 1513
reduction, enantioselective, ketones catalysed by (4*S*,5*R*)-2,4-diphenyl-1,3,2-oxazaborolidine, 1211
**Asymmetrization**
biocatalytic of *meso*-cyclopentane-1,3-dimethanols, chiral building blocks for carbocyclic N- and C-ribonucleosides, 863
prochiral and *meso* diols via monoacetylation with pig pancreatic lipase, 9
**Autocatalysis** asymmetric synthesis bis[2-(1-hydroxyalkyl)phenyl]ether, 789
**Auxiliaries** bifunctional chiral, alkylation, 585
**Axial dissymmetry** synthesis (*R*)- and (*S*)-[7,7']-bis(diphenylphosphino)-2,2'-dimethoxy-1,1'-binaphthyl, 325
**2-Azabicyclo[2.2.1]hept-5-en-3-ones** lipase catalysed resolution, 1155
**9-Azabicyclo[3.3.1]nonan-3-one** (+)-2β-ethyl-deriv, Norrish photo-cleavage, enantioselective synthesis (-)-indolizidine 223AB, 317
**2-Azacephams** synthesis, structure, stereocontrolled degradation, 1605
**Azasugars**
1,6-dideoxy-6,6-difluoro derivs, stereocontrolled approach, 1029
**β-Azidoalcohols** chiral, chemoenzymatic synthesis, prep chiral aziridines and amino alcohols, 1727
**Aziridines** chiral, via chemoenzymatic synthesis chiral β-azidoalcohols, 1727
**Azlactone** chiral, asymmetric Diels-Alder reaction, 157, 759

B

***Bacillus stearothermophillus***
oxidation, kinetic resolution *endo*-bicyclic octenols, heptenols, 1635
**Baker's yeast** reduction α,β-unsaturated δ-lactones in goniothalamin series, stereochemistry, 1135
**Beckmann fragmentation**
1-substit 2-norbornanones, synthesis homochiral cyclopentane derivs, 949
**Benzaldehyde**
different reactivities of D-ribono-,L-arabinono-, D-xylono-, D-lyxono- and 2-deoxy-D-ribonolactones, 2535
enantioselective addition to diethyl-Zn catalysed by thioether derivs, 207
**β-Benzoylcinnamonitrile**
asymmetric Michael addition to cyanoacetates, 1435
***endo*-Bicyclic octenols**
heptenols, kinetic resolution via oxidation with *Bacillus stearothermophilus*, 1635
**Bicyclo[3.3.0]octane-2,6-dione**
synthesis, interaction between non-conjugated chromophores,1
**Bicyclo[4.3.0]nonan-8-ones**
asymmetric syntheses via

intramolecular Pauson-Khand reaction, 307
**Bifluorescence** labelled lactoside for continual assay of ceramide glycanase, 2335
**Bilirubin** optically active dimethyl ester, bis-N, N-dimethyl amide, conformation by CD, NMR, molecular mechanics, 1945
**BINAP-Ir-aminophosphine systems** catalysed hydrogenation of acyclic aromatic ketones, 1179
**Biocatalysis**
resolution of β-fluoroalkyl-β-amino acids, 1119
synthesis chiral polyoxygenated compds, modulation of selectivity upon changes in experimental conditions, 1479
**Biological activity** topliss approach, synthesis substit N-benzoyl taxol analogs, 1825
**Biotransformation**
(*R*)-sulforaphane using *Helminthosporium sp* NRRL,4671, 1129
**Biphenanthryl** 3,3'-dihydroxy-4,4'-deriv, abs config via stereochemistry cyclic diester formation with 1,1'-binaphthyl-2,2'-dicarboxylic acid, 1899
**2'-Biphenyl substituents** replacement for 2'-tetrazole moiety L-692,429, 1807
**Bis[2-(1-hydroxyalkyl)phenyl] ether** autocatalytic asymmetric synthesis, 789
**Bis($N^2$-n-alkyl-(s)-phenyl-alaninamidato)copper complexes** crystal structure, 1233
**Bis(triarylphosphine)** axially dissymmetric, synthesis (*R*)- and (*S*)-7,7'-bis(diphenylphosphino)- 2,2'-dimethoxy-1,1'-binaphthyl, 325
***Blighia unijugata***
*trans*-α-(2-carboxymethylcyclopropyl)glycine diastereoisomer, asymmetric synthesis, 1221
**BMS 18111100**
α-(3-chloropropyl)-4-fluorobenzenemethanol, resolution using lipase acetylation or hydrolysis, 1925
**Borane**
diadducts oxazaborolidines, catalysed enantioselective reduction ketones, 395
hydride-bridged alkoxyborane complexes of oxazaborolidines enantioselective catalytic reduction ketones, 289
oxazaborolidine catalysed α-ketophosphonate reduction, enantioselective syntheses diethyl 1-hydroxyalkylphosphonates, 1965
reaction with, 5-(*R*)-(+)-1'-methylbenzyl-1,3,5-dithiazine, and 3,7-di-[(*R*)-(+)-1'methylbenzyl-3,7-diaza-1,5-dithiacyclooctane, conformation study, 633
reduction:
. acetophenone, presence cyclic α-amino acids and their
. β-amino alcohols, 185
. ketones, catalysed by oxazaborolidine, effect temp on selectivity, 465
**Boron** mediated aldol reduction sequence, enantio- and diastereoselective synthesis, typical polyketide fragments, 173
**Bromination**
1,4-dihydropyridine, conversion 2-bromomethyl deriv into (*R*)-nilvadipine, 1447
***para*-Bromobenzamido chromophore** CD probe for assignment screw sense helical peptides, 507
**Building blocks**
C:2 chiral based on 4-amino-1,2,4-triazole, prep, enantiomeric purity detn, 1291
chiral, carbocyclic N- and C-ribonucleosides via biocatalytic asymmetrization *meso*-cyclopentane-1,3-dimethanols, 863
**1,3-Butadienes** enantiopure 1-methoxy-3-(phenyl-2-hydroxyethylsulfinyl)-deriv, asymmetric Diels-Alder reactions, 805
**Butane-1,2,4-triol** enantiomer derivs via transesterification by *Pseudomonas fluorescense* lipase, 1479
**1,4-Butanediols**
transesterification by *Pseudomonas cepacia* lipase, 691
**1-Butanol**
4-chloro-1-phenyl-derivs, lipase resolution, 1917
***cis*-Butene-1,4-diol** prep of (2R, 3S)-3-azido-1,2-epoxy-4-phenylbutane, HIV protease inhibitor, 755
**Butenolides**
butyrolactone derivs, asymmetric synthesis, 1745
chiral, Lewis acid Diels-Alder cycloadditions to cyclopentadiene, *endo/exo* stereoselectivity, 371
**Butyl cinnamate**
stereoselectivity in conjugate addition to lithium α-methylbenzyl)benzylamide, 1999
**Butyrolactones**
(*R*)-(+)-β-piperonyl-deriv, enantioselective synthesis, 1219
**γ-Butyrolactones** sugar, stereoselective synthesis via addition alkyl radicals to α-position unsat esters, 2141

C

**Cahn-Ingold-Prelog system**
modified stereochemistry and sequence rules, 835
**Camphanyl** enol ester derivs anodic difluorination, 1909
**Campho[2,3-c]pyrazole**
homochiral ligand, regioselective synthesis, 1887
**Camphor**
crown ethers, asymmetric Michael addition, rationalization enantioselection by AMI and AMBER calculations, 935
skeleton, synthesis optically active 1,3-diols, 1891
synthesis homochiral 1,2-diols, 1373
***Candidi cylindricea*** lipase, resolution of tert α-acetylene-acetate esters, 1111
**Carbamates** allylic, dihydroxylation via osmium catalysis, 625
**Carbocyclic nucleosides**
synthesis via enzymatic hydrolyses building blocks, 269

**Carbocyclization** sugars, exclusive 7-membered ring formation, 2485
**Carbohydrates**
3-O-benzyl-D-glucose and D-allose, Kiliani ascension, synthesis δ-heptonolactone acetonides, 431
5,6-epoxides, opening with chiral acetate and propionate enolate equivs attached to iron chiral auxiliary, 2563
based liquid crystals, sign inversion of helical pitch, 2443
chemistry, stereocontrolled radical reactions, 2123
D-gluco-, D-galacto- and D-manno-pyranoside substrate protection, synthesis dispiroketals, 2609
imines, hydroxymethylation, synthesis destomic acid and lincosamine, 2261
nucleophiles in conjugate addition, prep muramic acid analogs, 2335
**Carbonates** chiral dienyl cyclic, addition organo Cu-Mg reagents, 21
**Carbonylene** reaction with fluoral, diastereo- and enantioselective catalysis, 1087
**(-)-Carbovir** asymmetric synthesis, 1649
**Carboxamides** α,β-unsat, derived from bicyclic amino alcohols, cyclopropanation, 1175
**Carboxylates** via methyl-α-D-fructofuranoside conversion, 2475
**(+)-3-Carene** synthesis pyrazole and 2-isoxazoline chiral heterocyclic types, 479
**Carotenoids** acetylenic, synthesis, 1367,1781
**Cascade reaction** Pd-induced, from rac β-ketoesters, prep optically active ketones, 1321
**Castanodiol** *trans*-(2*S*, 3*S*)-3-hydroxyproline and castanodiol chiral pool synthesis from S-pyroglutamic acid, 119
**Catalysis** see also Autocatalysis Biocatalysis
1-(1-isoquinolinyl)-2-naphthalenemethanol an atropisomerically chiral N-O chelating ligand, 45
asymmetric, prep and use enantiomerically pure oxazolines tethered to alcohols, 277
carbonylene reaction with fluoral, 1087
chiral:
N-sulfonylated
. 1,3,2-oxazaborolidines and
. related aldehyde complexes
. involved in Diels-Alder
. reactions, conformation, 767
oxazaborolidine reduction of
. ketones, oxazadiboretanes
. potentially involved, 903
enantioselective, chiral ligand (-)-(4*S*, 5*R*)-4-(2-pyridyl)-5-(diphenylphosphino)-methyl-2,2-dimethyl-1,3-dioxolane, 299
ketone reduction, use dimeric isomers of chiral oxazaborolidines, 387
Lewis acid Diels-Alder cycloadditions, chiral butenolides to cyclopentadiene, *exo/endo* stereoselectivity, 371
via hydride-bridged borane-alkoxyborane complexes of oxazaborolidines, 289
**Catalysts**
(-)-α-isosparteine as chiral ligand in asymmetric allylic alkylation, 1347
asymmetric, *Sorghum bicolor* shoots, 311
β-D-glucosidase for synthesis glucosidic derivs, 2513
BINAP-Ir-aminophosphine systems, hydrogenation of acyclic aromatic ketones, 1179
chiral:
phosphinophenyl-oxazoline-Pd
. complexes for allylic amination, 573
ruthenium and diphosphine-Ru
. diallyl complexes, syntheses,
. 665
sulfur derivs of ephedra
. alkaloids, 31
claysil for intramolecular Ferrier synthesis 1,6-anhydro-rare saccharides, 1905
enantiopure 1-hydroxymethyl-2-dimethylaminomethylferrocene, diethyl-Zn addition to aldehydes, 1639
glycosidases for synthesis glycosides, 2517
imprinted polymers, enantioselective catalytic activity, 1403
N-P=O structural unit for ketone reduction, stereoelectronic requirements, 801
polymer-supported chiral Lewis acids, Diels-Alder reactions methacrolein with cyclopeptadiene, 523
polymeric cinchona alkaloids, cycloaddition ketene to chloral, 1215
thioether derivs, enantioselective addition diethyl-Zn to benzaldehyde, 207
transition metal, synthesis electron poor (*R*)- and (*S*)-(6, 6'-difluorobiphenyl-2,2'-diyl)bis(diphenylphosphine), 1297
***Caulerpa racemosa*** metabolite, enantioselective synthesis cinnamyl-1-phenyl-2- propenyl ether, 23
**CCK** nonpeptide antagonist [(+)-]RP 66803, enantiospecific synthesis, abs configuration, 235
**CCK-4** mimetic, homochiral, pseudotetrapeptide analog, prep, 1661
**CD**
*cis*-oxamide and -dithiooxamide chromophores, 149
configurations diastereomeric macrocyclic diphosphine ligands and Ni complexes, 189
NMR, molecular mechanics, optically active bilirubin dimethyl ester and bis-N, N-dimethylamide, conformation, 1945
*p*-bromobenzamido chromophore probe for assignment screw sense helical peptides, 507
studies, phthalimide chromophoric deriv of amino group, 527
**Ceramide**

4-keto deriv, synthesis, prep sphingosine, phytosphingosine from D-threose, 2195
glycanase, continual assay by bifluorescence labelled lactoside, 2335
**(-)-Chanoclavine** synthesis, 1525
**Chelation**
[2-(methylsulfinyl)ethyl]-diphenylarsine and phosphorus analog stereoelectronic effects, 1805
controlled allylation, aldehydes with chiral allylsilylene from (-)-10-phenylpinanediol, 797
diphosphine with single stereogenic P atom, $R_p$ or $S_p$-(2-methoxyphenyl)-P-phenyl-P-(2'-diphenylphosphino)ethylphosphine, 2033
N-O ligand 1-(1-isoquinolinyl)-2-naphthalenemethanol, enantioselective catalysis, 45
**Chemoenzymatic synthesis**
chiral β-azidoalcohols, prep
chiral aziridines and amino alcohols, 1727
**Chirality**
due to sulfur substit, synthesis optically active monothioimides, 359
handles, optically active ammonium ions, photochemistry 4-(2,4,6-triisopropylbenzoyl)benzoate anion, 1415
metal-alkene bond, 561
recognition, simultaneous face to face, face to edge π interactions, 777
transformations, nucleophilic substitution chiral amine N, N-ditosyl derivs, 895
**Chloral** cycloaddition to ketene using polymeric cinchona alkaloid catalysts, 1215
**α-(3-Chloropropyl)-4-fluorobenzenemethanol** resolution using lipase acetylation or hydrolysis, 1925
**Chlorosulfonyl isocyanate**
[2+2]cycloaddition to 1,2-O-isopropylidene-3-O-vinyl-glycofuranoses, asymmetric induction, 2179
**Cholecystokinin** see CCK
**Cholic acid** functionalized, derived α-keto esters, reduction, 1171
**Chromatography**
chiral HPLC separation enantiomers fluorinated N-arylamino-1-arylmethylphosphonate esters, 141
enantioselective GC, resolution chiral [2.2]paracyclophanes GC, 347
HPLC enantioseparation, chiral recognition, simultaneous face to face, face to edge π interactions, *777*
**Chromium**
alkylthio substit tricarbonyl-($\eta^6$-arene) Cr complexes as substrates for asymmetric oxidation, 1847
tricarbonyl($\eta^6$-arene) complexes, homochiral β-lactam synthesis via [2+2]cycloaddition, 809
**Chromophores**
non-conjugated, interaction, bicyclo[3.3.0]-octane-2,6-dione, 1
**Cinchonine** optical resolution mandelic acid in different solvents, 315
**Cinnamates** butyl, stereoselectivity in conjugate addition to lithium (α-methylbenzyl)-benzylamide, 1999
**Cinnamyl-1-phenyl-2-propenyl ether** metabolite of *Caulerpa racemosa*, enantioselective synthesis, 23
**Claysil** catalyst, intramolecular Ferrier synthesis 1,6-anhydro-rare saccharides, 1905
**Cleavage** diastereoselective, β-glucosylsulfoxides by β-glucosidase, 2213
**Complexation** organic ammonium cation and homochiral crown ether with (*S*)-1-(adamantyl)ethane-1,2-diol as chiral subunit, 1549
**Complexes** stereoelectronic effects on chelating properties of [2-(methylsulfinyl)ethyl]-diphenylarsine and phosphorus analog, 1805
**Configuration**
6-membered ring ketones via (N-methylphenylsulfoximidoyl)-methyllithium, 503
(+)-RP 66803, nonpeptide CCK antagonist, 235
absolute:
3,3'-dihydroxy-4,4'-biphenanthryl via stereochemistry cyclic diester formation with 1,1'-bi-naphthyl-2,2'-dicarboxylic acid, 1899
enantiomeric spiro-[5.5]-undecane-3,9-diols, 425
optically active 3,9-disubstit spiro[5,5]undecanes, 1281
tetracyclic sesquiterpenoid drimane by Mosher's method, 1229
assignments, application exciton coupling of phthalimide chromophore, 527
detn, stereogenic centers, selone chiral derivatizing agent, 1627
diastereomeric macrocyclic diphosphine ligands and Ni complexes, 189
nitrogen, ephedrine N-boranes, assisted stereospecific deuteration of NH, 1579
*trans*-spiro[5,5]undecane-1,7-diols, 1613
**Conformation**
5-[(*R*)-(+)-1'-methylbenzyl]-[1,3,5-]dithiazines and reaction with borane, 633
3,7-di-[(*R*)-(+)-1'methylbenzyl-3,7-diaza-1,5-dithiacyclooctane and reaction with borane, 633
α-C-galactosides, synthesis α-D-(1->3) and α-D-(1->4)-C-linked galactosides D-mannose derivs, 2077
amide and thioamide sugars, 2313
analysis, kojibiosides, 2367
chiral N-sulfonylated 1,3,2-oxazaborolidines and related aldehyde complexes involved in catalytic Diels-Alder reactions, 767
comparative assessment, cyclodextrins, cyclomannins, cyclogalactins with 5 and 6 (1->4)-linked sugar units, 2045
optically active bilirubin dimethyl ester and bis-N, N-dimethyl

amide by CD, NMR, molecular mechanics, 1945
skew structure preference for α-L-sorbopyranose derivs, 2459
sugar thioureas effect of intramolecular hydrogen bonding, 2325
**Copper**
bis($N^2$-n-alkyl-(s)-phenylalanin-amidato) complexes, crystal structures, 1233
Mg organo reagents, addition to chiral dienyl cyclic carbonates, 21
**Coriolic acid** stereoselective synthesis 14,14-difluoro deriv, 1015
**(arene)Cr(CO)$_3$** and (diene)Fe(CO)$_3$, kinetic resolution by lipase, 1673
**Crown ethers**
camphor, asymmetric Michael addition rationalization enantioselection by AMI and AMBER calculations, 935
homochiral with(*S*)-1-(adamantyl)-ethane-1,2-diol as chiral subunit, complexation with organic ammonium cation, 1549
**Cryptoxanthin**
9-*Z*-(3*R*)-7,8-didehydro-deriv, optically active synthesis, 1781
**Crystal structures**
bis($N^2$-n-alkyl-(s)-phenylalanin-amidato)copper complexes, 1233
**CSP 1** chiral recognition, simultaneous face to face, face to edge π interactions, 777
**Cyanoacetates** asymmetric Michael addition to α-benzoyl-cinnamonitrile, 1435
**Cyclization**
diastereoselective, 2-hydroxypinan-3-onyl amino esters, 1643
free radicals, synthesis compds related to mannostatins, 2155
intramolecular, β-chloro-substit amides, 531
optically active trifluoro-methylated epoxycarbamates, 1823
radical, on sugar templates, stereoselective synthesis fused γ-butyrolactones of carbohydrates, 2141
radical group selective with Oppolzer's camphor sultam, 199
**Cycloaddition**
[1,3]-dipolar, enantiospecific approach to an oxepane related to zoapatanol, 1151
chlorosulfonyl isocyanate to 1,2-O-isopropylidene-3-O-vinylglycofuranoses, 2179
Diels-Alder, asymmetric reactions enantiopure 1-methoxy-3-(phenyl-2-hydroxyethylsulfinyl)-1,3-butadienes, 805
Lewis acid catalysed, chiral butenolides to cyclo-pentadiene, *endo/exo* stereoselectivity, 371
hetero-Diels-Alder, C-nitroso compd prep from homochiral imidazolidin-2-one, 1535
homochiral tricarbonyl ($\eta^6$-arene)Cr complexes with ketenes, synthesis β-lactams, 809
intramolecular nitrile oxide, nitrone and oxime, enantio-specific entry to fluoro substit aminocyclopentanols, 1019
ketene and chloral using polymeric cinchona alkaloid catalysts, 1215
to 5-(*R*)-menthyloxy-2(5H)-furanone, 607
**Cyclodepsipeptides** synthesis constrained ring didemnin analog, 519
**Cyclodextrins** cyclomannins, cyclogalactins with 5 and 6 (1->4)-linked sugar units, comparative assessment conformations, hydrophobicity profiles, 2045
**Cyclogalactins** cyclomannins, cyclodextrins with 5 and 6 (1->4)-linked sugar units, comparative assessment conformations, hydrophobicity profiles, 2045
**Cyclohex-2-enylphenyl-glycinates** hydroxyselenation, 177
**Cyclohexanols** 2-substit, prep chiral juvenoids, 1501
**Cyclohexenone carboxylic acid** alkylated moiety of trisporic acids, asymmetric synthesis, 1877
**Cyclohexylidene** ketals of heptonolactones, L-rhamnose mimics, 2523
**Cyclomannins** cyclodextrins, cyclogalactins with 5 and 6 (1->4)-linked sugar units, comparative assessment conformations, hydrophobicity profiles, 2045
**Cyclooligosaccharides** with 5 and 6 (1->4)-linked sugar units, comparative assessment conformations, hydrophobicity profiles, 2045
**Cyclopalladated complex** with asymmetric metallated C-atom, resolution, 321
**Cyclopentadiene**
Diels-Alder reaction with optically active dimenthyl fumarate and menthylmethyl fumarate in $LiClO_4$/ether on $Al_2O_3$, 821
Lewis acid Diels-Alder cycloadditions to chiral butenolides *endo/exo* stereoselectivity, 371
***meso*-Cyclopentane-1,3-dimethanols** biocatalytic asymmetrization, chiral building blocks for carbocyclic N- and C-ribonucleosides, 863
**Cyclopentanes**
homochiral derivs via Beckmann fragmentation 1-substit 2-norbornanones, 949
homochiral polyfunctional side-chain derivs, stereo-selective synthesis, 37
pentasubstit compds related to mannostatins via free radical cyclization, 2155
**Cyclopentanol** (1*R*, 2*S*)-2-(hydroxymethyl)-deriv, kinetic resolution by biocatalytic trans-esterification using lipase PS, 751
**Cyclopentene-1,4-dione** achiral symmetric dienophiles, cycloaddition cyclopentadienes, 1831
**Cyclopeptadiene** Diels-Alder

reactions with methacrolein, catalysed by polymer supported chiral Lewis acids, 523
**Cyclophellitol** analogs, synthesis, activity as glycosidase inhibitors, 1353
**Cyclopropanation** α,β-unsat carboxamides derived from bicyclic amino alcohols, 1175
**Cyclopropane** didehydroamino acid, derivs, enantiopure, stereoselective synthesis, 1657
**Cyclopropanols** optically active via samarium iodide intramolecular reductive cyclization β-chloro-substit amides, 531
**Cyclopropylglycine** *trans*-α-(2-carboxymethyl)-deriv, asymmetric synthesis of natural diastereoisomer, 1221
**Cytotoxicity**
Au and Pt compds containing asymmetric [2-(methylsulfinyl)-ethyl]diphenylarsine and phosphorus analog, 49
(*R*)- and (*S*)-(*E*)-4-hydroxy-alk-2-enals, products of microsomal lipid peroxidation, 927

D

**Decarboxylation** radical, prep 1-methylcarbapenem precursors from D-glucosamine, 2137
**Dehydro-dehalogenation** prep optically active halohydrins and 1,2-diols, 239
**2-Deoxy-4-thioribose** asymmetric synthesis, 101
**Deoxy-D-gluco-oct-2-ulosonic acid** synthesis, 2405
**2-Deoxy-sugars** from β-ketoesters via malic acid, 1717
**Deprotonation** enantioselective catalytic, *meso*-epoxides, use of chiral lithium amide, 793
**Deracemization** synthesis chiral amines via asymmetric supported reactions, 817
**Destomic acid** synthesis, stereocontrolled hydroxymethylation of carbohydrate imines, 2261
**Desymmetrization** *meso*-hydrobenzoin via stereoselective enzymatic esterification, 283
**Dialkyl-Zn** alkynylation of aldehydes using tridentate ligands, 1901
**Diamines** chiral vicinal, selectively protected, 887
α,β-**Diamino acid** α,β-disubstit, homochiral, synthesis, 1661
**Diastereocontrolled reactions**
hydrogenation homochiral 3-ethyl-5-phenyl-3,4-dehydromorpholin-2-one deriv, 1669
photocycloaddition, arene and alkene linked by chiral auxiliary, 1163
**Diastereoselective reactions**
addition photo-generated radicals to (5*R*)-(-)-menthyloxy-2[5*H*]-furanone, synthesis (-)-terebic acid, 879
catalysis of carbonyl-ene reaction with fluoral, 1087
cyclization, 2-hydroxypinan-3-onyl amino esters, 1643
Diels-Alder, cyclopentadiene with optically active dimenthyl fumarate and menthylmethyl fumarate in $LiCl_4$/ether on $Al_2O_3$, 821
Grignard reagents with chiral amino lactols derived from L-aspartic acid, 169
hetero-Diels-Alder cycloaddition, C-nitroso compd prep from homochiral imidazolidin-2-one, 1535
intramolecular, synthesis optically active α-alkyl-2- and 3-furylcarbinols, 1203
osmium catalysed dihydroxylation of allylic amides and carbamates, 625
reduction, α-keto esters from functionalized cholic acid, 1171
trifluoromethylation, chiral imide enolates with iodofluoromethane mediated by triethylborane, 961
**Diastereoselective syntheses**
cleavage β-glucosylsulfoxides by β-glucosidase, 2213
γ-hydroxy-β-amino alcohols, (2*S*, 3*S*)- and (2*S*, 3*R*)-threoninol and -hydroxyphenylalaninol from (*R*)-glycidol via derived 4-hydroxymethyloxazolidinone, 161
typical polyketide fragments by boron mediated aldol reduction, 173
**Diastereospecific reactions**
cyclization optically active trifluoromethylated epoxycarbamates, 1823
hydroxyselenation of cyclohex-2-enylphenylglycinates, 177
**Diastereotopic group** selective intramolecular conjugate addition of 4-(2-hydroxyethyl)-p-quinol derivs, 333
**Diatoxanthin** 9-*Z*-(3*R*, 3'*R*)-deriv, optically active synthesis, 1781
**Diazomethane** methylene transfer to carbonyl of β-keto-γ-fluoro substit sulfoxides, 987
**Dibutylstannylene** acetal intermediates for regioselective sulfation of glycosides, 2163
**Didemnin** constrained ring analog, synthesis, 519
**Diels-Alder reactions**
1-sulfinyldienes with endocyclic double bond, evolution of N-methylmaleimide adducts, 1439
asymmetric:
chiral azlactone, 157, 759
. control by gulonic acid
. derived 1,3-oxazin-2-one,
. 2447
enantiopure 1-methoxy-3-
. (phenyl-2-hydroxyethyl-
. sulfinyl)-1,3-butadienes, 805
intermolecular, enantiopure
. sulfinyl-homo- and
. -hetero-dienes,781
cyclopentadiene with optically active dimenthyl fumarate and menthylmethyl fumarate in $LiCl_4$/ether on $Al_2O_3$, 821
intramolecular furan diene, thermodynamically controlled asymmetric induction, 1411
methacrolein with cyclopeptadiene catalysed by polymer supported chiral Lewis acids, 523
**Dienes** enatiopure sulfinyl-homo- and -hetero-, Diels-Alder intermolecular

asymmetric reactions, 781
**Dienophiles** simple symmetric, pure enantiomers, 1831
**Diethyl-Zn**
addition to aldehydes, enantiopure 1-hydroxymethyl-2-dimethylaminomethylferrocene catalyst, 1639
enantioselective addition to benzaldehyde, catalysed by thioether derivs, 207
**14,14-Difluorocoriolic acid**
stereoselective synthesis, 1015
**Difluorocyclopropanes**
asymmetric syntheses, 1423
**Difluoromethylene** linked, C-glycosides and C-disaccharides synthesis, 2269
**Difructose** dianhydride intermediates, synthesis 3,6-anhydro-keto-D-fructose, 2241
**Diphosphines** Ru catalysts, preformed and *in situ* preparation, 675
**2,3-Dihydro-1,4-benzodioxin**
7-hydroxy-2-substit, synthesis pure enantiomers, 535
**Dihydrocoumarins** indanones, chiral, application to synthesis (+)-3-(2,6-dimethoxy-phenyl)-pentanoic acid, 41
**5,6-Dihydropyran-2,4-diones**
6-methyl-3-benzylidene-deriv, enantioselective syntheses, 1665
**Dihydroxylation**
allylic amides and carbamates via osmium catalysis, 625
asymmetric catalytic, prep Mosher's acid precursor, 1473
**Diketodisulfoxides** chiral, asymmetric synthesis chiral 2,8-dimethyl-1,7-dioxaspiro-[5,5]undecane, 255
**Dimenthyl fumarate** menthyl methyl fumarate, optically active, Diels-Alder reaction with cyclopentadiene in $LiCl_4$/ether on $Al_2O_3$, 821
**Dimethoxyphenylpentanoic acid** synthesis via chiral indanones and dihydrocoumarins, 41
**Dinaphthalines** prep atropisomeric 4,5-dihydro-3*H*-dinaphtho[2,1-c;1',2'-e] phosphepine derivs, 511
**Diols**
2-methyl deriv, lipase catalysed irreversible transesterification in organic solvent, 1921
α,α-disubstit, lipase resolution in organic solvents, 565
$C_2$-symmetric chiral, enantioselective protonation samarium enolates, 1763
chiral, autocatalytic asymmetric synthesis bis[2-(1-hydroxyalkyl)phenyl]ether, 789
homochiral, synthesis from (-)-fenchone and (+)-camphor, 1373
monotosylates, amine assisted enzymatic esterification, 153
optically active:
generation from racemates
. using halohydrin
. dehydro-dehalogenase, 239
with camphor and fenchone
. skeleton, synthesis, 1891
oxidation to lactones by *Nocardia corallina* B-276, 303
prochiral and *meso*, enzymatic asymmetrization via monoacetylation with pig pancreatic lipase, 9
resolution using $C_2$-symmetric diphenyltetrahydrobipyran, 553
*syn*-and *anti*- from (*S*)-malic esters, 1717
**Dipeptides** cyclic, stereocontrolled synthesis (2*S*, 3*R*, 6*R*)- and (2*R*,3*R*, 6*R*)-6-t-butoxy-carbonylamino-3-amino-3-methoxycarbonyl-2-methyl-5-oxoperhydro-1,4-thiazepine, 1469
**Diphenylarsine**
[2-(methylsulfinyl)ethyl]-deriv and phosphorus analog stereoelectronic effects on chelating properties, 1805
**(*R*)-2-Diphenylphosphino-1,1'-binaphthyl-2'-thiol** S-alkyl deriv, Rh-catalysed reactions, 1143
**Diphosphines**
chelating, single stereogenic P atom, $R_p$ or $S_p$-(2-methoxyphenyl)-P-phenyl-P-(2'-diphenylphosphino)-ethylphosphine, 2033
electron poor (*R*)- and (*S*)-6,6'difluorobiphenyl-2,2'-diyl)bis(diphenylphosphine) transition metal catalysts, 1297
ligands, diastereomeric macrocyclic, and Ni complexes, configurations, 189
P-stereogenic centre, enantiomerically pure, 1167
Ru diallyl complex catalysts, synthesis, 665
**Disaccharides**
α-L-fucopyranosyl with thioglycosidic linkages, inhibition of α-L-fucosidases from bovine kidney and epididymis, 2351
heterolysis, two cationic analog epitopes for prep antibodies with saccharidase activity, 2255
mimics, $sLe^x$ ligands, prep, antagonists binding to lectin domains of E-selectin adhesion molecule, 2061
synthesis methylene bridged analogs methyl 4-O-(α and β-D-galactopyranosyl)-α-D-glucopyranoside, 2593
synthesis sulfur analogs of methyl isomaltoside, methyl and allyl kojibiosides, 2367
**Dispiroketals**
resolution 1,2-diols using $C_2$-symmetric diphenyltetrahydrobipyran, 553
synthesis, protection D-gluco-, D-galacto- and D-manno-pyranoside substrates, 2609
**1,5-Dithiacyclooctane**
3,7-di-[(*R*)-(+)-1'-methylbenzyl-3,7-diaza-deriv, conformation and reaction with borane, 633
**1,3,5-Dithiazines**
5-(*R*)-(+)-1'-methylbenzyl-deriv, conformation and reaction with borane, 633
*cis*-Dithiooxamide chromophores, optical activity, 149
**N,N-Ditosylimides** nucleophilic attack for prep alcohols, alkyl halides, 895
**Drimanes** tetracyclic sesquiterpene, abs configuration by Mosher's method, 1229

**Elastase** human leukocyte, inhibition by chiral β-peptidyl trifluoromethyl alcohols, 1099
**Electrofluorination** synthesis 2-fluoro-1-tetralone enantiomers, 1909
**Electron poor** (*R*)- and (*S*)-6,6'-difluorobiphenyl-[2,2']-diyl)bis(diphenylphosphine) transition metal catalysts, 1297
**Enamines** chiral linear sec α, α-disubstit, Michael-type enantioselective reactions, 1459
β-**Enamino esters** homochiral, hydride reduction to β-amino esters, 1455
**Enantiocontrolled reactions**
electronic and steric contributions to α-fluoromethylketone reductions with B-chloro-camphenylborane and B-isopinocamphenyl-9- borabicyclo[3.3.1]nonane, 1075
**Enantiocontrolled syntheses**
2-fluoroalkyl carboxylates and 1-fluoroalkyl benzoates, 981
chiral propane-1,3-diol derivs with fluorinated quaternary stereogenic centers, 1041
**Enantiofacial selectivity**
microbial hydrolysis in natural product synthesis, 1935
**Enantiomeric excess**
chiral alcohols, amines, thiols by $^{31}$NMR using α-phenylethylamine based chiral phospholidines, 699
detn unprotected amino acids, new reagent using $^{31}$NMR, 1701
**Enantiomeric purity**
1-pyridinylethanols prep by lipase catalysed transesterification, 1363
4-acetoxy-2-fluoro-2-cyclopenten-1-one synthesis, 975
7-hydroxy-2-substit-2,3-dihydro-1,4-benzodioxin, 535
3,9-disubstit spiro[5,5]-undecanes, prep and abs configuration, 1281
diphosphine ligands with P-stereogenic centre, 1167
guanidine-catalysed nitroaldol asymmetric reactions, 1393
measurement, minor enantiomer concentrated by kinetic resolution, 83
oxazolines tethered to alcohols prep and use in asymmetric catalysis, 277
prim amides, routine method, 1711
resolution [2-(methylsulfinyl)-ethyl]amine, 1883
synthesis juvenile hormone II, 1139
synthesis N-protected β-amino-α-keto esters from α-amino acids and dipeptides, 195
**Enantiomers**
2-fluoro-1-tetralones, synthesis, 1909
preparative separation, hollow fiber membrane technology, 773
**Enantioselection**
by AMI and AMBER calculations rationalized, asymmetric Michael addition of camphor crown ethers, 935
substituent effects, chiral HPLC separation enantiomers
fluorinated N-arylamino-1-arylmethylphosphonate esters, 141
**Enantioselective reactions**
(-)-(4*S*, 5*R*)-4-(2-pyridyl)-5-(diphenylphosphino)-methyl-2,2-dimethyl-1,3-dioxolane, catalytic chiral ligand, 299
2,2-cycloaddition ketene and chloral using polymeric cinchona alkaloid catalysts, 1215
addition:
alkynylation aldehydes with
. dialkyl-Zn using tridentate
. ligands, 1901
diethyl-Zn to aldehydes,
. enantiopure 1-hydroxy-
. methyl-2-dimethylamino-
. methylferrocene catalyst,
. 1639
diethyl-Zn to benzaldehyde,
. catalysed by thioether derivs,
. 207
aldol, using homochiral lithium amides as non-covalently bound chiral auxiliaries, 541
allylic amination with chiral (phosphino-oxazoline)Pd catalyst, 573
catalysis:
by 1-(1-isoquinolinyl)-
. 2-naphthalenemethanol an
. atropisomerically chiral N-O
. chelating ligand, 45
carbonyl-ene reaction with
. fluoral, 1087
deprotonation, *meso*-epoxides,
. use of chiral lithium amide,
. 793
reduction, acetophenone with
. borane, presence cyclic α-
. amino acids and their
. β-amino alcohols, 185
complexation organic ammonium cation and homochiral crown ether with (*S*)-1-(adamantyl)-ethane-1,2-diol as chiral subunit, 1549
ethylation aldehydes via chiral $C_2$-symmetrical β-hydroxy-*m*-xylylene diamines, 67
hydrocyanation of aryl aldehydes, substituent effects, 1541
hydrogenation:
acyclic aromatic ketones
. catalysed by BINAP-Ir-
. aminophosphine systems,
. 1179
preformed and *in situ* prepared
. diphosphine-Ru catalysts, 675
hydrolysis:
enzymatic, building blocks for
. synthesis carbocyclic
. nucleosides, 269
esters, by catalysed imprinted
. polymers, 1403
improved in organic solvents,
. 93
ketone reduction:
based on isomerism dimers of
. chiral oxazaborolidines, 387
catalysed by 1,3,2-oxaza-
. borolidines prep from
. phenylglycine, 165
promoted by chiral
. oxazaborolidines,
. oxazadiboretanes
. potentially involved, 903
using borane diadducts
. oxazaborolidines, 395
via hydride-bridged
. borane-alkoxyborane
. complexes of oxaza-

. borolidines, 289
lactonization rac 3,5-dihydroxy ester, synthesis (3*R*, 5*S*)-3-hydroxy-7-phenyl-6-heptyn-5-olide, 17
Michael-type, chiral linear α,α-disubstit sec enamines, 1459
ortho lithiation tricarbonyl (masked phenol and aniline)-Cr complexes, 1427
oxidation ferrocenyl sulfides, 549
Pd catalysed allylic substit, electronic and steric effects of ligand, 1895
protonation, samarium enolates by $C_2$-symmetric chiral diol, 1763
*Pseudomonas cepacia*
lipase transesterification of 2-substit 1,4-butanediols, 691
rearrangement, *meso*-epoxide to allyl alcohol for carbocyclic nucleoside synthesis, internal alkoxide effect, 337
reduction ketones catalysed by (4*S*, 5*R*)-2,4-diphenyl-1,3,2-oxazaborolidine, 1211
Reformatsky, chiral ligand for optically active β-hydroxy ester synthesis, 1875
transesterifications, 2-methyl-1-alcohols catalysed by *Pseudomonas* lipase, 785
**Enantioselective syntheses**
6-methyl-3-benzylidene-5,6-dihydropyran-2,4-diones, 1665
(-)-chanoclavine, 1525
(-)-indolizidines 223AB, 317
(-)-serricornin, *Lasioderma serricorne* sex pheromone, 641
2,5-disubstit pyrrolidines, 745
3,4-dichloro-phenylalanine, 1621
C-3 symmetrical triol, 1161
cinnamyl-1-phenyl-2-propenyl ether, metabolite of *Caulerpa racemosa*, 23
diethyl 1-hydroxyalkyl-phosphonates via oxaza-borolidine catalysed borane reduction diethyl α-ketophosphonates, 1965
entry to β-amino esters by hydride reduction homochiral β-enamino esters, 1455
γ- and δ-lactones, 1443
γ-valerolactone, 117
hydroxyalkylpropane carboxylic acid derivs, 1451
(*R*)-(+)-β-piperonyl-γ-butyrolactone, 1219
(*R*)-2-methyl alkanols via biohydrogenation 2-substit allyl alcohols, 19
substit octalones, 1433
typical polyketide fragments by boron mediated aldol reduction, 173
White key intermediate for trisporic acid synthesis, 1877
**Enantiospecific reactions**
1,3-dipolar cycloaddition, approach to an oxepane related to zoapatanol, 1151
**Enantiospecific syntheses**
(+)-RP 66803, nonpeptide CCK antagonist, abs configuration, 235
D-gluco-KDO, 2405
D-saunosamine from thioglycolic acid, 1869
diastereoisomers of (3*S*, 4*R*)- and (3*S*, 4*R*, 7*S*)-goniofufurone, 1269
fluoro substit aminocyclopentanols via intramolecular cycloaddition of nitrile oxide, nitrone and oxime, 1019
**Enoates** intramolecular Michael addition to chiral imines, asymmetric bridging annulation, 339
**Enolates**
chiral, amination, synthesis chiral key intermediates β-lactam antibiotics, 1465
chiral imide, trifluoromethylation with iodofluoromethane mediated by triethylborane, 961
derived from 1,3-diacylimidazolidine-2-thiones and 2-ones alkylation, 585
**Entrainment** resolution taxol side chain methyl ester, 1683
**Enzymatic reactions**
amine assisted esterification, 1,2-diol monotosylates, 153
asymmetrization, prochiral and *meso* diols via monoacetylation with pig pancreatic lipase, 9
baker's yeast reduction thiocarbonyl compds, 403
enantioselective lactonization rac 3,5-dihydroxy ester, synthesis (3*R*, 5*S*)-3-hydroxy-7-phenyl-6-heptyn-5-olide, 17
resolution:
1-hydroxymethyl-2-. dimethylaminomethyl-. ferrocene, 1275
ethyl acetals of (R)- and . (S)-4-hydroxyalk-2-ynals, 13
stereoselective synthesis (*S*)-propanolamines, 1881
transformation:
effect of nature of solvent, . 1479
prep chiral juvenoids, 1501
**Enzymatic syntheses**
4-phenyl-2,3-epoxybutane and 1-phenyl-1,2-epoxypropane, 1249
7-deoxy- and 7-O-methyl-N-acetylneuraminic acids, 2437
(3*S*, 4*R*)-(+)-4-hydroxy-3-phenyltetrahydro-isoquinolines, 1567
chiral monosubstit malonates in organic solvent, 1689
optically active:
4-chloro-1-phenyl-1-butanol . derivs, 1917
silylmethanol derivs with . stereogenic Si atom via . hydrolase catalysed . enantioselective . esterification, 73
**Enzymes** PFP inhibitors, use of 2,5-dideoxy-2,5-imino-D-mannitol, 2251
**Ephedrine N-boranes**
N-configuration and assisted stereospecific deuteration of NH, 1579
**epi-Progoitrin** prep (5*R*)-5-vinyloxazolidine-2-thione using immobilized myrosinase, 1157
**Epoxides**
carbohydrate, double homologation to γ-lactones, 2563
chiral synthesis 4-phenyl-2,3-

epoxybutane and 1-phenyl-1,2-epoxypropane, 1249
enantioselective catalytic deprotonation, use of chiral lithium amide, 793
optically active, synthesis optically active oxazolines, 491
using chiral sulfur ylides, 723
**Epoxy silane** condensation chiral imines with acrylonitrile, 1645
**2,3-Epoxy sulfides** homochiral, as precursors to E-γ-hydroxy-α,β-unsat sulfoxides and sulfones, 355
**Epoxycarbamates** optically active trifluoromethylated derivs, cyclization, 1823
**Esermethole**
(+)- and (-)-, synthesis via resolution 1,3-dimethyl-3-(2-aminoethyl)-5- methoxyoxindole, 111
(-)-, asymmetric synthesis, 363
**Esterase** crude chicken liver, biocatalyst *trans*-2-aryl-cyclohexan-1-ol resolution, 223
**Esterification**
enzymatic:
desymmetrization
. *meso*-hydrobenzoin, 283
amine assisted of
. 1,2-diol monotosylates, 153
hydrolase, prep optically active silylmethanol derivs with stereogenic Si atom, 73
**Esters**
enantioselective hydrolysis improved in organic solvents, 93
hydrolysis by catalysed imprinted polymers, 1403
prep *syn* and *anti* aldols, 541
**Ethyl acetals** (*R*)- and (*S*)-4-hydroxyalk-2-ynals, enzymatic resolution, 13
**Ethylation** enantioselective, aldehydes via chiral C2-symmetric β-hydroxy-*m*-xylylene diamines, 67
**8-Ethylquinoline** derivs, cyclopalladated with stereogenic centre linked to Pd, prep via resolution, 321

F

**(diene)Fe(CO)$_3$** kinetic resolution by lipase, 1673
**Fenchone** skeleton, synthesis optically active 1,3-diols, 1891
**(-)-Fenchone** synthesis homochiral 1,2-diols, 1373
**Ferrier reaction** intramolecular, use of claysil catalyst for 1,6-anhydro-rare saccharides, 1905
**Ferrocenyl compds**
aminoalcohols, enantiopure with a plane or a centre of symmetry, 1275
sulfides, enantioselective oxidation, 549
**Fluoral** reaction with carbonyl-ene, diastereo- and enantioselective catalysis, 1087
**Fluorescence** labelled lactoside, continual assay ceramide glycanase, 2335
**Fluorinating agents** alkali metal fluorides, enantio-controlled synthesis 2-fluoro-alkyl carboxylates and 1-fluoroalkyl benzoates, 981
**Fluoro compds**
1-fluoroalkyl benzoates, enantiocontrolled synthesis, 981
2-fluoroalkyl carboxylates, enantiocontrolled synthesis, 981
3-fluoro-2-azetidinones, enantiomerically pure, optically active α-fluoro-malonamides derivs from enantiomerically pure 3-fluoro-2-azetidinones, 1005
α'-fluoroalkylketones, α-acetylenic, reduction with B-chlorodiisopinocamphenyl-borane or B-isopino-camphenyl-9-borabicyclo-[3.3.1]nonane, effect of fluoro groups, 1061
α-fluoromethylketones, reduction with B-chloro-camphenylborane and B-isopinocamphenyl-9-borabicyclo[3.3.1]nonane, electronic and steric contributions to enantiocontrol, 1075
β-fluoroalkyl-β-amino acids, biocatalytic resolution, 1119
analogs, 1,6-dideoxy-6,6-difluoro-azasugar derivs,1025
chiral propane-1,3-diol derivs with fluorinated quaternary stereogenic centers, synthesis, 1041
cyclization optically active trifluoromethylated epoxycarbamates, 1823
difluoromethylene-linked C-glycosides and C-disaccharides synthesis, 2269
enantiomerically pure 4-acetoxy- 2-fluoro-2-cyclo-penten-1-one, synthesis, 975
fluorinated chiral synthons, new, 987
fluorinated N-arylamino-1-aryl-methylphosphonate esters, chiral HPLC separation enantiomers, 141
fluoro-aminocyclopentanols, inhibitors glycoprotein processing enzymes, enantio-specific synthesis, 1019
fluorobenzaldehydes, gold catalysed aldol reaction with α-isocyanoacetamide, 1091
groups, effect on reduction of α-acetylenic α'-fluoroalkyl ketones with B-chlorodiiso-pinocamphenylborane or B-isopinocamphenyl-9-bora-bicyclo[3.3.1]nonane, 1061
optically active fluorinated β-lactam building blocks, fluorinated retroamide isostere, 1005
taxol C-13 side chain, synthesis (2*R*, 3*S*)-methyl-2-fluoro-3-(N-benzoylamino)-3-phenyl-propanoate, 955
**2-Fluoro-1-tetralones** synthesis enantiomers, 1909
**α-Fluoroalkyl amino acids** optically pure (*R*)- and (*S*)-trifluoromethyl alanine, 2009
**Formaldehyde** coordination to chiral N-sulfonylated 1,3,2-oxazaborolidines, conformation, 767
**Fructofuranose** deriv, synthesis 3,6-anhydro-keto-D-fructose, 2241
**D-Fructofuranoside** methyl-α-deriv, synthesis conversion into carboxylates, 2475
**α-L-Fucopyranosyl disaccharides** with thio-

glycosidic linkages, inhibition of α-L-fucosidases from bovine kidney and epididymis, 2351
**Furan-2(5*H*)-ones**
5-(R)-menthyloxy-deriv, asymmetric 1,3-dipolar cycloaddition, 607
derivs, synthesis, NMR, X-ray analysis, 1745
prep (5*S*)-4-bromo-5-(l-menthyloxy)- and (5*S*)-4-alkylamino- and 4-alkylthio-5-(l-menthyloxy)- derivs, 1385
**Furylcarbinols**
optically active α-alkyl-2- and 3-derivs, intramolecular diastereoselective synthesis, 1203
optically active enantiomers, synthesis using (*R*)-methyl-p-tolylsulfoxide, 709

G

**Galactopyranosides**
selenophenyl, synthesis α and β-(1->4)-C-disaccharides, 2593
**α-C-Galactosides**
conformation, synthesis α-D- (1->4) and α-D-(1->4)-C-linked galactosides D-mannose derivs, 2077
**Gangliosides** related polysialogangliosides, synthesis, 2493
**D-Gluco-KDO** enantiospecific synthesis, 2405
**Glucopyranosides**
4-pentenyl 2-azido-2-deoxy-deriv, facile prep, 2187
deriv as nucleophile in conjugate addition for prep of muramic acid analogs, 2335
**D-Glucosamine** prep 1-methylcarbapenem precursors, use of radical decarboxylation, 2137
**Glucosaminyltransferase**
N-acetyl deriv, acceptor-substrate recognition, role of mannose residue in βDGlcNAc(1->6) βDGlcOR, 2415
**D-Glucose**
exclusive seven-membered ring formation, 2485
synthetic studies trichothecene family, 2217
**Glucosidase**
catalysed synthesis glucosides with spacer arm on anomeric carbon, 2513
diastereoselective cleavage of β-glucosylsulfoxides, 2213
**2-O-Glucosylglycerols**
acetylated, lipase catalysed prep, 1377
**β-Glucosylsulfoxides**
diastereoselective cleavage by β-glucosidase, 2213
**Glutamic acid**
3-substit homochiral, prolines, synthesis from pyroglutamic acid, 351
4-methylene-deriv and cyclopropyl analog, syntheses, 921
analogs, diastereomeric α-boroxazolidone γ-phenylethylamide deriv resolution and regioselective protection, 731
prolines, 3-substit, synthesis from pyroglutamic, 351
**Glycanase** ceramide, continual assay by bifluorescence labelled lactoside, 2335
**O-Glycans** attached to lysosomal membrane glycoproteins, structures, lamp-1 and -2, comparison to those in N-glycans, 2093
**(*R*)-Glycidol** derived 4-hydroxymethyloxazolidinone, diastereoselective synthesis (2*S*, 3*S*)- and (2*S*, 3*R*)-threoninol and (2*S*, 3*R*)-hydroxyphenylalaninol, 161
**Glycofuranoses**
1,2-O-isopropylidene-3-O-vinyl-deriv, asymmetric induction in [2+2]cycloaddition to chlorosulfonyl isocyanate, 2179
**Glycosidase** inhibitors, synthesis and activity of cyclophellitol analogs, 1353
**Glycosides**
C-disaccharides, difluoromethylene-linked, synthesis, 2269
fused ring, synthesis, 2265
stereoselective synthesis via glycosidases as catalysts, 2517
sulfation via dibutylstannylene acetal intermediates, 2163
**Glycosyl donors**
2-azido-2-deoxyhexopyranosyl building blocks for oligosaccharide synthesis, 2187
active and latent, stereoselective synthesis thioglycosides under PYC conditions, 2303
**Glycosylation** imidates to obtain unsymmetrical trehalose analogs, 2109
**Gold** compds containing asymmetric [2-(methylsulfinyl)-ethyl]diphenylarsine and phosphorus analog, *in situ* cytotoxic properties, 49
**Goniofufurone** (3*S*, 4*R*) and (3*S*, 4*R*, 7*S*) diastereoisomers, enantiospecific syntheses, 1269
**Goniothalamin series**
stereochemistry baker's yeast reduction α,β-unsaturated δ-lactones, 1135
**Grignard reagents**
diastereoselective reactions with chiral amino lactols derived from L-aspartic acid, 169
**Group selectivity** radical cyclizations with Oppolzer's camphor sultam, 199
**Growth hormones** see also . Juvenoids
2'-biphenyl substituent replacement for 2'-tetrazole moiety of L-692,429 1807
**Guanidine** enantiomerically pure, catalysed nitroaldol asymmetric reactions, 1393
**Gulonic acid** derived 1,3-oxazin-2-one, control of Diels-Alder and aldol asymmetric reactions, 2447

H

**Halohydrins** optically active, prep via dehydro-dehalogenation, 239
**HDDase** dehalogenating activity, 239
**Helix** sign inversion of pitch in carbohydrate based liquid crystals, 2443
***Helminthosporium sp***
NRRL 4671, biotransformation (R)-sulforaphane, 1129
**Heptonolactones**

acetonides synthesis by Kiliani ascension of 3-O-benzyl- D-glucose and D-allose, 431
isopropylidene and cyclohexylidene ketals, L-rhamnose mimics, 2523
**Heterobidentate ligands** synthesis and Rh catalysed reactions of S-alkyl (R)-2-diphenylphosphino-1,1'-binaphthyl-2'-thiol, 1143
**2,5-Hexanediol** racemic, isolation from rac and *meso* isomer mixtures by cyclic sulfites, 657
**Hexapyranosides** functionalized chain-elongated, prep, 2123
**Hexose** homochiral D- and L-precursors from (*R*)-methyl-*p*-tolylsulfoxide, 709
**HIV**
inhibitors, 1,6-dideoxy-6,6-difluoro-azasugar derivs, 1029
protease inhibitor, fluorinated retroamide isostere, 1005
protease inhibitors, approach to intermediate (2*R*,3*S*)-3-azido-1,2-epoxy-4-phenylbutane, 755
**Hollow fiber membrane technology** preparative enantiomer separation, 773
**Hormones**
chiral juvenoids from 2-substit cyclohexanols, 1501
juvenile II, enantiomerically pure, synthesis, 1139
**Horsfiline** alkaloid synthesis, 1979
**Hyaluronic acid** related di- and tetrasaccharides with glucuronic acid at reducing end, synthesis, 2291
**Hydantocidin** spirodihydrouracil deriv synthesis, 2233
**Hydantoins** 5,5-disubstit, lipase catalysed resolution, 1407
***meso*-Hydrobenzoin** desymmetrization via stereoselective enzymatic esterification, 283
**Hydrocyanation** aryl aldehydes, substituent effects, 1541
**Hydrogen bonding** intramolecular effect on conformation sugar thioureas, 2325
**Hydrogenation**
2-substit allyl alcohols, enantioselective synthesis (*R*)-2-methyl alkanols, 19
acyclic aromatic ketones catalysed by BINAP-Ir-aminophosphine systems, 1179
asymmetric, activated keto compds via chiral arene ruthenium aminophosphine-phosphinite complexes, 515
diphosphine-Ru catalysts, preformed and *in situ* preparation, 675
homochiral 3-ethyl-5-phenyl-3,4-dehydromorpholin-2-one deriv, 1669
**Hydrolase** enantioselective esterification, prep optically active silylmethanol derivs with stereogenic Si atom, 73
**Hydrolysis**
esters:
. by catalysed imprinted polymers, 1403
. improved in organic solvents, 93
lipase catalysed and regioselective bromination of 1,4-dihydropyridine, synthesis (*R*)-(+)-nilvadipine, 1447
microbial, enantiofacially selective in natural product synthesis, 1935
reverse, using β-D-glucosidase, synthesis glucosides with spacer arm on anomeric carbon, 2513
**Hydrophobicity** comparative assessment, cyclodextrins, cyclomannins, cyclogalactins with 5 and 6 (1->4)-linked sugar units, 2045
**β-Hydroxy esters** optically active, synthesis using chiral ligand, 1875
**4-Hydroxy-3-phenyltetrahydro isoquinolines** enzymatic synthesis, 1567
**Hydroxy-7-phenyl-6-heptyn-5-olide** (3*R*, 5*S*)-deriv, synthesis via enantioselective lactonization rac 3,5-dihydroxy ester, 17
**γ-Hydroxy-β-amino alcohols** synthesis (2*S*, 3*S*)- and (2*S*, 3*R*)-threoninol and -hydroxy= phenylalaninol from (*R*)-glycidol via derived 4-hydroxymethyl-oxazolidinone, 161
**α-Hydroxy-phosphonamides** phosphonates and phosphonic acids, asymmetric syntheses, 499
**4-Hydroxyalk-2-enals** (*R*)- and (*S*)-(*E*)-deriv, cytotoxic products of microsomal lipid peroxidation, 927
**Hydroxyalk-2-ynals** diethylacetals, enzymatic resolution, 13
**1-Hydroxyalkylphosphonates** enantioselective syntheses via oxazaborolidine catalysed borane reduction diethyl α-ketophosphonates, 1965
**Hydroxyalkylpropane carboxylic acid** derivs enantioselective syntheses, 1451
**Hydroxyalkylpyridines** related pyridyl amines, optically active, synthesis, 1973
**Hydroxychloroquine** enantiomers, synthesis, 1815
**Hydroxymethylation** carbohydrate imines, synthesis destomic acid and lincosamine, 2261
**3-Hydroxymethylquinuclidine** enantiomers, 537
**Hydroxyphenylalaninol** (2*S*, 3*R*)-, diastereoselective synthesis from (*R*)-glycidol via derived 4-hydroxymethyl-oxazolidinone, 161
**3-Hydroxyproline** *trans*-(2*S*,3*S*)- deriv and castanodiol, chiral pool synthesis from *S*-pyroglutamic acid, 119
**2*S*-Hydroxypropanal** O-protected, acyclic stereocontrol, solvent effect, 1913
**Hydroxyselenation** cyclohex-2-enylphenylglycinates 177

I

**Imidazolidin-2-one** C-nitroso compd, hetero-Diels-Alder cycloaddition, 1535

**Imines**
chiral, asymmetric Michael addition, acrylonitrile as acceptor and functionalization of adducts, 1645
intramolecular Michael addition to enoates, asymmetric bridging annulation, 339
**Indanones** dihydrocoumarins, chiral, application to synthesis (+)-3-(2,6-dimethoxy-phenyl)-pentanoic acid, 41
**Indolizidines** 223AB, enantioselective synthesis, 317
**Inhibition**
α-L-fucosidases from bovine kidney and epididymis, synthesis α-L-fucopyranosyl disaccharides with thioglycosidic linkages, 2351
human leukocyte elastase, chiral β-peptidyl trifluoromethyl alcohols, 1099
**Inhibitors**
enzyme, potential KDO analogs, 2405
glycoprotein processing enzymes, enantiospecific synthesis fluoro substit aminocyclopentanols, 1019
glycosidase, synthesis and activity of cyclophellitol analogs, 1353
HIV:
1,6-dideoxy-6,6-difluoro-
. azasugar derivs, 1029
protease, approach to inter-
. mediate (2*R*,3*S*)-3-azido-1,2-
. epoxy-4-phenylbutane, 755
fluorinated retroamide isostere,
. 1005
PDE IV, SAR aromatic ring rolipram, 1835
PFP enzyme, use of 2,5-dideoxy-2,5-imino-D-mannitol, 2251
**Intercalation** synthesis heteroaryl alanines, 1793
**Iodine** trivalent reagents, isostegane derivs, asymmetric synthesis, 329
**Iodofluoromethane** trifluoromethylation chiral imide enolates mediated by triethylborane, 961
**Iron** chiral auxiliary with attached chiral acetate and propionate enolate equivs, opening carbohydrate 5,6-epoxides, 2563
α-**Isocyanoacetamide** gold catalysed aldol reaction with fluorinated benzaldehydes, 1091
**Isomerization** cyclic acetals, ketals of pentonolactones, spectroscopic, crystallographic, computational studies, 2535
**Isopodophyllotoxin** asymmetric synthesis, 909
**Isopropylidene** ketals of heptonolactones, L-rhamnose mimics, 2523
**Isopropylidene glycerol** (R)- and (S)-, synthesis, 5
**Isostegane** derivs, asymmetric synthesis using trivalent iodine reagents, 329
**2-Isoxazolines** chiral heterocyclic type from (+)-3-carene, 479

J

**Juvenoids** chiral, from 2-substit cyclohexanols, 1501

K

**KDO** analogs, enzyme inhibitory potential, 2405
**Ketals**
acetals, cyclic of pentonolactones, formation, isomerization, spectroscopic, crystallographic, computational studies, 2535
L-rhamnoheptonolactones, L-rhamnose mimics, 2523
**Ketene** cycloaddition to chloral using polymeric cinchona alkaloid catalysts, 1215
**Ketoesters**
α-, reduction via functionalized cholic acid, 1171
β- rac, prep optically active ketones via Pd-induced cascade reaction, 1321
**Ketones**
6-membered ring, abs configuration via (N-methylphenylsulfoximidoyl)methyllithium, 503
acyclic aromatic, hydrogenation catalysed by BINAP-Ir-aminophosphine systems, 1179
asymmetric hydrogenation dihydro-4,4-dimethyl-2,3-furandione via AMPP ligands, 515
optically active, via Pd-induced cascade reaction from rac β-ketoesters, 1321
prep *syn* and *anti* aldols, 541
reduction:
1,3,2-oxazaborolidines prep
. from phenylglycine, 165
borane catalysed by
. oxazaborolidine, effect temp
. on selectivity, 465
catalysed by (4S,
. 5R)-2,4-diphenyl-
. 1,3,2-oxazaborolidine,
. 1211
enantioselective, use dimeric
. isomers of chiral oxaza-
. borolidines, 387
prochiral, using aluminium
. hydride reagents prepared
. from LAH and chiral
. diethanolamines, 377
promoted by chiral
. oxazaborolidines,
. oxazadiboretanes
. potentailly involved, 903
via hydride-bridged
. borane-alkoxyborane
. complexes of oxaza-
. borolidines, 289
with N-P=O structural unit,
. stereoelectronic
. requirements, 801
**Ketopantoate**, reduction with formate and *Proteus sp*, synthesis (*R*)-pantoyl lactone, 1419
β-**Ketophosphonates** oxazaborolidine catalysed borane reduction, enantioselective syntheses diethyl 1-hydroxy-alkylphosphonates, 1965
β-**Ketosulfoxides** reduction, asymmetric synthesis (*S*)-malic esters, 1717
**Kiliani escension** 3-O-benzyl-D-glucose and D-allose, synthesis δ-heptonolactone acetonides, 431
**Kinetics**
enzymatic resolution 1-hydroxymethyl-2-

dimethylaminomethyl-ferrocene, 1275
resolution, concentrates minor enantiomer, measurement enantiomeric purity, 83
**Kojibiosides** conformational analysis, synthesis sulfur analogs of methyl and allyl derivs, 2367

L

**β-Lactams**
precursors optically active 2-oxaisocephems, asymmetric synthesis, 441
synthesis via [2+2]cycloaddition, homochiral tricarbonyl-($\eta^6$arene)Cr complexes with ketenes, 809
**Lactones**
δ-,α,β-unsaturated, baker's yeast reduction in goniothalamin series, stereochemistry, 1135
δ- and γ-, enantioselective syntheses, 1443
ε-, racemic, resolution, 343
via oxidation diols by *Mocardia corardia* corallina B-276, 303
**Lactonization** enantioselective, rac 3,5-dihydroxy ester, synthesis (3R,5S)-3-hydroxy-7-phenyl-6-heptyn-5-olide, 17
**Lactoside** bifluorescence labelled for continual assay of ceramide glycanase for continual assay of ceramide glycanase, 2335
***Lasioderma serricorne*** sex pheromone serricornin, enantioselective synthesis, 641
**Legislation** E.C., starch purity detn via multi-enzyme conversion to glucose, 2571
**Lincosamine** synthesis, stereocontrolled hydroxymethylation carbohydrates imines, 2261
**Lipase**
acetylation, *cis*-4-(hydroxymethyl)-2-phenyl-1,3-dioxane, 1479
acetylation α-(3-chloropropyl)-4-fluorobenzenemethanol resolution, 1925
*Candida cylindracea*, resolution of tert α-acetylene-acetate esters, 1111
catalysis:
irreversible trans-
. esterification of 2-methyl-1,2-diols in organic
. solvent, 1921kinetic resolution, phenylcyclo-
. hexanone oxime esters, 2019
enantioselective transacylation *cis*-2-methylcyclopentanol, 1187
hydrolysis and regioselective bromination of 1,4-dihydropyridine, synthesis (*R*)-(+)-nilvadipine, 1447
kinetic resolution (diene)-$Fe(CO)_3$, (arene)$Cr_3$, 1673
pig pancreatic, monoacetylation prochiral and meso diols, 9
prep of acetylated 2-O-glucosylglycerols, 1377
*Pseudomonas cepacia*, transesterification of 2-substit 1,4-butanediols, 691
resolution:
2-azabicyclo[2.2.1]hept-
. 5-en-3-ones, 1155
5,5-disubstit hydantoins, 1407
. α,α-disubstit 1,2-diols in
. organic solvents, 565
kinetics, planar chiral
. 1-hydroxymethyl-2-
. dimethylaminomethyl-
. ferrocene, 1275
transesterification, prep enantiomerically pure 1-pyridinylethanols, 1363
**Liquid crystals** carbohydrate based, sign inversion of helical pitch, 2443
**Lithiation** tricarbonyl masked phenol and aniline) Cr complexes, 1427
**Lithium**
(α-methylbenzyl)benzylamide, stereoselectivity in conjugate addition to t-butyl cinnamate, 1999
amide, chiral, enantioselective catalytic deprotonation *meso*-epoxides, 793
enolates of 1-menthyl-propionate, asymmetric induction, 1873

M

**Magnesium** homochiral amides, asymmetric Michael addition, 35
**Malic acid** alkyl ester polystereoisomers, 4-alkyloxycarbonyl-2-oxetanones with two stereogenic centers as precursors, 1589
**Malonates**
chiral monosubstit, enzymatic synthesis in organic solvent, 1689
esters asymmetric synthesis via β-ketosulfoxide reduction, 1717
**Mandelic acid** optical resolution by cinchonine in different solvents, 315
**(*S*)-Mandelonitrile** synthesis via *Sorghum bicolor* shoots, 311
**D-Mannitol**
2,5-dideoxy-2,5-imino-deriv, use as PFP enzyme inhibitors, 2251
**Mannose**
α-D-(1->3) and α-D-(1->4)-C-linked derivs, conformation α-C-galactosides, 2077
role in βDGlcNAc(1->6)-βDGlcOR, acceptor-substrate recognition by GlcNAcT-V, 2415
**Mannostatins** related compds via free radical cyclization, 2155
**MeBmt** synthesis, 717
**Mechanism** optical resolution, N-methylamphetamine via diastereoisomeric salt formation by Pope-Peachey method, 193
**(5*R*)-(-)-Menthyloxy-2[5*H*]-furanone** addition photo generated radicals to (5*R*)-(-)-menthyloxy-2[5*H*]-furanone, synthesis (-)-terebic acid, 879
**1-Menthylpropionate** lithium enolates, asymmetric induction, 1873
**Metabolites** *Caulerpa racemosa*, enantioselective synthesis cinnamyl-1-phenyl-2-propenyl ether, 23
**Methacrolein** Diels-Alder reactions with cyclopeptadiene catalysed by polymers supported chiral Lewis acids, 523
**N-Methacrylocamphorsultam**

chiral, asymmetric Michael addition of thiols, 1195
**5-Methoxyoxindole** 1,3-dimethyl-3-(2-aminoethyl)-deriv, resolution, synthesis (+)- and (-)-esermethole, 111
**Methyl α-C-lactosides** synthesis via selenophenyl galacto-pyranosides, 2593
**Methyl α-D-fructofuranoside** synthesis, conversion into carboxylates, 2475
**2-Methyl-1-alcohols** enantioselective transesterification catalysed by *Pseudomonas lipase*, 785
**N-Methylamphetamine** mechanism optical resolution via diastereoisomeric salt formation by Pope-Peachey method, 193
**1-Methylcarbapenem** precursors from D-glucosamine, use of radical dearboxylation, 2137
*cis* **2-methylcyclopentanols** (1*S*) and (1*R*), synthesis via lipase mediated resolution, 1187
**Methyl-2-fluoro-3-(N-benzoyl-amino)-3-phenylpropanoate** *syn*-(2*R*,3*S*)-and *anti*-(2*S*,3*S*)-, modified side chain of taxol, 955
**Methyl kojibiosides** methyl isomaltoside, synthesis sulfur analogs, 2367
**Methyl trifluoropyruvate** asymmetric synthesis via 3-hydroxy-3-trifluoromethyl-2,5-diketopiperazine, 1051
**Methylene**
linked, C-glycosides and C-disaccharides synthesis, 2269
transfer, diazomethane to carbonyl of β-keto-γ-fluoro substit sulfoxides, 987
using chiral S-methyl-S-neomenthyl-N-tosyl sulfoximines, prep oxiranes using carbonyl compds, 1513
**4-Methylene-L-glutamic acid** cyclopropyl analog, syntheses, 921
**N-Methylmaleimide adducts** via Diels-Alder reactions of 1-sulfinyldienes with endocyclic double bond, 1439
**Methylphenylalanine**
α-, asymmetric synthesis, 261
β-, esters, N-(ethoxycarbonyl)-deriv, asymmetric synthesis, 473
**β-Methylstyrene oxides** enzymatic synthesis, 1249
**[2-(Methylsulfinyl)ethyl]amine** enantiomeric purity, resolution, 1883
**Microbial reactions** reduction, synthesis homochiral *syn*- and *anti*-α-(hydroxyethyl)-γ-butryolactone, 1631
**Microginin** amino acid component (2S, 3R)-3-amino-2-hydroxydecanoic acid, asymmetric synthesis, 203
**Microorganisms** enantiofacially selective hydrolysis in natural product synthesis, 1935
**Microsomal peroxidation** lipid cytotoxic compds:
(*R*)- and (*S*) methyl-2-
. fluoro-3-(N-benzoyl-
. amino)-3-phenylpropanoate
. *syn*-(2R,3S)-and *anti*-
. (2*S*,3*S*)-, modified side chain
. of taxol, 955
synthesis (*R*)- and (*S*)-
. (*E*)-4-hydroxyalk-2-enals, 927
**Mimics** disaccharide, $sLe^x$ ligands, prep, antagonists binding to lectin domains of E-selectin adhesion molecule, 2061
**Molecular mechanics** CD, NMR, optically active bilirubin dimethyl ester and bis-N, N-dimethyl amide, conformation, 1945
**Molecular modelling** (1->4)-linked cyclooligo-saccharides with five and six α-D-glucose, α-D-mannose and β-D-galactose units respectively, 2045
**Monoacetylation** prochiral and *meso* diols with pig pancreatic lipase, 9
**Monothioimides** optically active with chirality due to sulfur substit, 359
**Morpholin-2-ones** derivs, template for α-ketoacids and reductive amination to homachiral α-amino acids, 1669
**Mosher's reaction**
acid, precursor via catalytic asymmetric dihydroxylation, 1473
method, absolute configuration tetracyclic sesquiterpenoid drimane, 1229
**Muramic acid** analogs, prep, carbohydrates as nucleophiles in conjugate addition, 2335
**Myrosinase** immobilized, prep (5*R*)-5-vinyloxazolidine-2-thione from *epi*-progoitrin, 1157

N

**1,8-Naphthyridine** antiinfective agent PD138312, synthesis, 1131
**Natural products** enantiofacially selective synthesis via microbial hydrolysis, 1935
**Nickel** complexes, diastereomeric macrocyclic diphosphine ligands, configurations, 189
**Nitroaldol** enantiomerically pure guanidine-catalysed asymmetric reactions, 1393
**Nitrogen configuration**, ephedrine N-boranes, assisted stereospecific deuteration of NH, 1579
**C-Nitroso compd** prep from homochiral imidazolidin-2-one, hetero-Diels-Alder cycloaddition, 1535
**NMR**
acetyl methyl resonances peracetylated lilioside B, stereochemical identification partially acetylated derivs, 1993
CD, molecular mechanics, optically active bilirubin dimethyl ester and bis-N, N-dimethyl amide, conformation, 1945
chiral recognition olefins in presence chiral dirhodium complex, 27
configurations diastereomeric macrocyclic diphosphine

ligands and Ni complexes, 189
skew conformation preference for α-L-sorbopyranose derivs, 2459
structure of campho[2,3]-pyrazole, 1887
***Nocardia corallina*** B-276, oxidation diols to lactones, 303
**Norbornane**
carbonitriles, homochiral synthesis, 1599
carboxylic acids, homochiral synthesis, 1599
**2-Norbornanones** 1-substit, Beckmann fragmentation synthesis homochiral cyclopentane derivs, 949
**Norbornene** homochiral hydroxylated derivs, entry, synthesis carbocyclic nucleosides, 129
**Norrish** photo-cleavage, (+)-2β-ethyl-9-azabicyclo[3.3.1]nonan-3-one, enantioselective synthesis (-)-indolizidine 223AB, 317
**Nucleophiles** induced rearrangements thioglycosides, formation 6-thioglycosides and 1, 6-thioanhydrosugars, 2397
**Nucleosides**
carbocyclic:
via entry homochiral
. hydroxylated norbornene
. derivs, 129
via enzymatic hydrolyses
. building blocks, 269
via *meso*-epoxide to allyl
. alcohol rearrangement,
. internal alkoxide effect, 337
chemistry, stereocontrolled radical reactions, 2123
spirodihydrouracil stereo-controlled synthesis, 2233

O

**Octalones** substit, enantioselective syntheses, 1433
**Olefins**
Lewis acid mediated addition to O-benzyl protected sugars, 2265
presence chiral dirhodium complex, chiral recognition by NMR, 27
**Oligosaccharides** synthesis, 2-azido-2-deoxyhexopyranosyl building blocks, 2187
**Oppolzer's camphor sultam** group selective radical cyclizations, 199
**Osmium** catalysed dihydroxylation of allylic amides and carbamates, 625
**Oudemansins** A, B and X, syntheses via chiral synthons with two stereogenic centers, 1207
***cis*-7-Oxabicyclo[4.3.0]non-2-en-4-one** skeleton, optically pure, synthesis, 333
**2-Oxaisocephems** asymmetric synthesis optically active *cis*-β-lactam precursors, 441
***cis*-Oxamide** chromophores, optical activity, 149
**2-Oxaspiro[4,4]-nonane-1-carboxylic acid** R- and S-3-oxo deriv, synthesis, 211
**1,3,2-Oxazaborolidine** (4*S*, 5*R*)-2,4-diphenyl-deriv, catalysed reduction ketones, 1211
**Oxazaborolidines**
catalysed ketone reduction:
borane, effect of temp on
. selectivity, 465
chiral, diborane derivs used as
. catalysts, 395
oxazadiboretanes potentially
. involved, 903
prepared from phenylglycine,
. 165
role hydride-bridged
. borane-alkoxyborane
. complexes, 289
use of dimeric isomers, 387
N-sulfonylated and related aldehyde complexes involved in catalytic Diels-Alder reactions, conformation, 767
**Oxazolines**
optically active, synthesis from optically active epoxides, 491
tethered to alcohols, enantiomerically pure, prep and use in asymmetric catalysis, 277
**Oxepane** related to zoapatanol enantiospecific approach via 1,3-dipolar cycloaddition, 1151
**2-Oxetanones**
4-alkyloxycarbonyl-, with two stereogenic centers, poly-(β-malic acid) as precursor, 1589
**Oxidation**
asymmertic, alkylthio substit tricarbonyl ($\eta^6$-arene)Cr complexes as substrates, 1847
diols to lactones by *Nocardia corallina* B-276, 303
*endo*-bicyclic octenols and heptenols, with *Bacillus stearothermophilus*, kinetic resolution, 1635
ferrocenyl sulfides, enantioselectivity, 549
**Oxime esters**
phenylcyclohexanone, lipase catalysed kinetic resolution, 2019
**Oxindole alkaloids**
(-)-horsfiline, synthesis, 1979
**Oxiranes** via carbonyl compds by methylene transfer using chiral S-methyl-S-neomenthyl-N-tosyl sulfoximines, 1513
**2-Oxobutanoic acid** conversion to (*R*)-and (*S*)-2-aminobutanoic acid, 1669

P

**Palladium**
chiral (phosphinophenyl-oxazoline) catalysts for allylic amination, 573
cyclopalladated 8-ethylquinoline derivs with stereogenic centre linked to Pd, 321
enantioselective catalysed allylic substit, electronic and steric effects of ligand, 1895
induced cascade reaction rac β-ketoesters, prep optically active ketones, 1321
**(*R*)-Pantoyl lactone** by reduction ketopantoate with formate and *Proteus sp*, 1419
**2,2-Paracyclophanes** chiral, resolution by enantioselective GC 347
**Pauson-Khand reaction**
asymmetric syntheses bicyclo[4,3,0]nonan-8-ones, 307
**PD 138312** synthesis of (*R*)-3-(1-amino-1-methylethyl)pyrrolidines, 1131

**Penams**
6-(hydroxyethyl)-derivs, related thiazolidines, synthesis, stereochemistry, 215
**Pentafuranosides**
pentafuranosyl-nucleosides, functionalized chain-elongated, prep, 2123
**2,4-Pentanediol** racemic, isolation from rac and *meso* isomer mixtures by cyclic sulfites, 657
**Pentonolactones** cyclic ketals, acetals, formation, isomerization, spectroscopic, crystallographic, computational studies, 2535
**Peptides**
helical screw sense, assignment via *p*-bromobenzamido chromophore CD probe, 507
prep synthetic receptor mimics, 649
**Perhydro-1,4-thiazepine** carboxylic acid derivs, synthesis, 1469
**Peroxidation** microsomal, lipids, synthesis cytotoxic (*R*)- and (*S*)-(*E*)-4-hydroxy-2-alk-2-enals, 927
**PFP enzyme** inhibitors, use of 2,5-dideoxy-2,5-imino-D-mannitol, 2251
**Phenylalanines** 3,4-dichloro-, enantioselective synthesis, 1621
**Phenylcyclohexanone** oxime esters, lipase catalysed kinetic resolution, 2019
**γ-Phenylethanolamide** derivs of glutamic acid analogs, resolution and regioselective protection, 731
**(-)-10-Phenylpinanediol** derived allylsilylene, chelation controlled allylation aldehydes, 797
**Phosphorinane** diastereomeric amide deriv, enantiomeric excess detn unprotected amino acids, 1701
**Phosphorous acid diamide** chiral bicyclic anion, addition to aldehydes, prep α-hydroxyphosphonamides, 499
**Phosphorus** atropisomeric 4,5-dihydro-3H-dinaphtho[2,1-c; 1',2'-e]phosphepine derivs, 511
**Photochemistry**
cycloaddition, arene and alkene linked by chiral auxiliary, regio- and diastereo-controlled, 1163
Norrish cleavage (+)-2β-ethyl-9-azabicyclo[3.3.1]nonan-3-one, enantioselective synthesis (-)-indolizidine 223AB, 317
solid state Norrish type reaction, ionic chiral handle-induced asymmetric syntheses, 1415
**Phthalimide group**
chromophoric deriv of amino group for CD studies, 527
**Phytosphingosine** sphingosine from D-threose, synthesis of 4-keto-ceramide, 2195
**Piperazin-2,5-dione** (3*R*, 6*R*)- and (3*S*, 6*S*)-3,6-dialkyl derivs, intermediates for (*R*)- and (*S*)-α-amino acids, 453
**Piperid-4-yl-1,3-propanediol** 2-N-carbobenzyloxy homochiral monoacetate, enzymatic prep, 537
**Piperidinones** functionalized homochiral, short approach, 1463
**Platinum** compds containing asymmetric [2-(methylsulfinyl)-ethyl]diphenylarsine and phosphorus analog, *in vitro* cyctotoxic properties, 49
**Poly-β-malic acid** precursor for 4-alkyloxycarbonyl-2-oxetanone with two stereogenic centers, 1589
**Polymers**
imprinted, enantioselective catalytic activity, 1403
non-covalent molecularly imprinted, stereoselective recognition, 649
supported chiral Lewis acid catalysts, Diels-Alder reactions methacrolein with cyclopeptadiene, 523
**O-18 Polysaccharides**
synthesis tetrasaccharide corresponding to biological repeat units of *Serratia marescens*, 2283
**Polysialogangliosides**
synthesis, 2493
**Pope-Peachey** mechanism optical resolution N-methylamphetamine via diastereoisomeric salt formation, 193
**Prolines** synthesis from pyroglutamic acid, 351
**Propane-1,3-diol** derivs with fluorinated quaternary stereogenic centers, 1041
**5-Propanolamines** enzyme catalysed stereoselective synthesis, 1881
**Propargylic alcohol** optically active trifluoromethyl deriv, derivatization into compds with three stereogenic centers, 1823
**Protection**
D-gluco-, D-galacto- and D-manno-pyranoside substrates, synthesis dispiroketals, 2609
selective, chiral 1,2,4-triaminobutanes and vicinal diamines, chiral, 887
***Proteus sp*** with formate, ketopantoate reduction, synthesis (*R*)-pantoyl lactone, 1419
**Protonation** samarium enolates by $C_2$-symmetric chiral diol, 1763
***Pseudomonas cepacia*** lipase transesterification of 2-substit 1,4-butanediols, 691
***Pseudomonas lipase*** catalysed enantioselective trans-esterification 2-methyl-1-alcohols, 785
***Pseudomonas fluorescens*** enantioselective acetylation 4-hydroxyalk-2-ynals diethylacetals, 13
enantioselective lipase catalysed irreversible transesterification of 2-methyl-1,2-diols in organic solvent, 1921
**PYDIPHOS** chiral ligand for enantioselective catalysis, 299
**Pyrazoles** chiral heterocyclic type from (+)-3-carene, 479
**Pyridine** alkaloids, via nonracemic 2-methyl-3-(2-thiophene)-1-propanols as chiral building blocks, 1653
**1-Pyridinylethanols** enantiomerically pure, prep by

lipase catalysed trans-esterification, 1363
**Pyridyl alcohols** homochiral, asymmetric reaction dialkyl-Zn with aldehydes, 411
**Pyridyl amines** related hydroxyalkylpyridines, optically active, synthesis, 1973
**Pyridylphosphines** chiral, prep PYDIPHOS, 299
**Pyroglutamic acid**
chiral pool synthesis *trans*-(2*S*, 3*S*)-3-hydroxyproline and castanodiol, 119
synthesis homochiral 3-substit glutamic acids and prolines, 351
**Pyrrolidines**
197B, synthesis, 745
(*R*)-3-(1-amino-1-methyl-ethyl)-deriv for synthesis of PD, 138312, 1131

Q

**p-Quinol** 4-(hydroxyethyl)-deriv, diasterotopic group selective intramolecular conjugate addition, 333
**Quinone** achiral symmetric dienophiles, cycloaddition cyclopentadienes, 1831

R

**Radical reactions**
cyclizations on sugar templates, stereoselective synthesis fused γ-butyrolactones of carbohydrates, 2141
decarboxylation, prep 1-methylcarbapenem precursors from D-glucosamine, 2137
free, cyclization, synthesis compds related to mannostatins, 2155
**Rearrangements**
*meso*-epoxide to allyl alcohol for carbocyclic nucleoside synthesis, internal alkoxide effect, 337
nucleophile induced of thioglycosides, formation 6-thioglycosides and 1,6-thioanhydrosugars, 2397
**Receptors** prep synthetic peptide mimics, 649
**Recognition** acceptor-substrate by N-acetylglucosaminyl-transferase,role of mannose residue in βDGlcNAc(1->6) βDGlcOR, 2415
**Reduction**
α-acetylenic α'-fluoroalkyl ketones with B-chlorodiisopinocamphenylborane or B-isopinocamphenyl-9-borabicyclo[3.3.1]nonane, effect of fluoro groups, 1061
α-fluoromethylketones with B-chlorocamphenylborane and B-isopinocamphenyl-9-borabicyclo[3.3.1]nonane, electronic and steric contributions to enantiocontrol, 1075
α-keto esters from functionalized cholic acid, 1171
acetophenone with borane, presence cyclic α-amino acids and their β-amino alcohols, 185
aldol, boron mediated sequence, enantio- and diastereo-selective synthesis, typical polyketide fragments, 173
baker's yeast, α,β-unsaturated δ-lactones in goniothalamin series, stereochemistry, 1135
hydride, homochiral β-enamino esters to β-amino esters, 1455
ketones:
. borane, oxazaborolidine
. catalysed, effect of temp on
. selectivity, 465
. catalysed by (4*S*, 5*R*)-2,4-diphenyl-1,3,2-oxazaborolidine, 1211
. catalysed by chiral oxazaborolidines, oxazadiboretanes
. potentailly involved, 903
. catalysed by oxazaborolidines prep from phenylglycine, 165
. using diborane derivs, 395
. prochiral, using aluminium hydride reagents prepared from LAH and chiral diethanolamines, 377
ketopantoate with formate and *Proteus sp*, synthesis (*R*)-pantoyl lactone, 1419
microbial, synthesis homochiral *syn*- and *anti*-α-(hydroxyethyl)-γ-butryolactone, 1631
oxazaborolidine catalysed borane, diethyl α-keto-phosphonates, enantio-selective syntheses diethyl 1-hydroxyalkyl-phosphonates, 1965
thiocarbonyl compds with baker's yeast, 403
trifluoromethylbenzylic alcohols with p-substituents using bakers yeast, 1095
**Reformatsky reaction** chiral ligand for optically active β-hydroxy ester synthesis, 1875
**Regiocontrolled reactions**
photocycloaddition, arene and alkene linked by chiral auxiliary, 1163
**Regioselective reactions**
addition organo-Cu-Mg reagents to chiral dienyl cyclic carbonates, 21
bromination 1,4-dihydropyridine, conversion 2-bromomethyl deriv into (*R*)-nilvadipine, 1447
lipase, prep of acetylated 2-O-glucosylglycerols, 1377
protection D-gluco-, D-galacto- and D-manno-pyranoside substrates, synthesis dispiroketals, 2609
*Pseudomonas cepacia* lipase transesterification of 2-substit 1,4-butanediols, 691
sulfation of glycosides via dibutylstannylene acetal intermediates, 2163
**Regioselective syntheses**
homochiral ligand (4*S*, 7*R*)-7,8,8-trimethyl- 4,5,6,7-tetrahydro-4,7-methanoindazol-2-yl-indazol-1'-ylmethane, 1887
**Regiospecific syntheses**
gulonic acid derived 1,3-oxazin-2-one by INIR method, 2447
**Resolution**
2-azabicyclo[2.2.1]-hept-5-en-3-ones, lipase catalysis, 1155
1,3-dimethyl-3-(2-amino-ethyl)-5-methoxyoxindole, synthesis (+)-and (-)-esermethole, 111
5,5-disubstit hydantoins, 1407

α-(4-fluorophenyl)-4-(5-fluoro-2-pyrimidinyl)-1-piperazinebutanol and α-(3-chloropropyl)-4-fluorobenzenemethanol using lipase acetylation or hydrolysis, 1925
α,α-disubstit 1,2-diols in organic solvents, 565
abs config, enantiomeric spiro[5.5]undecane-3,9-diols, 425
biocatalytic, β-fluoroalkyl-β-amino acids, 1119
chiral [2.2]paracyclophanes by enantioselective GC, 347
*cis*-2-amino-1-acenaphthenol application to diastereoselective [2,3]-Wittig rearrangement, 1333
cyclopalladated complex with asymmetric metallated C-atom, 321
diols using $C_2$-symmetric diphenyltetrahydrobipyran, 553
enantiomeric purity [2-methylsulfinyl)ethyl]amine, 1883
enantiomeric trans, trans-spiro[5,5]undecane-1,7-diols, 1613
enzymatic:
1-hydroxymethyl-2-dimethylamino-methylferrocene, 1275
3,4-dichlorophenylalanines, 1621
ethyl acetals of (*R*)- and (*S*)-4-hydroxyalk-2-ynals, 13
(±)-*E*, *E*-2,8-disubstit 1,4,7,10-tetraoxaspiro-[5,5]undecanes, 1519
kinetic:
(1*RS*, 2*SR*)-2-(hydroxymethyl)-cyclopentanol by biocatalytic transesterification using lipase PS, 751
(arene)$Cr(CO)_3$ and (diene)$Fe(CO)_3$ by lipase, 1673
*endo*-bicyclic octenols and heptenols via oxidation with *Bacillus stearothermophilus*, 1635
phenylcyclohexanone oxime esters, lipase catalysed, 2019
optical:
mandelic acid by cinchonine in different solvents, 315
mechanism N-methyl-amphetamine via diastereoisomeric salt formation by Pope-Peachey method, 193
R- and S-3-oxo-2-oxaspiro-[4,4]nonane-1-carboxylic acid, 211
racemic ε-lactones, 343
taxol side chain methyl ester by entrainment, 1683
tert α-acetylene-acetate esters with lipase from *Candida cylindracea*, 1111
*trans*-2-arylcyclohexan-1-ols using crude chicken liver esterase biocatalyst, 223
**Retroamide** isostere based on α-fluoro-malonamide introduced into peptidomimetic as HIV protease inhibitor, 1005
**L-Rhamnoheptonolactones** ketals as L-rhamnose mimics, 2523
**L-Rhamnose** mimics, ketals of L-rhamnoheptonolactones, 2523
**Rhodium**
η-ethene bis oxazolinylmethane complexes, distortions in soln and solid state structures, 561
catalysed reactions of S-alkyl (*R*)-2-diphenylphosphino-1,1'-binaphthyl-2'-thiol, 1143
complex, NMR chiral recognition olefins, 27
**Ribonucleosides** carbocyclic N- and C-, chiral building blocks via biocatalytic asymmetrization *meso*-cyclopentane-1,3-dimethanols, 863
**Ring opening** carbohydrate 5,6-epoxides with chiral acetate and propionate enolate equivs attached to iron chiral auxiliary, 2563
**(+)-RP 66803** nonpeptide CCK antagonist, enantiospecific synthesis, abs configuration, 235
**Ruthenium**
AMPP ligands, asymmetric hydrogenation dihydro-4,4-dimethyl-2,3-furandione, 515
diphosphine-Ru diallyl complexes catalysts syntheses, 665

S

**Saccharidase activity**
antibodies, prep via 2 cationic analogs of disaccharide heterolysis, 2255
**Samarium** enolates, protonation by $C_2$-symmetric chiral diol, 1763
iodide, intramolecular reductive cyclization β-chloro substit amides to optically active cyclopropanols, 531
**D-Saunosamine** enantiospecific synthesis from thioglycolic acid, 1869
**Selenophenyl-galacto-pyranosides** synthesis α- and β-(1->4)-C-disaccharides, 2593
**Selone** chiral derivatizing agent, abs configuration detn, stereogenic centers, 1627
***Serratia marcescens*** biological repeat units O18 polysaccharide, synthesis corresponding tetrasaccharide, 2283
**Serricornin** *Lasioderma serricorne* sex pheromone, enantioselective synthesis, 641
**Sesbanimides** A and B, chiral synthesis, stereocontrolled synthesis B-ring moiety, 247
**Sesquiterpenes** trichothecene family, synthetic studies from D-glucose, 2217
**α-Sial-(2->8)-α-sialic acid** containing gangliosides, synthesis, 2493
**Sialic acid**
analog with acetamido group at C-4, synthesis, 2209
enzymatic syntheses 7-deoxy- and 7-O-methyl- N-acetyl-neuraminic acids, 2437
**Sialyl Lewis X**
determinant, synthesis novel mimics, 2061
structures in O-glycans attached to lysosomal membrane glycoproteins, lamp-1 and -2, comparison to those in N-glycans, 2093
**Silicon** stereogenic atom in optically active silylmethanol derivs, prep via hydrolase esterification, 73

**Silylmethanol** optically active derivs with stereogenic Si atom via hydrolase catalysed enantioselective esterification, 73
**Solvent effects**
acyclic stereocontrol with O-protected 2*S*-hydroxypropanal, 1913
optical resolution mandelic acid by cinchonine, 315
selectivity of enzyme-mediated synthetic transformations, 1479
**α-L-Sorbopyranose** derivs, conformation preference for skew structure, 2459
***Sorghum bicolor*** shoots synthesis of (S)-mandelonitrile, 311
**Sphingosine** phytosphingosine from D-threose, synthesis of 4-keto-ceramide, 2195
**Spiroacetals** chiral, asymmetric synthesis from chiral diketodisulfoxides 2,8-dimethyl-1,7-dioxaspiro-[5,5]undecane, 255
**Spirobidioxanes**
2,8-functionalized, *E, E*-isomers, study, 1519
**Spirodihydrouracil** nucleoside, stereocontrolled synthesis, 2233
**Spiro[5.5]undecane-3,9-diols** enantiomeric, resolution, abs config, 425
**(*S*)-(-)-Spiro[5,5]undecane-1,7-dione** diastereomeric spiro[5,5]undecane-1,7-diols, syntheses, 1613
**Spiro[5,5]undecanes**
1,4,7,10-tetraoxa-, 2- and 5-functionalized, resolution of (±)-*E, E* structure, 1519
optically active 3,9-disubstit derivs, prep, abs configuration, 1281
**Starch** purity detn via multi-enzyme conversion to glucose, E.C.legislation, 2571
**Stereochemistry**
baker's yeast reduction α, β-unsaturated δ-lactones in goniothalamin series, 1135
enantioselective protonation samarium enolates, 1763
sequence rules, proposed modification
Cahn-Ingold-Prelog system, 835
thiazolidines related to 6-(hydroxyethyl)-penams, 215
**Stereocontrol** acyclic with O-protected 2*S*-hydroxypropanal, solvent effect, 1913
**Stereocontrolled reactions**
baker's yeast reduction, trifluoromethylbenzylic alcohols with *p*-substituents, 1095
cyclopropanation, α,β-unsat carboxamides derived from bicyclic amino alcohols, 1175
degradation 2-azacephams, 1605
radical, carbohydrate and nucleoside chemistry, 2123
**Stereocontrolled syntheses**
1,6-dideoxy-6,6-difluoroaza sugar derivs, 1029
chiral synthesis sesbanimides A and B, 247
entry homochiral hydroxylated norbornene derivs, synthesis carbocyclic nucleosides, 129
hydroxymethylation carbohydrate imines, synthesis destomic acid and lincosamine, 2261
optically active 1-methylcarbapenems, 2137
spirodihydrouracil nucleoside, 2233
**Stereoelectronic effects**
chelating properties [2-(methylsulfinyl)ethyl]-diphenylarsine and phosphorus analog, 1805
**Stereoelectronic requirements**
catalysts with N-P=O structural unit for ketone reduction, 801
**Stereogenic centers** abs configuration detn, selone chiral derivatizing agent, 1627
**Stereogenicity** proposed modification Cahn-Ingold-Prelog system based on topology, 835
**Stereoidentification** partially acetylated derivs, NMR acetyl methyl resonances peracetylated lilioside B, 1993
**Stereoselective reactions**
amination chiral enolates, synthesis chiral key intermediates β-lactam antibiotics, 1465
conjugate addition lithium α-methylbenzyl)benzylamide to t-butyl cinnamate, 1999
enzymatic esterification, desymmetrization *meso*-hydrobenzoin, 283
recognition, non-covalent molecularly imprinted polymers, 649
reduction, prochiral ketones using aluminium hydride reagents prepared from LAH and chiral diethanolamines, 377
thiocarbonyl compds with baker's yeast, 403
**Stereoselective syntheses**
(5)-propanolamines, enzyme catalysed, 1881
(-)-(*Z*)-2-benzyloxycarbonylamino-4,5-cyclopropane-2-hexenodioic acid dimethyl ester, 1657
13,14-difluorocoriolic acid, 1015
chiral β-peptidyl trifluoromethyl alcohols, 1099
chiral synthons with two stereogenic centers, syntheses (-)-oudemansins A, B and X, 1207
*exo/endo*, Lewis acid Diels-Alder cycloadditions cyclopentadiene to chiral butenolides, 371
fused γ-butyrolactones of sugars via addition alkyl radicals to α-position unsat esters, 2141
glycosides via glycosidases as catalysts, 2517
homochiral polyfunctional side-chain derivs cyclopentane, 37
hyaluronic acid related di- and tetra-saccharide fragment with 4-methoxyphenyl glycoside of β-D-glucuronic acid at reducing end, 2291
thioglycosides under PTC conditions use as active and latent glycosyl donors, 2303
**Stereospecific reactions**
deuteration of NH ephedrine N-boranes, 1579
**Stereospecific syntheses**
enzymatic synthesis (3*S*, 4*R*)-(+)-4-hydroxy-3-

phenyltetrahydroisoquinolines, 1567
gulonic acid derived 1,3-oxazin-2-one by INIR method, 2447
**Structures**
2-azacephams, 1605
η-ethene rhodium bis oxazolinylmethane complexes, distortions in soln and solid state, 561
O-glycans attached to lamp molecules, structures of poly-N-acetyllactosaminyl O-glycans and presence $sLe^x$ terminal structures, 2093
**Substituent effects**
enantioselectivity, chiral HPLC separation enantiomers fluorinated N-arylamino-1-arylmethylphosphonate esters, 141
**Substitution** nucleophilic, chiral amine N, N-ditosyl derivs, 895
**Sugars**
γ-butyrolactones, stereoselective synthesis via addition alkyl radicals to α-position unsat esters, 2141
amides, thioamides, conformation, 2313
O-benzyl protected, Lewis acid mediated olefin addition, 2265
synthesis, conformational properties, 2313
thioureas, effect of intramolecular hydrogen bonding on conformation, 2325
to carbocyclization, exclusive 7-membered ring formation, 2485
**Sulfation** glycosides via dibutylstannylene acetal intermediates, 2163
**Sulfides**
alkylthio substit tricarbonyl ($\eta^6$-arene)Cr complexes as substrates for asymmetric oxidation, 1847
chiral derived from pinene, conversion via sulfonium salts to non-racemic epoxides, 723
**1-Sulfinyldienes** with endocyclic double bond, Diels-Alder reactions, evolution of N-methylmaleimide adducts, 1439
**Sulfinyloxoacids** synthesis, prep sulfinyl lactones via corresponding hydroxy acids, 1443
**Sulfites** cyclic, isolation racemic 2,4-pentanediol and 2,5-hexanediol from rac and *meso* isomer mixtures, 657
**(R)-Sulforaphane** by transformation using *Helminthosporium sp* NRRL, 4671, 1129
**Sulfoxides**
carbonyl of β-keto-γ-fluoro substit derivs, methylene transfer from diazomethane, 987
*E*-γ-hydroxy-α,β-unsat derivs and sulfones, homochiral 2,3-epoxy sulfides as precursors, 355
**Sulfoximidoyl-methyllithium** N-methyl phenyl deriv, detn configuration 6-membered ring ketones, 503
**Sulfoximines** S-methyl, methylene transfer reaction to carbonyl compd, synthesis oxiranes, 1513
**Sulfur**
analogs of methyl and allyl kojibiosides and methylisomaltoside, synthesis, 2367
derivs ephedra alkaloids, chiral catalysts, 31
oxygen substitution, synthesis optically active monothioimides, 359

T

**Taxol**
modified side chain, (2R, 3S)-methyl-2-fluoro-3-(N-benzoylamino)-3-phenylpropanoate, 955
side chain methyl ester, synthesis, resolution by entrainment, 1683
**(-)-Terebic acid** synthesis via [(5R)-(-)-]menthyloxy-2[5H]-furanone addition photogenerated radicals, 879
**Tetramic acids** homochiral functionalized, concise approach, 1477
**Tetrasaccharides** corresponding to biological repeat units of *Serratia marcescens* O18 polysaccharide, 2283
**Thermodynamic control** asymmetric induction, intramolecular Diels-Alder reactions, furan diene, 1411
**Thiazolidines** related 6-(hydroxyethyl)-penams, synthesis, stereo-chemistry, 215
**Thienylalcohols** formation pyridine alkaloids via 3-alkylpyridine deriv, 1653
**Thiogalactosides** glycosyl derivs, stereoselective PTC syntheses, 2303
**Thiosialosides** glycosyl derivs, stereoselective PTC syntheses, 2303
**Thioamides** sugar, synthesis, conformational properties, 2313
**1,6-Thioanhydrosugars** formation, 2397
**Thiocarbonyl compds** reduction with baker's yeast, 403
**Thioethers** derivs, catalysts, enantioselective addition diethyl-Zn to benzaldehyde, 207
**Thioglycolic acid** D-saunosamine enantiospecific synthesis, 1869
**Thioglycosides**
2-azido-2-deoxy-deriv, facile prep, 2187
formation 6-thioglycosides and 1,6-thioanhydrosugars, 2397
stereoselective syntheses under PTC conditions use as active and latent glycosyl donors, 2303
**Thiols**
addition to (1*R*, 2*R*, 4*R*)-(-)-2,10-N-enoylcamphorsultam, 1195
chiral, enantiomeric excess by NMR using α-phenylethylamine based chiral phospholidines, 699
**Thioureas** sugar, effect of intramolecular hydrogen bonding on conformation, 2325
**Threoninol** (2*S*, 3*S*)- and (2*S*, 3*R*)-, diastereoselective synthesis from (*R*)-glycidol via

derived 4-hydroxymethyl-oxazolidinone, 161
**D-Threose** prep sphingosine, phytosphingosine, synthesis of 4-keto-ceramide, 2195
**Topology** proposed modification Cahn-Ingold-Prelog system, stereochemistry, sequence rules, 835
**Transacylation**
(±)-2-methylcyclopentanol, lipase catalysed, 1187
**Transesterification**
2-substit 1,4-butanediols by *Pseudomonas cepacia* lipase, 691
(1*RS*, 2*SR*)-2-(hydroxymethyl)-cyclopentanol, kinetic resolution using lipase PS, 751
enantioselective, 2-methyl-1-alcohols catalysed by *Pseudomonas lipase*, 785
irreversible of
2-methyl-1,2-diols, lipase catalysed in organic solvent, 1921
lipase catalysed, prep enantiomerically pure 1-pyridinylethanols, 1363
**Trehalose** unsymmetrical analogs, synthesis, use of O-glycosyl trichloro-acetimidates, 2109
**1,2,4-Triaminobutanes** chiral, selectively protected, 887
**Triazoles** formation, condensation chiral imines with acrylonitrile, 1645
**Tricarbonyl($\eta^6$-arene)Chromium** complexes:
alkylthio substit as substrates
. for asymmetric oxidation,
. 1847
homochiral β-lactam
. synthesis via 2+2-
. cycloaddition, 809
lithiation, prep
. optically active (o-substit
. phenylcarbamate)Cr, 1427
sulfinyl substit, prep, 545
**O-Trichloroacetimidates** glycosyl donors, synthesis unsymmetrical trehalose analogs, 2109
**Trichothecene family** synthetic studies from D-glucose, 2217
**Triethylborane** mediated trifluoromethylation of chiral imide enolates with iodofluoromethane, 961
**Trifluoromethyl alcohols** chiral β-peptidyl, stereoselective synthesis and human leukocyte elastase inhibition, 1099
**Trifluoromethyl-2,5-diketo-piperazines** 3-hydroxy-deriv, asymmetric synthesis methyl trifluoropyruvate, 1051
**Trifluoromethylation** chiral imide enolates with iodo-fluoromethane mediated by triethylborane, 961
**Trifluoromethylbenzylic alcohols** with p-substituents bakers yeast reduction, 1095
**Trimethylsilyl azide** conjugate addition to 2-thiazolyl α,β-enone, synthesis N-acetyl-neuraminic acid, 2209
**Triols** C-3 symmetrical, enantioselective synthesis, 1161
**Trioxadecalins** homologous series, cholesteric helical pitch inversion, 2443
**Trisporic acids** alkylated cyclohexenone carboxylic acid moiety, asymmetric synthesis, 1877

V

**γ-Valerolactone**
enantioselective synthesis, 117
**(5*R*)-5-Vinyloxazolidine-2 thione** via epi-progoitrin using immobilized myrosinase, 1157

W

**Wittig reaction**
asymmetric Michael addition involving chiral imines, acrylonitrile as acceptor and functionalization of adducts, 1645
rearrangement, diastereo-selective, application of *cis*-2-amino-1-acenaphthenol, 1333

X

**X-rays**
analysis, R- and S-3-oxo-2-oxaspiro-[4,4]nonane-1-carboxylic acid, 211
η-ethene rhodium bis oxazolinylmethane complexes, distortions in soln and solid state structures, 561
skew conformation preference for α-L-sorbopyranose derivs, 2459

Z

**Zinc** dialkyl, asymmetric reaction with aldehydes, presence chiral pyridyl alcohols as ligands, 411
**Zoapatanol** related oxepane, enantiospecific approach via [1,3]-dipolar cycloaddition, 1151

# Author Index 1994


**Abd-el-Ghani A.** see Pelter A. 329

**Abouabdellah A. and Welch J. T.** Optically active fluorinated β-lactam building blocks: a novel fluorinated retroamide isostere 1005

**Aboulhoda S. J. Hénin F. Muzart J. Thorey C. Behnen W. Martens J. and Mehler T.** Production of optically active ketones by a palladium-induced cascade reaction from racemic β-ketoesters 1321

**Acher F. and Azerad R.** Resolution and regioselective protection of glutamic acid analogues—I. Resolution of diastereomeric α-boroxazolidone derivatives 731

**Achiwa K.** see Ebiike H. 1447

**Achiwa K.** see Mizuguchi E. 1407

**Ács M.** see Kozma D. 193

**Ács M.** see Kozma D. 315

**Agbossou F.** see Hapiot F. 515

**Aggarwal V. K. Kalomiri M. and Thomas A. P.** Asymmetric epoxidation using chiral sulfur ylides 723

**Aiqiao M.** see Yaozhong J. 1211

**Akita H. Chen C. Y. and Nagumo S.** A highly stereoselective synthesis of the versatile chiral synthons possessing two stereogenic centers, the formal total syntheses of (–)-oudemansins A, B and X 1207

**Albert A.** see Martín N. 1435

**Albini F. M.** see Colombo D. 1377

**Albini F. M.** see Colombo D. 1993

**Alcaraz C. and Bernabé M.** Asymmetric synthesis of the natural diastereoisomer of *trans*-α-(2-carboxymethyl-cyclopropyl)glycine isolated from *Blighia unijugata* 1221

**Alcudia F.** see Llera J.-M. 709

**Allanson N. M. Davidson A. H. Floyd C. D. and Martin F. M.** The synthesis of novel mimics of the sialyl Lewis X determinant 2061

**Allen J. V. Bower J. F. and Williams J. M. J.** Enantioselective palladium catalysed allylic substitution. Electronic and steric effects of the ligand 1895

**Allen J. V. and Williams J. M. J.** Enantiomerically pure oxazolines tethered to alcohols. Preparation and use in asymmetric catalysis 277

**Allevi P. Anastasia M. Cajone F. Ciuffreda P. and Sanvito A. M.** Enzymatic resolution of the ethyl acetals of (*R*)- and (*S*)-4-hydroxyalk-2-ynals 13

**Allevi P. Anastasia M. Ciuffreda P. and Sanvito A. M.** A practical synthesis of (*R*)- and (*S*)-(*E*)-4-hydroxyalk-2-enals, cytotoxic products of the microsomal lipid peroxidation 927

**Almario A.** see Solladié G. 1717

**Almond, Jr H. R.** see Costanzo M. J. 2459

**Altman J. Ben-Ishai D. and Beck W.** Selectively protected chiral 1,2,4-triaminobutanes and chirai vicinal 1,2-diamines 887

**Amour A.** see Bégué J.-P. 1099

**Anastasia M.** see Allevi P. 13

**Anastasia M.** see Allevi P. 927

**Anaya J. Barton D. H. R. Caballero Mª C. Géro S. D. Grande M. Laso N. M. and Hernando J. I. M.** The use of radical decarboxylation in the preparation of 1-methyl-carbapenem antibiotic precursors from D-glucosamine 2137

**Andersson F. O.** see Cao S. 2303

**Andrés J. M. Martínez M. A. Pedrosa R. and Pérez-Encabo A.** Easy preparation of enantiopure $C_2$-symmetrical aminoalcohols derived from *m*-xylylene diamine 57

**Andrés J. M. Martínez M. A. Pedrosa R. and Pérez-Encabo A.** Enantioselective ethylation of aldehydes catalyzed by chiral $C_2$-symmetrical β-hydroxy-*m*-xylylene diamines 67

**Andrews M. D. Brewster A. and Moloney M. G.** A concise approach to functionalised, homochiral tetramic acids 1477

**Anke T.** see Velten R. 1229

**Anstine D. T.** see Boiadjiev S. E. 1945

**Antunes O. A. C.** see Ribeiro L. P. 1873

**Aoki S.** see Kumamoto T. 1431

**Aplin R. T.** see Guilbert B. 2163

**Araki Y.** see Konoike T. 1559

**Arnone A. Cavicchioli M. Donadelli A. and Resnati G.** An enantiospecific entry to fluoro substituted amino-cyclopentanols through intramolecular nitrile oxide, nitrone and oxime cyclo-addition reactions 1019

**Asami M. Ishizaki T. and Inoue S.** Catalytic enantioselective deprotonation of *meso*-epoxides by the use of chiral lithium amide 793

**Asami M. Takahashi J. and Inoue S.** An asymmetric synthesis of (–)-carbovir 1649

**Aubouet J.** see Stephan E. 41

**Aversa M. C. Bonaccorsi P. Giannetto P. and Jones**

**D. N.**
Asymmetric Diels–Alder reactions of enantiopure 1-methoxy-3-(phenyl-2-hydroxyethylsulfinyl)-1,3-butadienes 805
**Aw B.-H. and Leung P.-H.**
A simple route to an enantiomerically pure diphosphine ligand containing a phosphorus stereogenic centre 1167
**Azerad R.** see Acher F. 731

**Bacigaluppo J. A. Colombo M. I. Cravero R. M. González-Sierra M. Preite M. D. Zinczuk J. and Ruveda E. A.**
Enantioselective synthesis of the White key intermediate for the synthesis of trisporic acids 1877
**Badía D.** see Tellitu I. 1567
**Bagryanskaya I. Yu.** see Popov S. A. 479
**Bains S. Pagni R. M. Kabalka G. W. and Pala C.**
Diastereoselectivities in the Diels–Alder reactions of cyclopentadiene with optically active dimenthyl fumarate and menthyl methyl fumarate in $LiClO_4$/ether and on $Al_2O_3$ 821
**Baker A. Turner N. J. and Webberley M. C.**
An improved strategy for the stereoselective synthesis of glycosides using glycosidases as catalysts 2517
**Baker R. W. Rea S. O. Sargent M. V. Schenkelaars E. M. C. Skelton B. W. and White A. H.**
Enantioselective catalysis by 1-(1-isoquinolinyl)-2-naphthalenemethanol: an atropisomerically chiral N–O chelating ligand 45
**Baldoli C. Del Buttero P. Licandro E. Maiorana S. and Papagni A.**
Tricarbonyl($\eta^6$-arene)-chromium(0) complexes as chiral auxiliaries. Homochiral β-lactams synthesis via [2+2] cycloaddition reaction 809
**Ballesteros P.** see López M$^a$. C. 1887
**Banerjee A.** see Hanson R. L. 1925
**Banfi L.** see Guanti G. 9
**Banfi L.** see Guanti G. 537
**Banks M. R. Cadogan J. I. G. Gosney I. Gaur S. and Hodgson P. K. G.**
Highly regio- and stereospecific preparation of a new carbohydrate-based 1,3-oxazin-2-one by the INIR method and its applications in some asymmetric transformations 2447
**Bartels A. and Liebscher J.**
Enantioselective synthesis of hydroxyalkylcyclopropane-carboxylic acid derivatives 1451
**Bartoli G.** see Cimarelli C. 1455
**Barton D. H. R. Géro S. D. Quiclet-Sire B. and Samadi M.**
Stereocontrolled radical reactions in carbohydrate and nucleoside chemistry 2123
**Barton D. H. R.** see Anaya J. 2137
**Basavaiah D. and Dharma Rao P.**
Enzymatic resolution of *trans*-2-arylcyclohexan-1-ols using crude chicken liver esterase (CCLE) as biocatalyst 223
**Batchelor R. J.** see Mehta S. 2367
**Batra M. S.** see Brunet E. 935
**Beacham A. R.** see Wheatley J. R. 2523
**Beaty R.** see Jones G. B. 1199
**Beaudegnies R. and Ghosez L.**
Asymmetric Diels–Alder reactions with chiral 1-azadienes 557
**Beck W.** see Altman J. 887
**Becker B. and Thiem J.**
Carbohydrates as nucleophiles in conjugate addition for preparation of muramic acid analogues 2339
**Bégué J.-P. Bonnet-Delpon D. Fischer-Durand N. Amour A. and Reboud-Ravaux M.**
Stereoselective synthesis and inhibitor properties towards human leukocyte elastase of chiral β-peptidyl trifluoromethyl alcohols 1099
**Behnen W.** see Aboulhoda S. J. 1321
**Behnen W.** see Mehler T. 185
**Belicchi Ferrari M.** see Galaverna G. 1233
**Ben-Ishai D.** see Altman J. 887
**Bennani Y. L. Vanhessche K. P. M. and Sharpless K. B.**
A short route to a Mosher's acid precursor via catalytic asymmetric dihydroxylation (AD) 1473
**Berenguer R. Garcia J. and Vilarrasa J.**
Enantioselective reduction of ketones catalysed by 1,3,2-oxazaborolidines prepared from phenylglycine 165
**Bergter L.** see Ribeiro L. P. 1873
**Bernabé M.** see Alcaraz C. 1221
**Besse P. Renard M. F. and Veschambre H.**
Chemoenzymatic synthesis of chiral epoxides. Preparation of 4-phenyl-2,3-epoxybutane and 1-phenyl-1,2-epoxypropane 1249
**Besse P. Veschambre H. Chênevert R. and Dickman M.**
Chemoenzymatic synthesis of chiral β-azidoalcohols. Application to the preparation of chiral aziridines and aminoalcohols 1727
**Bianchi D. Moraschini P. Bosetti A. and Cesti P.**
Enzymatic preparation of optically active 4-chloro-1-phenyl-1-butanol derivatives 1917
**Bichard C. J. F. Wheatley J. R. and Fleet G. W. J.**
Acetonides of heptono-lactones: Kiliani ascension of 3-*O*-benzyl-D-glucose and 3-*O*-benzyl-D-allose 431
**Bischoff L.** see Genêt J. P. 675
**Blanco M.-E.** see Llera J.-M. 709
**Blaney P. M. Byard S. J. Carr G. Ellames G. J. Herbert J. M. Peace J. E. Smith D. I. Michne W. F. and Sanner M. S.**
A practical synthesis of the enantiomers of hydroxy-chloroquine 1815
**Blazis V. J. Koeller K. J. and Spilling C. D.**
Asymmetric synthesis of α-hydroxy phosphonamides, phosphonates and phosphonic acids 499
**Bloch R. Brillet-Fernandez C. and Mandville G.**
A new route to enantiomerically pure 2,5-disubstituted pyrrolidines. Total synthesis of (+)-pyrrolidine 197B 745
**Boaz N. W. and Zimmerman R. L.**
Amine assisted enzymatic esterification of 1,2-diol monotosylates 153
**Bock K.** see Ronnow T. E. C. L. 2109
**Böhm U. Voss G. Möller G. and Gerlach H.**
Preparation of optically active 3,9-disubstituted spiro[5.5]-undecane derivatives and the determination of their absolute configuration 1281
**Boiadjiev S. E. Anstine D. T. and Lightner D. A.**
Conformational analysis of an optically active bilirubin dimethyl ester and bis-*N,N*-dimethyl amide by circular dichroism, NMR and molecular dynamics 1945
**Bonaccorsi P.** see Aversa M. C. 805

**Bonfand E.** see Gosselin P. 781
**Bonini C. Racioppi R. Righi G. and Rossi L.**
Boron mediated one-pot aldol-reduction sequence: enantio- and diastereoselective synthesis of typical polyketide fragments 173
**Bonnet-Delpon D.** see Bégué J.-P. 1099
**Bordner J.** see Urban F. J. 215
**Börner G.** see Krohn K. 2485
**Borschberg H.-J.** see Dobler M. 2025
**Borschberg H.-J.** see Pellegrini C. 1979
**Boscarato A.** see Dondoni A. 2209
**Bosetti A.** see Bianchi D. 1917
**Botta M.** see Corelli F. 1469
**Botta M. Summa V. Trapassi G. Monteagudo E. and Corelli F.**
Stereospecific synthesis of 1-alkylimidazole derivatives via Mitsunobu reactions 181
**Botteghi C.** see Chelucci G. 299
**Boutault K.** see Cammas S. 1589
**Bowen W. E.** see Pirkle W. H. 773
**Bower J. F.** see Allen J. V. 1895
**Bracher F. and Papke T.**
A biocatalytic approach to nonracemic 2-methyl-3-(2-thiophene)-1-propanols as chiral building blocks for the synthesis of pyridine alkaloids 1653
**Bravo P. Capelli S. Meille S. V. Viani F. Zanda M. Kukhar V. P. and Soloshonok V. A.**
Synthesis of optically pure (*R*)- and (*S*)-α-trifluoromethyl-alanine 2009
**Bravo P. Farina A. Frigerio M. Meille S. V. Viani F. and Soloshonok V.**
New fluorinated chiral synthons 987
**Brewster A.** see Andrews M. D. 1477
**Brillet-Fernandez C.** see Bloch R. 745
**Brown E. Chevalier C. Huet F. Le Grumelec C. Lézé A. and Touet J.**
Determination of the enantiomeric excesses of chiral acids by $^{19}F$ NMR studies of their esters deriving from (*R*)-(+)-2-(trifluoro-methyl)benzhydrol 1191
**Brown F. M.** see Holland H. L. 1129
**Brown F. M.** see Holland H. L. 1241
**Brown H. C.** see Ramachandran P. V. 1061
**Brown H. C.** see Ramachandran P. V. 1075
**Brown J. M. Guiry P. J. Price D. W. Hursthouse M. B. and Karalulov S.**
Chirality and the metal–alkene bond; distortions in the solution and solid-state structures of $\eta^2$-ethene rhodium bis-oxazolinyl-methane complexes 561
**Brown J. M.** see Ramsden J. A. 2033
**Brunet E. Poveda A. M. Rabasco D. Oreja E. Font L. M. Batra M. S. and Rodríguez-Ubis J. C.**
New chiral crown ethers derived from camphor and their application to asymmetric Michael addition. First attempts to rationalize enantioselection by AM1 and AMBER calculations 935
**Brünner R. and Gerlach H.**
Synthesis and resolution of the enantiomeric *trans,trans*-spiro[5.5]undecane-1,7-diols and determination of their absolute configuration; (*S*)-(–)-spiro[5.5]undecane-1,7-dione 1613
**Brusco S.** see Guanti G. 537
**Brussee J.** see de Vries E. F. J. 377
**Bundle D. R.** see Lowary T. L. 2397
**Bunnage M. E. Burke A. J. Davies S. G. and Goodwin C. J.**
Asymmetric synthesis of (2*S*,3*R*)-3-amino-2-hydroxydecanoic acid: the unknown amino acid component of microginin 203
**Bunnage M. E. Davies S. G. Goodwin C. J. and Walters I. A. S.**
Asymmetric Michael additions of homochiral magnesium amides 35
**Buñuel E. Cativiela C. and Diaz-de-Villegas M. D.**
Asymmetric Diels–Alder reaction of a chiral azlactone 157
**Buñuel E. Cativiela C. Diaz-de-Villegas M. D. and García J. I.**
Study of the asymmetric Diels–Alder reaction of a chiral azlactone 759
**Burger K.** see Sewald N. 1051
**Burger V.** see Solladié-Cavallo A. 1621
**Burke A. J.** see Bunnage M. E. 203
**Burns B. King N. P. Studley J. R. Tye H. and Wills M.**
Stereoelectronic requirements for a new class of asymmetric ketone reduction catalysts containing an N–P=O structural unit 801
**Buskas T. Garegg P. J. Konradsson P. and Maloisel J.-L.**
Facile preparation of glycosyl donors for oligosaccharide synthesis: 2-azido-2-deoxy-hexopyranosyl building blocks 2187
**Byard S. J.** see Blaney P. M. 1815

**Cabalda V. M.** see Kennedy J. F. 2571
**Caballero M$^a$ C.** see Anaya J. 2137
**Cabras M. A.** see Chelucci G. 299
**Cabras M. A.** see Chelucci G. 1973
**Caccamese S. Principato G. Gruss U. Hägele G. and Failla S.**
Direct chiral HPLC separation of the enantiomers of fluorinated N-arylamino-1-arylmethylphosphonate esters. Substituent effects on the enantioselectivity 141
**Cadenas-Pliego G. Rosales-Hoz M. de. J. Contreras R. and Flores-Parra A.**
New chiral heterocycles: 5-[(*R*)-(+)-1'-methylbenzyl]-1,3,5-dithiazine and 3,7-di-[(*R*)-(+)-1'-methylbenzyl]-3,7-diaza-1,5-dithiacyclooctane. Conformational studies and their reactions with borane 633
**Cadogan J. I. G.** see Banks M. R. 2447
**Cai M.** see Zhang J. 2283
**Cainelli G. Giacomini D. Perciaccante F. and Treré A.**
Acyclic stereocontrol with O-protected 2*S*-hydroxy-propanal: solvent effect 1913
**Cajone F.** see Allevi P. 13
**Calmes M. Daunis J. Escale F. Jacquier R. and Roumestant M.-L.**
Diastereoselective cyclisation of 2-hydroxypinan-3-onyl amino esters 1643
**Calmes M. Daunis J. Hanouneh A. and Jacquier R.**
Asymmetric supported reactions: synthesis of chiral amines 817
**Camarasa M.-J.** see Velázquez S. 2141
**Cammas S. Boutault K. Huet F. and Guérin P.**
4-Alkyloxycarbonyl-2-oxetanones with two stereogenic centers as precursors of malic acid alkyl esters polystereoisomers 1589
**Cano F. H.** see Martín N. 1435

**Caño De Andrade M. C.** see Genêt J. P. 665
**Caño De Andrade M. C.** see Genêt J. P. 675
**Cao S. Meunier S. J. Andersson F. O. Letellier M. and Roy R.** Mild stereoselective syntheses of thioglycosides under PTC conditions and their use as active and latent glycosyl donors 2303
**Capelli S.** see Bravo P. 2009
**Cardillo B. Galeazzi R. Mobbili G. Orena M. and Rossetti M.** Diastereoselective hetero-Diels–Alder cycloaddition of a C-nitroso compound prepared starting from a homochiral imidazolidin-2-one 1535
**Caron G. and Kazlauskas R. J.** Isolation of racemic 2,4-pentanediol and 2,5-hexanediol from commercial mixtures of racemic and *meso* isomers by way of cyclic sulfites 657
**Caron G. Tseng G. W.-M. and Kazlauskas R. J.** Kinetic resolutions concentrate the minor enantiomer and aid measurement of high enantiomeric purity 83
**Carr G.** see Blaney P. M. 1815
**Carreño M. C. Cid M. B. Colobert F. García Ruano J. L. and Solladié G.** Diels–Alder reactions of 1-sulfinyldienes with an endocyclic double bond: the unexpected evolution of the *N*-methylmaleimide adducts 1439
**Casati S.** see Ferraboschi P. 19
**Casati S.** see Ferraboschi P. 1921
**Castro J. Moyano A. Pericàs M. A. Riera A. and Greene A. E.** Asymmetric synthesis of bicyclo[4.3.0]nonan-8-ones by intramolecular Pauson–Khand reaction 307
**Cativiela C. Diaz-de-Villegas M. D. and Galvez J. A.** New approaches to the asymmetric synthesis of α-methylphenylalanine 261
**Cativiela C. Díaz-de-Villegas M. D. and Gálvez J. A.** Stereoselective amination of chiral enolates: synthesis of chiral key intermediates for β-lactam antibiotics 1465
**Cativiela C.** see Buñuel E. 157
**Cativiela C.** see Buñuel E. 759
**Cavé C.** see Dumas F. 339
**Cavicchioli M.** see Amone A. 1019
**Cesti P.** see Bianchi D. 1917
**Chapman B. J.** see Jones G. B. 1199
**Chelucci G. Cabras M. A. Botteghi C. and Marchetti M.** (−)-(4*S*,5*R*)-4-(2-pyridyl)-5-(diphenylphosphino)methyl-2,2-dimethyl-1,3-dioxolane a new chiral ligand for enantioselective catalysis 299
**Chelucci G. Cabras M. A. and Saba A.** Synthesis of optically active hydroxyalkylpyridines and related pyridyl amines 1973
**Chen C. Y.** see Akita H. 1207
**Chen H.** see Zhang J. 2283
**Chen Z. and Ortuño R. M.** Lewis acid catalyzed Diels–Alder cycloadditions of chiral butenolides to cyclopentadiene: *endo/exo* stereoselectivity 371
**Chênevert R.** see Besse P. 1727
**Chesney A.** see Markó I. E. 1867
**Chesney A.** see Markó I. E. 569
**Chevalier C.** see Brown E. 1191
**Chiaroni A.** see Dumas F. 339
**Chinchilla R. Nájera C. and Sánchez-Agulló P.** Enantiomerically pure guanidine-catalysed asymmetric nitroaldol reaction 1393
**Chmielewski M.** see Kałuza Z. 2179
**Cho B. T. and Chun Y. S.** Asymmetric reduction of α-keto acetals with potassium 9-*O*-(1,2-isopropylidene-5-deoxy-D-xylofuranosyl)-9-boratabicyclo[3.3.1]nonane. Enantioselective synthesis of α-hydroxy acetals with high optical purities 1147
**Cho D.-G.** see Kang S.-K. 21
**Cho H. G.** see Kang J. 1347
**Cho W. O.** see Kang J. 1347
**Chooi S. Y. M. Leung P.-H. Sim K. Y. Tan K. S. and Kon O. L.** *In vitro* cytotoxic properties of gold(I) and platinum(II) compounds containing asymmetric [2-(methylsulfinyl)ethyl]diphenylarsine and its phosphorus analogue 49
**Chooi S. Y. M. Ranford J. D. Leung P.-H. and Mok K. F.** Stereoelectronic effects on the chelating properties of [2-(methylsulfinyl)ethyl]diphenylarsine and its phosphorus analogue 1805
**Chorghade M. S. Cseke C. T. and Liu P. S.** The utility of 2,5-dideoxy-2,5-imino-D-mannitol as a PFP enzyme inhibitor 2251
**Chun Y. S.** see Cho B. T. 1147
**Chung J.-U.** see Kang S.-K. 21
**Cid M. B.** see Carreño M. C. 1439
**Cimarelli C. Palmieri G. and Bartoli G.** Diastereo- and enantioselective entry to β-amino esters by hydride reduction of homochiral β-enamino esters 1455
**Ciuffreda P.** see Allevi P. 13
**Ciuffreda P.** see Allevi P. 927
**Clardy J.** see Haugan J. A. 1367
**Colobert F.** see Carreño M. C. 1439
**Colombo D. Albini F. M. Scala A. Taino I. M. and Toma L.** $^1$H NMR Acetyl methyl resonances of peracetylated lilioside B: a tool for the stereochemical identification of its partially acetylated derivatives 1993
**Colombo D. Ronchetti F. Scala A. Taino I. M. Albini F. M. and Toma L.** Regio- and diastereoselective lipase-catalyzed preparation of acetylated 2-*O*-glucosylglycerols 1377
**Colombo M. I.** see Bacigaluppo J. A. 1877
**Comezoglu F. T.** see Hanson R. L. 1925
**Contreras R.** see Cadenas-Pliego G. 633
**Contreras R.** see Tlahuext H. 1579
**Cordova R.** see Mayer S. C. 519
**Corelli F.** see Botta M. 181
**Corelli F. Crescenza A. Dei D. Taddei M. and Botta M.** Cyclic dipeptides. A stereocontrolled synthesis of (2*S*,3*R*,6*R*)- and (2*R*,3*R*,6*R*)-6-*tert*-butoxycarbonylamino-3-methoxycarbonyl-2-methyl-5-oxoperhydro-1,4-thiazepine 1469
**Costa P. R. R.** see Filho H. C. A. 1219
**Costa P. R. R.** see Ribeiro L. P. 1873
**Costa P. R. R.** see Sequeira L. C. 1433
**Costanzo M. J. Almond, Jr H. R. Gauthier A. D. and Maryanoff B. E.** Non-chair six-membered-ring conformations. Preference for a twist-boat (or skew) structure in α-L-sorbopyranose derivatives 2459
**Costello J. F. Davies S. G. and Ichihara O.** Origins of the high stereoselectivity in the conjugate addition of lithium(α-methylbenzyl)-

benzylamide to *t*-butyl cinnamate 1999
**Coudert G.** see Khouili M. 535
**Cox G. G. and Harwood L. M.** Synthesis of homochiral α-amino acids by reductive amination of α-ketoacids via 3-substituted-5-phenyl-3,4-dehydromorpholin-2-ones: synthesis of (*S*)- and (*R*)-2-aminobutanoic acid 1669
**Cravero R. M.** see Bacigaluppo J. A. 1877
**Crawley S. C.** see Khan S. H. 2415
**Crescenza A.** see Corelli F. 1469
**Cresson P.** see Stephan E. 41
**Crisma M.** see Toniolo C. 507
**Crockett A. K.** see Jones R. C. F. 1661
**Crout D. H. G.** see Vic G. 2513
**Cseke C. T.** see Chorghade M. S. 2251
**Csuk R. and Dörr P.** Biocatalytical transformations—IV. Enantioselective enzymatic hydrolyses of building blocks for the synthesis of carbocyclic nucleosides 269
**Curran D. P. Geib S. J. and Lin C.-H.** Group selective radical cyclizations with Oppolzer's camphor sultam 199

**d'Angelo J.** see Desmaële D. 1645
**d'Angelo J.** see Dumas F. 339
**Darkins P. McCarthy N. McKervey M. A. O'Donnell K. Ye T. and Walker B.** First synthesis of enantiomerically pure N-protected β-amino-α-keto esters from α-amino acids and dipeptides 195
**Darses S.** see Genêt J. P. 675
**Dasgupta F.** see Levy D. E. 2265
**Daunis J.** see Calmes M. 817
**Daunis J.** see Calmes M. 1643
**Dauphin G.** see Lemaire M. 1519
**Davidson A. H.** see Allanson N. M. 2061
**Davies S. G.** see Bunnage M. E. 35
**Davies S. G.** see Bunnage M. E. 203
**Davies S. G.** see Costello J. F. 1999
**Davies S. G. Evans G. B. and Mortlock A. A.** Bifunctional chiral auxiliaries—VI. Alkylations of enolates derived from 1,3-diacylimidazolidine-2-thiones and 1,3-diacylimidazolidin-2-ones 585
**Davies S. G. Kellie H. M. and Polywka R.** Opening of carbohydrate 5,6-epoxides with chiral acetate and propionate enolate equivalents attached to the iron chiral auxiliary $[(C_5H_5)Fe(CO)(PPh_3)]$ 2563
**Davis F. A. and Reddy R. E.** Synthesis of (2*R*,3*S*)-methyl-2-fluoro-3-(*N*-benzoylamino)-3-phenylpropanoate: modified side chain of taxol 955
**Davis N. J.** see Guilbert B. 2163
**DeCian A.** see Spencer J. 321
**DeCosta D.** see Urban F. J. 215
**Dee M. F.** see Urban F. J. 215
**Defaye J. and García Fernández J. M.** Difructose dianhydrides as synthetic intermediates. A synthesis of 3,6-anhydro-keto-D-fructose 2241
**Dei D.** see Corelli F. 1469
**de Kort M.** see van Delft F. L. 2261
**de la Moya Cerero S.** see García Martínez A. 1599
**de la Moya Cerero S.** see García Martínez A. 949
**de la Moya Cerero S.** see García Martínez A. 1373
**de Lange B.** see Rispens M. T. 607
**Del Buttero P.** see Baldoli C. 809
**De Lucchi O.** see Gladiali S. 511
**de Mendoza J.** see Martínez-Díaz M. V. 1291
**Denisov A. Yu.** see Popov S. A. 479
**Desmaële D. Zouhiri F. and d'Angelo J.** The asymmetric Michael reaction involving chiral imines: use of acrylonitrile as acceptor and subsequent functionalization of the adducts 1645
**de Vries E. F. J. Brussee J. Kruse C. G. and van der Gen A.** Stereoselective reduction of prochiral ketones, using aluminum hydride reagents prepared from $LiAlH_4$ and chiral diethanolamines 377
**de Vries N. K.** see Hulst R. 699
**de Vries N. K.** see Hulst R. 1701
**Dharma Rao P.** see Basavaiah D. 223
**Díaz M. Ibarzo J. Jiménez J. M. and Ortuño R. M.** Stereocontrolled synthetic entries to homochiral hydroxylated norbornene derivatives. Formal synthesis of some carbocyclic nucleosides 129
**Diaz M. Ibarzo J. and Ortuño R. M.** Corrigendum 297
**Díaz M. Ibarzo J. and Ortuño R. M.** Stereoselective synthesis of new homochiral polyfunctional side-chain cyclopentane derivatives 37
**Diaz-de-Villegas M. D.** see Buñuel E. 157
**Diaz-de-Villegas M. D.** see Buñuel E. 759
**Diaz-de-Villegas M. D.** see Cativiela C. 261
**Díaz-de-Villegas M. D.** see Cativiela C. 1465
**Díaz Oliva C.** see García Martínez A. 949
**Dickman M.** see Besse P. 1727
**Diekmann K.** see Vill V. 2443
**Dimitrov V. Kostova K. and Hesse M.** Synthesis of new optically active 1,3-diols with camphor and fenchone skeleton 1891
**Diter P. Samuel O. Taudien S. and Kagan H. B.** Highly enantioselective oxidation of ferrocenyl sulfides 549
**Dobler M. and Borschberg H.-J.** Synthesis of *Aristotelia*-type alkaloids—XIV. Total synthesis of (+)-aristolone 2025
**Domínguez E.** see Tellitu I. 1567
**Donadelli A.** see Amone A. 1019
**Dondoni A. Boscarato A. and Marra A.** Synthesis of a sialic acid analog with the acetamido group at C-4 2209
**Dore A.** see Gladiali S. 511
**Dore A.** see Gladiali S. 1143
**Dörr P.** see Csuk R. 269
**Dossena A.** see Galaverna G. 1233
**Duddeck H.** see Wypchlo K. 27
**Dumas F. Maine V. Cavé C. d'Angelo J. Chiaroni A. and Riche C.** A new asymmetric bridging annulation reaction involving the intramolecular Michael addition of chiral imines to enoates 339
**Dunlap R. B.** see Peng J. 1627
**Durand J.-O.** see Savignac M. 717
**Duus J. Ø.** see Khan S. H. 2415

**Eblike H. and Ashiwa K.** Lipase-catalyzed asymmetric hydrolysis and regioselective bromination of 1,4-dihydropyridine. Synthesis of (*R*)-(+)-nilvadipine 1447

**Eck R. and Simon H.**
Synthesis of (*R*)-pantoyl lactone by reduction of ketopantoate with formate and *Proteus* species 1419
**Edwards P. J. Entwistle D. A. Genicot C. Ley S. V. and Visentin G.**
Dispiroketals in synthesis—XVII. Regioselective protection of D-glucopyranoside, D-galactopyranoside and D-mannopyranoside substrates 2609
**Edwards P. J. Entwistle D. A. Ley S. V. Owen D. R. and Perry E. J.**
Dispiroketals in synthesis—IX. Resolution of 1,2-diols using a $C_2$-symmetric diphenyltetrahydrobipyran 553
**Einstein F. W. B.** see Mehta S. 2367
**Ellames G. J.** see Blaney P. M. 1815
**Endo J.** see Taguchi T. 1423
**Entwistle D. A.** see Edwards P. J. 553
**Entwistle D. A.** see Edwards P. J. 2609
**Escale F.** see Calmes M. 1643
**Esteves P.** see Sequeira L. C. 1433
**Evans G. B.** see Davies S. G. 585
**Ezquerra J. Pedregal C. Micó I. and Nájera C.**
Corrigendum 1867
**Ezquerra J. Pedregal C. Micó I. and Nájera C.**
Efficient synthesis of 4-methylene-L-glutamic acid and its cyclopropyl analogue 921

**Fabbri D.** see Gladiali S. 511
**Fabbri D.** see Gladiali S. 1143
**Fadel A.**
Optically active cyclopropanols by samarium(II) iodide induced intramolecular reductive cyclisation of β-chloro-substituted amides 531
**Failla S.** see Caccamese S. 141
**Fantin G. Fogagnolo M. Giovannini P. Medici A. Pagnotta E. Pedrini P. and Trincone A.**
Synthesis of homochiral *syn*- and *anti*-α-(hydroxyethyl)-γ-butyrolactones via microbial reduction 1631
**Fantin G. Fogagnolo M. Medici A. Pedrini P. and Rosini G.**
Kinetic resolution via oxidation of *endo*-bicyclic octen- and heptenols with *Bacillus stearothermophilus* 1635
**Farina A.** see Bravo P. 987
**Faure R.** see Ventalon F. M. 1909
**Fedij V. Lenoir, III E. A. Suto M. J. Zeller J. R. and Wemple J.**
An efficient method for the synthesis of (*R*)-3-(1-amino-1-methylethyl)pyrrolidines for the antiinfective agent, PD 138312 1131
**Felk A. Revial G. Viossat B. Lemoine P. and Pfau M.**
Enantioselective Michael-type reaction of chiral linear α,α-disubstituted secondary enamines 1459
**Fellous R. Lizzani-Cuvelier L. Loiseau M. A. and Sassy E.**
Resolution of racemic ε-lactones 343
**Feringa B. L.** see Hulst R. 699
**Feringa B. L.** see Hulst R. 1701
**Feringa B. L.** see Rispens M. T. 607
**Ferraboschi P. Casati S. Grisenti P. and Santaniello E.**
Enantioselective *Pseudomonas fluorescens (P. cepacia)* lipase-catalyzed irreversible transesterification of 2-methyl-1,2-diols in an organic solvent 1921
**Ferraboschi P. Casati S. and Santaniello E.**
Baker's yeast-mediated hydrogenation of 2-substituted allyl alcohols: a biocatalytic route to a new highly enantioselective synthesis of (*R*)-2-methyl alkanols 19
**Ferraboschi P. Grisenti P. Manzocchi A. and Santaniello E.**
Regio- and enantioselectivity of *Pseudomonas cepacia* lipase in the transesterification of 2-substituted-1,4-butanediols 691
**Ferreira J. T. B. Marques J. A. and Marino J. P.**
A formal and enantioselective synthesis of (–)-sericomin, the sex pheromone of the cigarette beetle (*Lasioderma sericorne* F.) 641
**Ferritto R. and Vogel P.**
Synthesis of α-D-(1→3) and α-D-(1→4)-C-linked galactosides of D-mannose derivatives. Conformation of α-C-galactosides 2077
**Feucht T.** see von Matt P. 573
**Fiksdahl A.** see Oppedal H. 895
**Filho H. C. A. Filho U. F. L. Pinheiro S. Vasconcellos M. L. A. A. and Costa P. R. R.**
Enantioselective synthesis of (*R*)-(+)-β-piperonyl-γ-butyrolactone 1219
**Filho U. F. L.** see Filho H. C. A. 1219
**Fioravanti S. Loreto M. A. Pellacani L. Sabbatini F. and Tardella P. A.**
Asymmetric synthesis of *N*-(ethoxycarbonyl)-β-methylphenylalanine esters 473
**Fischer J.** see Spencer J. 321
**Fischer-Durand N.** see Bégué J.-P. 1099
**Fitz W.** see Halcomb R. L. 2437
**Fleet G. W. J.** see Bichard C. J. F. 431
**Fleet G. W. J.** see Wheatley J. R. 2523
**Flitsch S. L.** see Guilbert B. 2163
**Flores-Parra A.** see Cadenas-Pliego G. 633
**Floyd C. D.** see Allanson N. M. 2061
**Fogagnolo M.** see Fantin G. 1631
**Fogagnolo M.** see Fantin G. 1635
**Fogassy E.** see Kozma D. 193
**Fogassy E.** see Kozma D. 315
**Fokin A. V.** see Sewald N. 1051
**Fokin V. V.** see Han S.-Y. 2535
**Fokina N. A.** see Soloshonok V. A. 1119
**Fokina N. A.** see Soloshonok V. A. 1225
**Font L. M.** see Brunet E. 935
**Formaggio F.** see Toniolo C. 507
**French L. G.** see Shanmuganathan K. 797
**Frigerio M.** see Bravo P. 987
**Fritz-Langhals E.**
Alkali metal fluorides as efficient fluorinating agents. Enantiocontrolled synthesis of 2-fluoroalkyl carboxylates and 1-fluoroalkyl benzenes 981
**Fu T. Y.** see Koshima H. 1415
**Fuentes J.** see Ortiz Mellet C. 2313
**Fuentes J.** see Ortiz Mellet C. 2325
**Fuerte A.** see García Ruano J. L. 1443
**Fuganti C. Pedrocchi-Fantoni G. Sarra A. and Servi S.**
Stereochemistry of baker's yeast mediated reduction of α,β-unsaturated δ-lactones in the goniothalamin series 1135
**Fujioka H. Kitagaki S. Ohno N. Kitagawa H. Kita Y. and Matsumoto K.**
Diastereotopic group selective intramolecular conjugate addition of 4-(2-hydroxyethyl)-*p*-quinol derivatives: synthesis of the optically pure *cis*-7-oxabicyclo[4.3.0]non-2-en-4-one skeleton 333

**Fujisawa T. Sugimoto T. and Shimizu M.**
Highly stereocontrolled access to trifluoromethylbenzylic alcohols possessing *p*-substituents by the baker's yeast reduction 1095
**Fujita K.** see Ishizaki M. 411
**Fukuda M.** see Maemura K. 2093
**Fukui T. Kawamoto T. and Tanaka A.**
Enzymatic preparation of optically active silylmethanol derivatives having a stereogenic silicon atom by hydrolase-catalyzed enantioselective esterification 73
**Fukumoto K.** see Ihara M. 1041
**Fung P.-H.** see Tai V. W.-F. 1353
**Furman B.** see Kałuza Z. 2179
**Furuhashi K.** see Umezawa J. 491
**Furuya T.** see Sato M. 1665

**Gajda T.**
Enantioselective synthesis of diethyl 1-hydroxyalkylphosphonates via oxazaborolidine catalyzed borane reduction of diethyl α-ketophosphonates 1965
**Galaverna G. Pelosi G. Gasparri Fava G. Belicchi Ferrari M. Dossena A. and Marchelli R.**
Chiral molecular laminates: crystal structures of bis(*N*$^{2}$-*n*-alkyl-(*S*)-phenylalaninamidato)copper(II) complexes 1233
**Galeazzi R.** see Cardillo B. 1535
**Galopin C.** see Genêt J. P. 675
**Galushko S. V.** see Soloshonok V. A. 1119
**Galushko S. V.** see Soloshonok V. A. 1225
**Galvez J. A.** see Cativiela C. 261
**Gálvez J. A.** see Cativiela C. 1465
**Gambacorta A.** see Trincone A. 1453
**García F. J.** see Tellitu I. 1567
**García J.** see Berenguer R. 165
**García J. I.** see Buñuel E. 759
**García-Báez E.** see Tlahuext H. 1579
**García Fernández J. M.** see Defaye J. 2241
**García Fernández J. M.** see Ortiz Mellet C. 2313
**García Fernández J. M.** see Ortiz Mellet C. 2325
**García Fraile A.** see García Martínez A. 949
**García Fraile A.** see García Martínez A. 1373
**García Fraile A.** see García Martínez A. 1599
**García Martínez A. Teso Vilar E. García Fraile A. de la Moya Cerero S. Díaz Oliva C. Subramanian L. R. and Maichle C.**
Synthesis of homochiral cyclopentane derivatives by Beckmann fragmentation of 1-substituted 2-norbornanones 949
**García Martínez A. Teso Vilar E. García Fraile A. de la Moya Cerero S. González-Fleitas de Diego J. M. and Subramanian L. R.**
A facile synthesis of homochiral 1-norbornanecarboxylic acids and 1-norbornanecarbonitriles 1599
**García Martínez A. Teso Vilar E. García Fraile A. de la Moya Cerero S. and Subramanian L. R.**
Synthesis of homochiral 1,2-diols from (–)-fenchone and (+)-camphor 1373
**García Ruano J. L.** see Carreño M. C. 1439
**García Ruano J. L. Fuerte A. and Maestro M. C.**
Enantioselective synthesis of γ- and δ-lactones 1443
**Garegg P. J.** see Buskas T. 2187
**Gasparri Fava G.** see Galaverna G. 1233
**Gatilov Y. V.** see Popov S. A. 479
**Gaur S.** see Banks M. R. 2447
**Gauthier A. D.** see Costanzo M. J. 2459
**Gawronska K.** see Kazmierczak F. 527
**Gawronski J.** see Kazmierczak F. 527
**Gehrcke B.** see König W. A. 347
**Geib S. J.** see Curran D. P. 199
**Genet J.-P.** see Kardos N. 1525
**Genêt J.-P.** see Savignac M. 717
**Genêt J. P. Pinel C. Ratovelomanana-Vidal V. Mallart S. Pfister X. Bischoff L. Caño De Andrade M. C. Darses S. Galopin C. and Laffitte J. A.**
Enantioselective hydrogenation reactions with a full set of preformed and prepared *in situ* chiral diphosphine–ruthenium(II) catalysts 675
**Genêt J. P. Pinel C. Ratovelomanana-Vidal V. Mallart S. Pfister X. Caño De Andrade M. C. and Laffitte J. A.**
Novel, general synthesis of the chiral catalysts diphosphine–ruthenium(II) diallyl complexes and a new practical *in situ* preparation of chiral ruthenium(II) catalysts 665
**Genicot C.** see Edwards P. J. 2609
**Gerlach H.** see Böhm U. 1281
**Gerlach H.** see Brünner R. 1613
**Gerlach H.** see Voß G. 425
**Géro S. D.** see Anaya J. 2137
**Géro S. D.** see Barton D. H. R. 2123
**Ghosez L.** see Beaudegnies R. 557
**Giacomini D.** see Cainelli G. 1913
**Giannetto P.** see Aversa M. C. 805
**Gilbert I. H.** see Jones R. C. F. 1661
**Giovannini P.** see Fantin G. 1631
**Girodier L. D. and Rouessac F. P.**
A new synthetic route to optically active α-alkyl-2- and 3-furylcarbinols by intramolecular diastereoselectivity 1203
**Gladiali S. Dore A. and Fabbri D.**
Novel heterobidentate ligands for asymmetric catalysis: synthesis and rhodium-catalysed reactions of S-alkyl (*R*)-2-diphenylphosphino-1,1'-binaphthyl-2'-thiol 1143
**Gladiali S. Dore A. Fabbri D. De Lucchi O. and Manassero M.**
Novel atropisomeric phosphorus ligands: 4,5-dihydro-3*H*-dinaphtho[2,1-*c*;1',2'-*e*]phosphepine derivatives 511
**Gong B.** see Ramachandran P. V. 1061
**Gong B.** see Ramachandran P. V. 1075
**González-Fleitas de Diego J. M.** see García Martínez A. 1599
**González-Sierra M.** see Bacigaluppo J. A. 1877
**González-Sierra M.** see Preite M. D. 503
**Goodwin C. J.** see Bunnage M. E. 35
**Goodwin C. J.** see Bunnage M. E. 203
**Gosney I.** see Banks M. R. 2447
**Gosselin P. Bonfand E. Hayes P. Retoux R. and Maignan C.**
Asymmetric intermolecular Diels–Alder reactions of enantiopure sulfinyl-homo- and -hetero-dienes: preliminary results 781
**Gourcy J.-G.** see Lemaire M. 1519

**Grande M.** see Anaya J. 2137
**Greene A. E.** see Castro J. 307
**Griffiths S. L. Perrio S. and Thomas S. E.**
Asymmetric oxidation of sulfenyl substituted tricarbonyl($\eta^6$-arene)–chromium(0) complexes 545
**Griffiths S. L. Perrio S. and Thomas S. E.**
Alkylthio substituted tricarbonyl($\eta^6$-arene)-chromium(0) complexes as substrates for asymmetric oxidation 1847
**Griffiths S. L. Perrio S. and Thomas S. E.**
Corrigendum 1865
**Gringard S.** see Krohn K. 2485
**Grisenti P.** see Ferraboschi P. 691
**Grisenti P.** see Ferraboschi P. 1921
**Gruss U.** see Caccamese S. 141
**Guanti G. Banfi L. Brusco S. and Narisano E.**
Enzymatic preparation of homochiral 2-(*N*-carbobenzyloxypiperid-4-yl)-1,3-propanediol monoacetate. A facile entry to both enantiomers of 3-hydroxymethylquinuclidine 537
**Guanti G. Banfi L. and Riva R.**
Enzymatic asymmetrization of some prochiral and *meso* diols through monoacetylation with pig pancreatic lipase (PPL) 9
**Guérin P.** see Cammas S. 1589
**Guilbert B. Davis N. J. Pearce M. Aplin R. T. and Flitsch S. L.**
Dibutylstannylene acetals: useful intermediates for the regioselective sulfation of glycosides 2163
**Guillaumet G.** see Khouili M. 535
**Guiry P. J.** see Brown J. M. 561
**Gurjar M. K. and Rama Devi N.**
An expedient approach to (2*R*,3*S*)-3-azido-1,2-epoxy-4-phenyl butane: a key intermediate for HIV protease inhibitors 755
**Gutman A. L.** see Shapira M. 1689

**Ha H.-J.** see Song C. E. 1215
**Hägele G.** see Caccamese S. 141
**Haight A. R.** see Krysan D. J. 625
**Hakala K.** see Johnson L. 2475
**Hakushi T.** see Sugimura T. 1127
**Hakushi T.** see Sugimura T. 1163
**Halcomb R. L. Fitz W. and Wong C.-H.**
Enzymatic synthesis of 7-deoxy-*N*-acetylneuraminic acid and 7-*O*-methyl-*N*-acetylneuraminic acid 2437
**Han Q.** see Katsumura S. 161
**Han S.-Y. Joullié M. M. Fokin V. V. and Petasis N. A.**
Spectroscopic, crystallographic and computational studies of the formation and isomerization of cyclic acetals and ketals of pentonolactones 2535
**Hanafi N. and Ortuño R. M.**
Stereoselective synthesis of enantiopure cyclopropane didehydroamino acid derivatives: (–)-(*Z*)-2-benzyloxycarbonylamino-4,5-cyclopropane-2-hexenodioic acid dimethyl ester 1657
**Hanouneh A.** see Calmes M. 817
**Hanson R. L. Banerjee A. Comezoglu F. T. Mirfakhrae K. D. Patel R. N. and Szarka L. J.**
Resolution of α-(4-fluorophenyl)-4-(5-fluoro-2-pyrimidinyl)-1-piperazinebutanol (BMS 181100) and α-(3-chloropropyl)-4-fluorobenzenemethanol using lipase-catalyzed acetylation or hydrolysis 1925
**Hapiot F. Agbossou F. and Mortreux A.**
Synthesis of new chiral arene ruthenium(II) amino-phosphinephosphinite complexes and use in asymmetric hydrogenation of an activated keto compound 515
**Harding M. M.** see Krippner G. Y. 1793
**Harwood L. M.** see Cox G. G. 1669
**Hasegawa A.** see Ishida H.-K. 2493
**Hashimoto H. Shimada K. and Horito S.**
Synthesis of α-L-fucopyranosyl disaccharides with thioglycosidic linkages and characterization of α-L-fucosidases from bovine kidney and epididymis by their inhibitory activities 2351
**Hashimoto Y.** see Sudo A. 1333
**Hattori H.** see Sato M. 975
**Hattori T.** see Koike N. 1899
**Haugan J. A. Kongsaeree P. Clardy J. and Liaaen-Jensen S.**
Total synthesis of acetylenic carotenoids—I. Synthesis of optically active 2-*E*-((4*R*)-4-hydroxy-2,6,6-trimethyl-cyclohex-1-enyl)-3-methyl-2-penten-4-yn-1-al, a $C_{15}$-synthon 1367
**Haugan J. A. and Liaaen-Jensen S.**
Total synthesis of acetylenic carotenoids—III. First total synthesis of optically active 9-*Z*-(3*R*,3′*R*)-diatoxanthin and 9-*Z*-(3*R*)-7,8-didehydrocryptoxanthin 1781
**Haughan A. F. and Sweeney J. B.**
Diastereospecific hydroxyselenation of cyclohex-2-enyl phenylglycinates 177
**Hayakawa T.** see Honda T. 247
**Hayase T.** see Soai K. 789
**Hayashi K.** see Sudo A. 1333
**Hayashi T.** see Konoike T. 1559
**Hayashi T.** see Soloshonok V. A. 1091
**Hayashi Y.** see Uemura M. 1427
**Hayashi Y.** see Uemura M. 1427
**Hayashi Y.** see Uemura M. 1673
**Hayes P.** see Gosselin P. 781
**Hedenström E.** see Nordin O. 785
**Heijnen J. J.** see Rakels J. L. L. 93
**Helmchen G.** see von Matt P. 573
**Hénin F.** see Aboulhoda S. J. 1321
**Henkel B. Kunath A. and Schick H.**
Synthesis of (3*R*,5*S*)-3-hydroxy-7-phenyl-6-heptyn-5-olide by an enantioselective enzyme-catalyzed lactonization of a racemic 3,5-dihydroxy ester 17
**Herak J. J. Vinkovic M. Mandic Z. Lukic I. Tomic M. and Kovacevic M.**
Synthesis, structural characterization and stereocontrolled degradation of 2-azacephams 1605
**Herbert J. M.** see Blaney P. M. 1815
**Herdeis C. Hubmann H. P. and Lotter H.**
Chiral pool synthesis of *trans*-(2*S*,3*S*)-3-hydroxyproline and castanodiol from *S*-pyroglutamic acid 119
**Herdeis C. Hubmann H. P. and Lotter H.**
Synthesis of homochiral 3-substituted glutamic acids and prolines from pyroglutamic acid 351
**Hermitage S. A. and Moloney M. G.**
A short approach to functionalised homochiral piperidinones 1463
**Hernando J. I. M.** see Anaya J. 2137
**Herpin T. F. Motherwell W. B. and Tozer M. J.**

The synthesis of difluoromethylene-linked C-glycosides and C-disaccharides 2269
**Herradón B. and Valverde S.** Biocatalytic synthesis of chiral polyoxygenated compounds: modulation of the selectivity upon changes in the experimental conditions 1479
**Hesse M.** see Dimitrov V. 1891
**Hindsgaul O.** see Khan S. H. 2415
**Hirokawa T.** see Sato M. 975
**Hirose K.** see Naemura K. 1549
**Hirotsu K.** see Koshima H. 1415
**Hochmuth D. H.** see König W. A. 347
**Hodgson D. M. Witherington J. and Moloney B. A.** Highly enantioselective rearrangement of a *meso*-epoxide to an allyl alcohol for carbocyclic nucleoside synthesis: an internal alkoxide effect 337
**Hodgson P. K. G.** see Banks M. R. 2447
**Hof R. P. and Kellogg R. M.** Lipase catalyzed resolutions of some α,α-disubstituted 1,2-diols in organic solvents; near absolute regio and chiral recognition 565
**Hof R. P. Poelert M. A. Peper N. C. M. W. and Kellogg R. M.** Sulfur derivatives of ephedra alkaloids; new and highly efficient chiral catalysts 31
**Hoffmann N.** Highly diastereoselective addition of photochemically generated radicals to (5*R*)-(–)-menthyloxy-2[5*H*]-furanone—synthesis of (–)-terebic acid 879
**Högberg H.-E.** see Nordin O. 785
**Holland H. L. Brown F. M. and Larsen B. G.** Biotransformation of organic sulfides—V. Formation of chiral *para*-alkyl benzyl methyl sulfoxides by *Helminthosporium* species NRRL 4671 1241
**Holland H. L. Brown F. M. and Larsen B. G.** Preparation of (*R*)-sulforaphane by biotransformation using *Helminthosporium* species NRRL 4671 1129
**Hollinshead D. M.** see Markó I. E. 569
**Hollinshead D. M.** see Markó I. E. 1867
**Honda T. Yamada T. Hayakawa T. and Kanai K.** Stereocontrolled synthesis of the B-ring moiety of sesbanimide alkaloids: formal chiral synthesis of sesbanimides A and B 247
**Hongo H.** see Nakano H. 1155
**Hopf H.** see König W. A. 347
**Horito S.** see Hashimoto H. 2351
**Horiuchi T. Ohta T. Stephan M. and Takaya H.** Synthesis of (*R*)- and (*S*)-7,7'-bis(diphenylphosphino)-2,2'-dimethoxy-1,1'-binaphthyl, a new axially dissymmetric bis(triarylphosphine) 325
**Hoshino O.** see Ishizaki M. 411
**Hoshino O.** see Ishizaki M. 1901
**Hoshino O.** see Murakata M. 2019
**Huber R. S.** see Jones G. B. 1199
**Hubmann H. P.** see Herdeis C. 119
**Hubmann H. P.** see Herdeis C. 351
**Huet F.** see Brown E. 1191
**Huet F.** see Cammas S. 1589
**Hulst R. de Vries N. K. and Feringa B. L.** α-Phenylethylamine based chiral phospholidines; new agents for the determination of the enantiomeric excess of chiral alcohols, amines and thiols by means of $^{31}$P NMR 699
**Hulst R. Zijlstra R. W. J. de Vries N. K. and Feringa B. L.** (*S*)-2*H*-2-Oxo-5,5-dimethyl-4(*R*)-phenyl-1,3,2-dioxaphosphorinane, a new reagent for the enantiomeric excess determination of unprotected amino acids using $^{31}$P NMR 1701
**Hult K.** see Orrenius C. 1363
**Hursthouse M. B.** see Brown J. M. 561
**Hursthouse M. B.** see Ramsden J. A. 2033
**Huser N.** see Solladié G. 255
**Hyppönen T. K.** see Slaghek T. M. 2291

**Ibarzo J.** see Díaz M. 37
**Ibarzo J.** see Díaz M. 129
**Ibarzo J.** see Diaz M. 297
**Ichihara O.** see Costello J. F. 1999
**Ihara M. Kawabuchi T. Tokunaga Y. and Fukumoto K.** Enantiocontrolled synthesis of chiral propane-1,3-diol derivatives possessing fluorinated quaternary stereogenic centers 1041
**Imai M.** see Murakata M. 2019
**Immel S.** see Lichtenthaler F. W. 2045
**Ingall A. H. Moore P. R. and Roberts S. M.** The use of free radical cyclization in the synthesis of compounds related to the mannostatins 2155
**Inoue S.** see Asami M. 793
**Inoue S.** see Asami M. 1649
**Iseki K. Nagai T. and Kobayashi Y.** Diastereoselective trifluoromethylation of chiral imide enolates with iodotrifluoromethane mediated by triethylborane 961
**Ishida H.** see Ishida H.-K. 2493
**Ishida H.-K. Ishida H. Kiso M. and Hasegawa A.** Total synthesis of ganglioside GQ1b and the related polysialogangliosides 2493
**Ishihara J. Nonaka R. Terasawa Y. Tadano K. and Ogawa S.** Synthetic studies on the trichothecene family from D-glucose 2217
**Ishihara K.** see Uemura M. 1673
**Ishikawa H.** see Tsubouchi H. 441
**Ishizaki M. Fujita K. Shimamoto M. and Hoshino O.** Catalysed asymmetric reaction of aldehydes with dialkylzinc in the presence of chiral pyridyl alcohols as ligands 411
**Ishizaki M. and Hoshino O.** Efficient ligands, chiral 2-[2,2-dimethyl-1-(2-pyridyl)-propoxy]-1,1-diarylethanols for highly enantioselective addition of alkynylzinc reagents to various aldehydes 1901
**Ishizaki T.** see Asami M. 793
**Isobe K.** see Soai K. 789
**Ito K.** see Itsuno S. 523
**Ito Y.** see Koshima H. 1415
**Itsuno S. Kamahori K. Watanabe K. Koizumi T. and Ito K.** Polymer-supported chiral Lewis acids as asymmetric catalysts for Diels–Alder reactions of methacrolein with cyclopentadiene 523
**Iwasa K.** see Nakano H. 1155
**Iwatsubo H.** see Yamazaki T. 1823

**Jackson W. R.** see Kim H. J. 1541
**Jacquier R.** see Calmes M. 817
**Jacquier R.** see Calmes M. 1643
**Jagerovic N.** see López M$^a$. C. 1887
**Jeminet G.** see Lemaire M. 1519

**Jendralla H.**
Asymmetric C=C-hydrogenation of a substrate with sulfur functionality. Influence of solvent and substrate configuration on enantioselectivity 1183
**Jendralla H. Li C. H. and Paulus E.**
Efficient synthesis of (*R*)- and (*S*)-(6,6'-difluorobiphenyl-2,2'-diyl) bis(diphenylphosphine); electron-poor biphenyl-type ligands for transition metal catalysts 1297
**Jensen B. L.** see Shanmuganathan K. 797
**Jiménez J. M.** see Díaz M. 129
**Jiménez Blanco J. L.** see Ortiz Mellet C. 2325
**Johnson L. Verraest D. L. van Haveren J. Hakala K. Peters J. A. and van Bekkum H.**
Methyl α-D-fructofuranoside: synthesis and conversion into carboxylates 2475
**Jones D. N.** see Aversa M. C. 805
**Jones G. B. Chapman B. J. Huber R. S. and Beaty R.**
Catalytic enantioselective macrolide synthesis—II. Use of differential deprotection protocols 1199
**Jones R. C. F. Crockett A. K. Rees D. C. and Gilbert I. H.**
Synthesis of a homochiral α,α-disubstituted α,β-diamino-acid 1661
**Jordan K. L.** see Mehta S. 2367
**Joullié M. M.** see Han S.-Y. 2535
**Joullié M. M.** see Mayer S. C. 519
**Jursic B. S. Zdravkovski Z. and Zuanic M.**
Determination of enantiomeric composition of 2-phenyl-2-(2-piperidyl)acetamide. A routine method for evaluation of enantiomeric purity of primary amides 1711

**Kabalka G. W.** see Bains S. 821
**Kagan H. B.** see Diter P. 549
**Kalomiri M.** see Aggarwal V. K. 723
**Kałuza Z. Furman B. Patel M. and Chmielewski M.**
Asymmetric induction in [2+2]cycloaddition of chlorosulfonyl isocyanate to 1,2-*O*-isopropylidene-3-*O*-vinyl-glycofuranoses 2179
**Kamada K.** see Naemura K. 1549
**Kamahori K.** see Itsuno S. 523
**Kamal A. and Rao M. V.**
Enzyme catalyzed stereoselective synthesis of (*S*)-propanolamines 1881
**Kamerling J. P.** see Slaghek T. M. 2291
**Kamphuis J.** see Toniolo C. 507
**Kanai K.** see Honda T. 247
**Kaneko C.** see Sato M. 975
**Kaneko C.** see Sato M. 1665
**Kanerva L. T.** see Kiljunen E. 311
**Kang J. Cho W. O. and Cho H. G.**
(−)-α-Isosparteine as a chiral ligand in asymmetric allylic alkylation 1347
**Kang S.-K. Cho D.-G. Chung J.-U. and Kim D.-Y.**
Regioselective addition of organocopper–magnesium reagents to chiral dienylic cyclic carbonates 21
**Kanno O.** see Kosugi H. 1139
**Karalulov A. I.** see Ramsden J. A. 2033
**Karalulov S.** see Brown J. M. 561
**Kardos N. and Genet J.-P.**
Synthesis of (−)-chanoclavine I 1525
**Karthaus O. Shoda S. and Kobayashi S.**
Diastereoselective cleavage of β-glucosylsulfoxides by β-glucosidase 2213
**Kasai N.** see Suzuki T. 239
**Kato E.** see Mikami K. 1087
**Katoh O. Sugai T. and Ohta H.**
Application of microbial enantiofacially selective hydrolysis in natural product synthesis 1935
**Katsumura S. Yamamoto N. Morita M. and Han Q.**
Diastereoselective synthesis of γ-hydroxy-β-amino alcohols, (2*S*,3*S*)- and (2*S*,3*R*)-threo-ninol and -hydroxyphenyl-alaninol, from (*R*)-glycidol via the derived 4-hydroxymethyl-oxazolidinone 161
**Kawabuchi T.** see Ihara M. 1041
**Kawamoto T.** see Fukui T. 73
**Kazlauskas R. J.** see Caron G. 83
**Kazlauskas R. J.** see Caron G. 657
**Kazmierczak F. Gawronska K. Rychlewska U. and Gawronski J.**
Exciton coupling of the phthalimide chromophore: application to configurational assignments 527
**Keay B. A.** see Woo S. 1411
**Keller E.** see Rispens M. T. 607
**Kellie H. M.** see Davies S. G. 2563
**Kellogg R. M.** see Hof R. P. 31
**Kellogg R. M.** see Hof R. P. 565
**Kennedy J. F. Cabalda V. M. and Taylor D. W.**
Evaluation of some methods of determination of starch for legislative purposes in the European Community 2571
**Khan S. H. Duus J. Ø. Crawley S. C. Palcic M. M. and Hindsgaul O.**
Acceptor–substrate recognition by *N*-acetyl-glucosaminyltransferase-V: role of the mannose residue in βDGlcNAc(1→2)αDMan(1→6) βDGlcOR 2415
**Khouili M. Lazar S. Guilliaumet G. and Coudert G.**
Synthesis of enantiomerically pure 7-hydroxy-2-substituted-2,3-dihydro-1,4-benzodioxin derivatives 535
**Kiljunen E. and Kanerva L. T.**
*Sorghum bicolor* shoots in the synthesis of (*S*)-mandelonitrile 311
**Kim D.-Y.** see Kang S.-K. 21
**Kim H. J. and Jackson W. R.**
Substituent effects on the enantioselective hydro-cyanation of aryl aldehydes 1541
**Kim I. O.** see Song C. E. 1215
**Kimoto H.** see Sudo A. 1333
**King N. P.** see Burns B. 801
**Kirilenko A. G.** see Soloshonok V. A. 1119
**Kirilenko A. G.** see Soloshonok V. A. 1225
**Kiso M.** see Ishida H.-K. 2493
**Kita Y.** see Fujioka H. 333
**Kitagaki S.** see Fujioka H. 333
**Kitagawa H.** see Fujioka H. 333
**Kitagawa J.** see Sano H. 2233
**Kitazume T.** see Yamazaki T. 1823
**Kitazume T. Murata K. Okabe A. Takahashi Y. and Yamazaki T.**
A highly stereocontrolled synthetic approach to 1,6-dideoxy-6,6-difluoroazasugar derivatives 1029
**Klintschar G.** see Widhalm M. 189
**Knochel P.** see Lûtjens H. 1161
**Kobayashi S.** see Karthaus O. 2213
**Kobayashi Y.** see Iseki K. 961
**Kobe J.** see Mohar B. 863
**Koch G.** see von Matt P. 573
**Koeller K. J.** see Blazis V. J. 499
**Koga K.** see Kumamoto T. 1431
**Koike N. Hattori T. and Miyano S.**
Absolute configuration of 3,3'-dihydroxy-4,4'-biphenanthryl as determined by the stereochemistry of cyclic diester formation with 1,1'-

binaphthyl-2,2'-dicarboxylic acid 1899
**Koizumi T.** see Itsuno S. 523
**Kolomiets A. F.** see Sewald N. 1051
**Kon O. L.** see Chooi S. Y. M. 49
**Kongsaeree P.** see Haugan J. A. 1367
**König W. A. Gehrcke B. Hochmuth D. H. Mlynek C. and Hopf H.**
Resolution of chiral [2.2]paracyclophanes by enantioselective gas chromatography 347
**Konoike T. Hayashi T. and Araki Y.**
(*S*)-(−)-2-*tert*-Butyl-3-methylene-oxirane: synthesis and hydroboration of a chiral allene oxide 1559
**Konradsson P.** see Buskas T. 2187
**Kornilov A. M. Sorochinsky A. E. and Kukhar V. P.**
Stereoselective synthesis of 14,14-difluorocoriolic acid 1015
**Koshima H. Maeda A. Masuda N. Matsuura T. Hirotsu K. Okada K. Mizutani H. Ito Y. Fu T. Y. Scheffer J. R. and Trotter J.**
Ionic chiral handle-induced asymmetric synthesis in a solid state Norrish type II photoreaction 1415
**Kostova K.** see Dimitrov V. 1891
**Kosugi H. Kanno O. and Uda H.**
Synthesis of enantiomerically pure juvenile hormone II 1139
**Kovacevic M.** see Herak J. J. 1605
**Kozlova E. V.** see Soloshonok V. A. 1119
**Kozma D. Madarász Z. Ács M. and Fogassy E.**
Study of the mechanism of the optical resolution of *N*-methylamphetamine via diastereoisomeric salt formation by the Pope–Peachey method 193
**Kozma D. Nyéki Á. Ács M. and Fogassy E.**
Optical resolution of mandelic acid by cinchonine in different solvents 315
**Kreis U. C.** see Mehta S. 2367
**Krippner G. Y. and Harding M. M.**
Intercalator amino acids: synthesis of heteroaryl alanines 1793
**Krishnudu K.** see Sharma G. V. M. 1905
**Krohn K. Gringard S. and Börner G.**
From sugars to carbocycles—IV. Exclusive seven-membered ring formation from D-glucose 2485
**Kruse C. G.** see de Vries E. F. J. 377
**Krysan D. J. Rockway T. W. and Haight A. R.**
Diastereoselectivity in the osmium-catalyzed dihydroxylation of allylic amides and carbamates 625
**Kukhar V. P.** see Bravo P. 2009
**Kukhar V. P.** see Kornilov A. M. 1015
**Kukhar V. P.** see Soloshonok V. A. 1119
**Kukhar V. P.** see Soloshonok V. A. 1225
**Kumamoto T. Aoki S. Nakajima M. and Koga K.**
Chiral lithium 2-amino-alkoxides as reagents for enantioselective Michael reaction 1431
**Kumobayashi H.** see Zhang X. 1179
**Kunath A.** see Henkel B. 17

**Laffitte J. A.** see Genêt J. P. 665
**Laffitte J. A.** see Genêt J. P. 675
**Landais Y. and Ogay P.**
Enantioselective aldol reactions using homochiral lithium amides as non-covalently bound chiral auxiliaries 541
**Larsen B. G.** see Holland H. L. 1129
**Larsen B. G.** see Holland H. L. 1241
**Laso N. M.** see Anaya J. 2137
**Laurent E. G.** see Ventalon F. M. 1909
**Lazar S.** see Khouili M. 535
**Lee Y. C.** see Matsuoka K. 2335
**Lefeber C.** see von Matt P. 573
**Le Grumelec C.** see Brown E. 1191
**Lehmann J. and Rob B.**
Two cationic analogues of disaccharide heterolysis. Potential epitopes for preparing antibodies with saccharidase activity 2255
**Lemaire M. Jeminet G. Gourcy J.-G. and Dauphin G.**
2- and 8-Functionalized 1,4,7,10-tetraoxaspiro-[5.5]undecanes—III. Resolution of a (±)-*E,E* structure by enzymatic and chemical methods 1519
**Lemoine P.** see Felk A. 1459
**Lenoir, III E. A.** see Fedij V. 1131
**Leoni O. Marot C. Rollin P. and Palmieri S.**
Preparation of (5*R*)-5-vinyloxazolidine-2-thione from natural *epi*-progoitrin using immobilized myrosinase 1157
**Letellier M.** see Cao S. 2303
**Leung P.-H.** see Aw B.-H. 1167
**Leung P.-H.** see Chooi S. Y. M. 49
**Leung P.-H.** see Chooi S. Y. M. 1805
**Leung P.-H.** see Lim C.-C. 1883
**Levy D. E. Dasgupta F. and Tang P. C.**
Synthesis of novel fused ring C-glycosides 2265
**Ley S. V.** see Edwards P. J. 553
**Ley S. V.** see Edwards P. J. 2609
**Lézé A.** see Brown E. 1191
**Li C. H.** see Jendralla H. 1297
**Li W.-R.** see Mayer S. C. 519
**Liaaen-Jensen S.** see Haugan J. A. 1367
**Liaaen-Jensen S.** see Haugan J. A. 1781
**Lianza F.** see Pallavicini M. 111
**Licandro E.** see Baldoli C. 809
**Lichtenthaler F. W. and Immel S.**
Cyclodextrins, cyclomannins and cyclogalactins with five and six (1→4)-linked sugar units: a comparative assessment of their conformations and hydrophobicity potential profiles 2045
**Liebscher J.** see Bartels A. 1451
**Lightner D. A.** see Boiadjiev S. E. 1945
**Lilley P. M. de Q.** see Wheatley J. R. 2523
**Lim C.-C. Leung P.-H. and Sim K. Y.**
Resolution and enantiomeric purities of [2-(methyl-sulfinyl)ethyl]amine 1883
**Lin C.-H.** see Curran D. P. 199
**Lin Y.-T.** see Tsai W.-J. 1195
**Lindell S. D.** see O'Neill J. A. 117
**Linney L. P. Self C. R. and Williams I. H.**
A theoretical investigation of hydride bridging in chiral oxazaborolidine–borane adducts: the importance of electron correlation 813
**Liu P. S.** see Chorghade M. S. 2251
**Lizzani-Cuvelier L.** see Fellous R. 343
**Llera J.-M. Trujillo M. Blanco M.-E. and Alcudia F.**
A short route to homochiral D- and L-hexose precursors from (*R*)-methyl-*p*-tolylsulfoxide 709
**Loiseau M. A.** see Fellous R. 343

**Loiseleur O.** see von Matt P. 573
**López Mª. C. Jagerovic N. and Ballesteros P.** Regioselective synthesis of the homochiral ligand (4*S*,7*R*)-7,8,8-trimethyl-4,5,6,7-tetrahydro-4,7-methanoindazol-2-yl-indazol-1'-ylmethane 1887
**Loreto M. A.** see Fioravanti S. 473
**Lotter H.** see Herdeis C. 119
**Lotter H.** see Herdeis C. 351
**Lowary T. L. and Bundle D. R.** Nucleophile induced rearrangements of thioglycosides: formation of 6-thio glycosides and 1,6 thioanhydrosugars 2397
**Lukic I.** see Herak J. J. 1605
**Luna H. Prasad K. and Repic O.** Oxidation of diols to lactones by *Nocardia corallina* B-276 303
**Lütjens H. and Knochel P.** Enantioselective preparation of a $C_3$ symmetrical triol 1161

**Maassarani F.** see Spencer J. 321
**Madarász Z.** see Kozma D. 193
**Madsen J. Ø.** see Nielsen J. K. 403
**Maeda A.** see Koshima H. 1415
**Maeda T.** see Muraoka O. 317
**Maemura K. and Fukuda M.** Sialyl Le$^x$ structures in *O*-glycans attached to lysosomal membrane glycoproteins, lamp-1 and lamp-2. Comparison to those in *N*-glycans 2093
**Maestro M. C.** see García Ruano J. L. 1443
**Maichle C.** see García Martínez A. 949
**Maignan C.** see Gosselin P. 781
**Maine V.** see Dumas F. 339
**Maiorana S.** see Baldoli C. 809
**Maitra U. and Mathivanan P.** Diastereoselective reduction of α-keto esters derived from functionalised cholic acid 1171
**Mallart S.** see Genêt J. P. 665
**Mallart S.** see Genêt J. P. 675
**Mallavadhani U. V. and Rao Y. R.** Enantioselective synthesis of cinnamyl-1-phenyl-2-propenyl ether: a metabolite of marine green algal species *Caulerpa racemosa* 23
**Mallet A. Mallet J.-M. and Sinaÿ P.** The use of selenophenyl galactopyranosides for the synthesis of α and β-(1→4)-*C*-disaccharides 2593
**Mallet J.-M.** see Mallet A. 2593
**Maloisel J.-L.** see Buskas T. 2187
**Manassero M.** see Gladiali S. 511
**Mandic Z.** see Herak J. J. 1605
**Mandville G.** see Bloch R. 745
**Manfré F. and Pulicani J. P.** Enantiospecific synthesis and absolute configuration of (+)-RP 66803; a new non-peptide CCK antagonist 235
**Manzocchi A.** see Ferraboschi P. 691
**Mao J.** see Zhang J. 2283
**Marchelli R.** see Galaverna G. 1233
**Marchetti M.** see Chelucci G. 299
**Marco J. L.** see Martín N. 1435
**Marino J. P.** see Ferreira J. T. B. 641
**Markó I. E. Chesney A. and Hollinshead D. M.** Asymmetric Grignard addition to aldehydes. An example of inverse temperature dependence of enantiomeric excess 569
**Markó I. E. Chesney A. and Hollinshead D. M.** Corrigendum 1867
**Marot C.** see Leoni O. 1157
**Marques J. A.** see Ferreira J. T. B. 641
**Marquet B. S.** see Ventalon F. M. 1909
**Marra A.** see Dondoni A. 2209
**Martens J.** see Aboulhoda S. J. 1321
**Martens J.** see Mehler T. 185
**Martens J.** see Mehler T. 207
**Martin F. M.** see Allanson N. M. 2061
**Martín M. R. and Mateo A. I.** Synthesis of new homochiral polyfunctionalized furan-2(5*H*)-ones 1385
**Martín N. Martínez-Grau A. Seoane C. Marco J. L. Albert A. and Cano F. H.** Asymmetric synthesis of 3-alkoxycarbonyl-2-amino-5-cyano-4,6-diphenyl-4*H*-pyrans 1435
**Martínez M. A.** see Andrés J. M. 57
**Martínez M. A.** see Andrés J. M. 67
**Martínez-Díaz M. V. de Mendoza J. Santos F. and Torres T.** Preparation and enantiomeric purity determination of new chiral $C_2$ building blocks based on the 4-amino-1,2,4-triazole unit 1291
**Martínez-Grau A.** see Martín N. 1435
**Maruta M.** see Mikami K. 1087
**Maryanoff B. E.** see Costanzo M. J. 2459
**Mashio H.** see Takeuchi S. 1763
**Mastantuono A.** see Pini D. 1875
**Masuda N.** see Koshima H. 1415
**Mateo A. I.** see Martín M. R. 1385
**Mathivanan P.** see Maitra U. 1171
**Matsumoto K.** see Fujioka H. 333
**Matsuoka K. Nishimura S.-I. and Lee Y. C.** Synthesis of bi-fluorescence-labeled lactoside: a substrate for continual assay of ceramide glycanase 2335
**Matsuura T.** see Koshima H. 1415
**Mattson A.** see Orrenius C. 1363
**Mauvais A.** see Riviere P. 1831
**Mayer S. C. Pfizenmayer A. J. Cordova R. Li W.-R. and Joullié M. M.** Synthetic studies of a constrained ring didemnin analog 519
**McCarthy N.** see Darkins P. 195
**McChesney J. D.** see Srivastava R. P. 1683
**McKervey M. A.** see Darkins P. 195
**Medici A.** see Fantin G. 1631
**Medici A.** see Fantin G. 1635
**Mehler T.** see Aboulhoda S. J. 1321
**Mehler T. Behnen W. Wilken J. and Martens J.** Enantioselective catalytic reduction of acetophenone with borane in the presence of cyclic α-amino acids and their corresponding β-amino alcohols 185
**Mehler T. and Martens J.** New thioether derivatives as catalysts for the enantio-selective addition of diethylzinc to benzaldehyde 207
**Mehta S. Jordan K. L. Weimar T. Kreis U. C. Batchelor R. J. Einstein F. W. B. and Pinto B. M.** Synthesis of sulfur analogues of methyl and allyl kojibiosides and methyl isomaltoside and conformational analysis of the kojibiosides 2367
**Meille S. V.** see Bravo P. 987
**Meille S. V.** see Bravo P. 2009
**Meldal M.** see Ronnow T. E. C. L. 2109
**Meunier S. J.** see Cao S. 2303
**Michne W. F.** see Blaney P. M. 1815
**Micó I.** see Ezquerra J. 921
**Micó I.** see Ezquerra J. 1867
**Mikami K. Yajima T. Terada M. Kato E. and Maruta M.** Diastereoselective and enantioselective catalysis of

the carbonyl-ene reaction with fluoral 1087
**Milewska M. J. and Połonski T.** Synthesis of optically active monothioimides with chirality due to sulphur substitution 359
**Minamikawa J.** see Tsubouchi H. 441
**Minamiura N.** see Suzuki T. 239
**Mio S.** see Sano H. 2233
**Mirfakhrae K. D.** see Hanson R. L. 1925
**Miyano S.** see Koike N. 1899
**Miyoshi N.** see Takeuchi S. 1763
**Mizo-oku T.** see Naemura K. 1549
**Mizuguchi E. Achiwa K. Wakamatsu H. and Terao Y.** Lipase-catalyzed resolution of 5,5-disubstituted hydantoins 1407
**Mizutani H.** see Koshima H. 1415
**Mlynek C.** see König W. A. 347
**Mobbili G.** see Cardillo B. 1535
**Mohar B. Štimac A. and Kobe J.** Chiral building blocks for carbocyclic N- and C-ribonucleosides through biocatalytic asymmetrisation of *meso*-cyclopentane-1,3-dimethanols 863
**Mok K. F.** see Chooi S. Y. M. 1805
**Möller G.** see Böhm U. 1281
**Moloney B. A.** see Hodgson D. M. 337
**Moloney M. G.** see Andrews M. D. 1477
**Moloney M. G.** see Hermitage S. A. 1463
**Momose T.** see Muraoka O. 317
**Monteagudo E.** see Botta M. 181
**Moore P. R.** see Ingall A. H. 2155
**Moraschini P.** see Bianchi D. 1917
**Moreno Marín A.** see Ortiz Mellet C. 2313
**Moreno Marín A.** see Ortiz Mellet C. 2325
**Morikawa T.** see Taguchi T. 1423
**Morita M.** see Katsumura S. 161
**Morrone R.** see Nicolosi G. 1275
**Morrone R.** see Nicolosi G. 1639
**Mortlock A. A.** see Davies S. G. 585
**Mortreux A.** see Hapiot F. 515
**Mosbach K.** see Ramström O. 649
**Motherwell W. B.** see Herpin T. F. 2269
**Motoyama M.** see Uenishi J. 101
**Moyano A.** see Castro J. 307
**Murakata M. Imai M. Tamura M. and Hoshino O.** Lipase-catalyzed kinetic resolution of phenylcyclohexanone oxime esters 2019
**Muraoka O. Okumura K. Maeda T. Tanabe G. and Momose T.** The Norrish Type I photocleavage of (+)-2β-ethyl-9-azabicyclo[3.3.1]nonan-3-one: a short, enantioselective formal synthesis of (–)-indolizidine 223AB 317
**Murata K.** see Kitazume T. 1029
**Muzart J.** see Aboulhoda S. J. 1321

**Naemura K. Mizo-oku T. Kamada K. Hirose K. Tobe Y. Sawada M. and Takai Y.** Preparation of homochiral crown ether containing (*S*)-1-(1-adamantyl)-ethane-1,2-diol as a chiral subunit and its enantioselective complexation with an organic ammonium cation 1549
**Nagai T.** see Iseki K. 961
**Nagumo S.** see Akita H. 1207
**Nájera C.** see Chinchilla R. 1393
**Nájera C.** see Ezquerra J. 921
**Nájera C.** see Ezquerra J. 1867
**Nakagami Y.** see Yoda H. 169
**Nakajima M.** see Kumamoto T. 1431
**Nakamura K.** see Uemura M. 1673
**Nakano H. Okuyama Y. Iwasa K. and Hongo H.** A facile lipase-catalyzed resolution of 2-azabicyclo-[2.2.1]hept-5-en-3-ones 1155
**Narisano E.** see Guanti G. 537
**Nevalainen V.** Quantum chemical modeling of chiral catalysis—XV. On the role of hydride-bridged borane–alkoxyborane complexes in the catalytic enantioselective reduction of ketones promoted by chiral oxazaborolidines 289
**Nevalainen V.** Quantum chemical modeling of chiral catalysis—XVI. On the isomerism of dimers of chiral oxazaborolidines used in the catalytic enantioselective reduction of ketones 387
**Nevalainen V.** Quantum chemical modeling of chiral catalysis—XVII. On the diborane derivatives of chiral oxazaborolidines used as catalysts in the enantioselective reduction of ketones 395
**Nevalainen V.** Quantum chemical modeling of chiral catalysis—XVIII. Conformational studies on chiral *N*-sulfonylated 1,3,2-oxazaborolidines and related aldehyde complexes potentially involved in the catalytic asymmetric Diels–Alder reactions 767
**Nevalainen V.** Quantum chemical modeling of chiral catalysis—XIX. Strain and stability—oxazadiboretanes potentially involved in the enantioselective reduction of ketones promoted by chiral oxazaborolidines 903
**Neves A.** see Sequeira L. C. 1433
**Nicholls I. A.** see Ramström O. 649
**Nicolosi G. Patti A. Morrone R. and Piattelli M.** Enantiopure 1-hydroxymethyl-2-dimethylaminomethyl-ferrocene as efficient catalyst in the enantioselective addition of diethylzinc to aldehydes 1639
**Nicolosi G. Patti A. Morrone R. and Piattelli M.** Enzyme-promoted kinetic resolution of 1-hydroxymethyl-2-dimethylaminomethyl-ferrocene 1275
**Nicolosi G. Patti A. Piattelli M. and Sanfilippo C.** Desymmetrization of *meso*-hydrobenzoin via stereoselective enzymatic esterification 283
**Nielsen J. K. and Madsen J. Ø.** Stereoselective reduction of thiocarbonyl compounds with baker's yeast 403
**Nishimura H.** see Uemura M. 1673
**Nishimura S.-I.** see Matsuoka K. 2335
**Nishitani S.** see Tsubouchi H. 441
**Nishiyama N.** see Sugimura T. 1127
**Nishiyama N.** see Sugimura T. 1163
**Nohira H.** see Umezawa J. 491
**Nonaka R.** see Ishihara J. 2217
**Nordin O. Hedenström E. and Högberg H.-E.** Enantioselective transesterifications of 2-methyl-1-alcohols catalysed by lipases from *Pseudomonas* 785
**Norin T.** see Orrenius C. 1363
**Nyéki Á.** see Kozma D. 315

**Odom J. D.** see Peng J. 1627

**O'Donnell K.** see Darkins P. 195
**Ogawa S.** see Ishihara J. 2217
**Ogawa T.** see Slaghek T. M. 2291
**Ogay P.** see Landais Y. 541
**O'Hagan D. and Zaidi N. A.** The resolution of tertiary α-acetylene-acetate esters by the lipase from *Candida cylindracea* 1111
**Ohgo Y.** see Takeuchi S. 1763
**Ohira A.** see Takeuchi S. 1763
**Ohno A.** see Uemura M. 1673
**Ohno N.** see Fujioka H. 333
**Öhrner N.** see Orrenius C. 1363
**Ohta H.** see Katoh O. 1935
**Ohta T.** see Horiuchi T. 325
**Okabe A.** see Kitazume T. 1029
**Okada K.** see Koshima H. 1415
**Okumura K.** see Muraoka O. 317
**Okuyama Y.** see Nakano H. 1155
**O'Neill J. A. Lindell S. D. Simpson T. J. and Willis C. L.** A simple enantioselective synthesis of γ-valerolactone 117
**Oppedal H. Tveit I. C. and Fiksdahl A.** Nucleophilic substitution of chiral amine *N,N*-ditosyl-derivatives 895
**Oreja E.** see Brunet E. 935
**Orena M.** see Cardillo B. 1535
**Orrenius C. Mattson A. Norin T. Öhrner N. and Hult K.** Preparation of 1-pyridinyl-ethanols of high enantiomeric purity by lipase catalysed transesterifications 1363
**Ortiz Mellet C. Moreno Marín A. García Fernández J. M. and Fuentes J.** Synthesis and conformational properties of sugar amides and thioamides 2313
**Ortiz Mellet C. Moreno Marín A. Jiménez Blanco J. L. García Fernández J. M. and Fuentes J.** Influence of intramolecular hydrogen-bonding on the conformational properties of sugar thioureas 2325
**Ortuño R. M.** see Chen Z. 371
**Ortuño R. M.** see Díaz M. 37
**Ortuño R. M.** see Díaz M. 129
**Ortuño R. M.** see Diaz M. 297
**Ortuño R. M.** see Hanafi N. 1657
**Osipov S. N.** see Sewald N. 1051
**Osuga H.** see Tanaka K. 1175
**Owen D. R.** see Edwards P. J. 553

**Pagni R. M.** see Bains S. 821
**Pagnotta E.** see Fantin G. 1631
**Pala C.** see Bains S. 821
**Palcic M. M.** see Khan S. H. 2415
**Pallavicini M. Valoti E. Villa L. and Lianza F.** Synthesis of (–)- and (+)-esermethole via chemical resolution of 1,3-dimethyl-3-(2-aminoethyl)-5-methoxyoxindole 111
**Pallavicini M. Valoti E. Villa L. and Piccolo O.** Synthesis of (*R*)- and (*S*)-isopropylidene glycerol 5
**Pallavicini M. Valoti E. Villa L. and Resta I.** New asymmetric synthesis of (–)-esermethole 363
**Palmieri G.** see Cimarelli C. 1455
**Palmieri S.** see Leoni O. 1157
**Papagni A.** see Baldoli C. 809
**Papke T.** see Bracher F. 1653
**Patel M.** see Kałuza Z. 2179
**Patel R. N.** see Hanson R. L. 1925
**Patti A.** see Nicolosi G. 283
**Patti A.** see Nicolosi G. 1275
**Patti A.** see Nicolosi G. 1639
**Paulus E.** see Jendralla H. 1297
**Pavlík M.** see Rejzek M. 1501
**Peace J. E.** see Blaney P. M. 1815
**Pearce M.** see Guilbert B. 2163
**Pedregal C.** see Ezquerra J. 921
**Pedregal C.** see Ezquerra J. 1867
**Pedrini P.** see Fantin G. 1631
**Pedrini P.** see Fantin G. 1635
**Pedrocchi-Fantoni G.** see Fuganti C. 1135
**Pedrosa R.** see Andrés J. M. 57
**Pedrosa R.** see Andrés J. M. 67
**Pellacani L.** see Fioravanti S. 473
**Pellegrini C. Strässler C. Weber M. and Borschberg H.-J.** Synthesis of the oxindole alkaloid (–)-horsfiline 1979
**Pelosi G.** see Galaverna G. 1233
**Pelter A. Ward R. S. and Abd-el-Ghani A.** Asymmetric syntheses of isostegane derivatives using trivalent iodine reagents 329
**Pelter A. Ward R. S. Qianrong L. and Pis J.** An asymmetric synthesis of isopodophyllotoxin 909
**Pelter A. Ward R. S. and Sirit A.** Asymmetric synthesis of butenolide and butyrolactone derivatives 1745
**Peng J. Odom J. D. Dunlap R. B. and Silks, III L. A.** Use of a selone chiral derivatizing agent for the absolute configurational assignment of stereogenic centers 1627
**Peper N. C. M. W.** see Hof R. P. 31
**Pérard-Viret J. and Rassat A.** Synthesis of (*R,R*) and (*S,S*) bicyclo[3.3.0]octane-2,6-dione. Interactions between non-conjugated chromophores 1
**Perciaccante F.** see Cainelli G. 1913
**Perdih M. and Razinger M.** Stereochemistry and sequence rules. A proposal for modification of Cahn–Ingold–Prelog system 835
**Pérez-Encabo A.** see Andrés J. M. 57
**Pérez-Encabo A.** see Andrés J. M. 67
**Pericàs M. A.** see Castro J. 307
**Perrio S.** see Griffiths S. L. 545
**Perrio S.** see Griffiths S. L. 1847
**Perrio S.** see Griffiths S. L. 1865
**Perry E. J.** see Edwards P. J. 553
**Petasis N. A.** see Han S.-Y. 2535
**Peters J. A.** see Johnson L. 2475
**Peterson J. R.** see Srivastava R. P. 1683
**Pfaltz A.** see von Matt P. 573
**Pfau M.** see Felk A. 1459
**Pfeffer M.** see Spencer J. 321
**Pfister X.** see Genêt J. P. 665
**Pfister X.** see Genêt J. P. 675
**Pfizenmayer A. J.** see Mayer S. C. 519
**Piattelli M.** see Nicolosi G. 283
**Piattelli M.** see Nicolosi G. 1275
**Piattelli M.** see Nicolosi G. 1639
**Piccolo O.** see Pallavicini M. 5
**Pinel C.** see Genêt J. P. 665
**Pinel C.** see Genêt J. P. 675
**Pinheiro S.** see Filho H. C. A. 1219
**Pini D. Mastantuono A. and Salvadori P.** New chiral ligand for optically active β-hydroxy esters. Synthesis by enantioselective Reformatsky reactions 1875
**Pinto B. M.** see Mehta S. 2367
**Pirkle W. H. and Bowen W. E.** Preparative separation of enantiomers using hollow-fiber membrane technology 773
**Pirkle W. H. and Welch C. J.** Use of simultaneous face to face and face to edge π–π interactions to facilitate chiral recognition 777
**Pis J.** see Pelter A. 909

**Po S.-Y. and Uang B.-J.**
Enantiospecific synthesis of D-daunosamine from thioglycolic acid 1869
**Poelert M. A.** see Hof R. P. 31
**Połonski T.**
Optical activity of *cis*-oxamide and -dithiooxamide chromophores 149
**Połonski T.** see Milewska M. J. 359
**Polywka R.** see Davies S. G. 2563
**Popov S. A. Denisov A. Yu. Gatilov Y. V. Bagryanskaya I. Yu. and Tkachev A. V.**
Synthesis of new chiral heterocycles of the pyrazole and 2-isoxazoline types from (+)-3-carene 479
**Porzi G. and Sandri S.**
Synthesis of (3*R*,6*R*)- and (3*S*,6*S*)-3,6-dialkylpiperazin-2,5-dione derivatives as useful intermediates to both (*R*) and (*S*) α-aminoacids 453
**Pourcelot G.** see Stephan E. 41
**Poveda A. M.** see Brunet E. 935
**Prasad K.** see Luna H. 303
**Preite M. D.** see Bacigaluppo J. A. 1877
**Preite M. D. González-Sierra M. Zinczuk J. and Ruveda E. A.**
(*N*-Methylphenylsulfoximidoyl)methyllithium: a versatile reagent for the determination of absolute configuration of six-membered ring ketones 503
**Price D. W.** see Brown J. M. 561
**Principato G.** see Caccamese S. 141
**Pulicani J. P.** see Manfré F. 235

**Qianrong L.** see Pelter A. 909
**Quiclet-Sire B.** see Barton D. H. R. 2123

**Rabasco D.** see Brunet E. 935
**Racioppi R.** see Bonini C. 173
**Rakels J. L. L. Straathof A. J. J. and Heijnen J. J.**
Improvement of enantioselective enzymatic ester hydrolysis in organic solvents 93
**Ramachandran P. V. Gong B. Teodorovic A. V. and Brown H. C.**
Selective reductions—LII. Efficient asymmetric reduction of α-acetylenic α'-fluoroalkyl ketones with either *B*-chlorodiisopinocampheylborane or *B*-isopinocampheyl-9-borabicyclo[3.3.1]nonane in high enantiomeric purity. The influence of fluoro groups in such reductions 1061
**Ramachandran P. V. Teodorovic A. V. Gong B. and Brown H. C.**
Selective reductions—LIII. Asymmetric reduction of α-fluoromethyl ketones with *B*-chlorodiisopinocampheylborane and *B*-isopinocampheyl-9-borabicyclo[3.3.1]-nonane. Combined electronic and steric contributions to the enantiocontrol process 1075
**Rama Devi N.** see Gurjar M. K. 755
**Ramanaiah K. C. V.** see Sharma G. V. M. 1905
**Ramsden J. A. Brown J. M. Hursthouse M. B. and Karalulov A. I.**
A chelating diphosphine with a single stereogenic phosphorus atom; $R_P$ or $S_P$-(2-methoxyphenyl)-P-phenyl-P-(2'-diphenylphosphino)-ethylphosphine 2033
**Ramström O. Nicholls I. A. and Mosbach K.**
Synthetic peptide receptor mimics: highly stereoselective recognition in non-covalent molecularly imprinted polymers 649
**Ranford J. D.** see Chooi S. Y. M. 1805
**Rao M. V.** see Kamal A. 1881
**Rao Y. R.** see Mallavadhani U. V. 23
**Rassat A.** see Pérard-Viret J. 1
**Ratovelomanana-Vidal V.** see Genêt J. P. 665
**Ratovelomanana-Vidal V.** see Genêt J. P. 675
**Rayner C. M.** see Westwell A. D. 355
**Razinger M.** see Perdih M. 835
**Rea S. O.** see Baker R. W. 45
**Reboud-Ravaux M.** see Bégué J.-P. 1099
**Reddy R. E.** see Davis F. A. 955
**Rees D. C.** see Jones R. C. F. 1661
**Reinhold A. R. and Rosati R. L.**
Synthesis of (1-*S*) and (1-*R*) *cis* 2-methylcyclopentanols through lipase mediated resolution 1187
**Rejzek M. Wimmer Z. Zarevucka M. Saman D. Pavlík M. and Řícánková M.**
Chiral juvenoids derived from 2-substituted cyclohexanols 1501
**Renard M. F.** see Besse P. 1249
**Repic O.** see Luna H. 303
**Resnati G.** see Arnone A. 1019
**Resnati G.** see Soloshonok V. A. 1225
**Resta I.** see Pallavicini M. 363
**Retoux R.** see Gosselin P. 781
**Revial G.** see Falk A. 1459
**Ribeiro L. P. Antunes O. A. C. Bergter L. and Costa P. R. R.**
On the asymmetric induction involving lithium enolates of L-menthylpropionate 1873
**Řícánková M.** see Rejzek M. 1501
**Riche C.** see Dumas F. 339
**Riera A.** see Castro J. 307
**Righi G.** see Bonini C. 173
**Rispens M. T. Keller E. de Lange B. Zijlstra R. W. J. and Feringa B. L.**
Asymmetric 1,3-dipolar cycloadditions to 5-(*R*)-menthyloxy-2(5*H*)-furanone 607
**Riva R.** see Guanti G. 9
**Riviere P. Mauvais A. and Winterfeldt E.**
Pure enantiomers from simple, symmetric dienophiles 1831
**Rob B.** see Lehmann J. 2255
**Roberts S. M.** see Ingall A. H. 2155
**Rocher R.** see Stephan E. 41
**Rockway T. W.** see Krysan D. J. 625
**Rodríguez-Ubis J. C.** see Brunet E. 935
**Roh E. J.** see Song C. E. 1215
**Rollin P.** see Leoni O. 1157
**Ronchetti F.** see Colombo D. 1377
**Ronnow T. E. C. L. Meldal M. and Bock K.**
The use of *O*-glycosyl trichloroacetimidates in the synthesis of unsymmetrical trehalose analogues 2109
**Rosales-Hoz M. de. J.** see Cadenas-Pliego G. 633
**Rosati R. L.** see Reinhold A. R. 1187
**Rosini G.** see Fantin G. 1635
**Rossetti M.** see Cardillo B. 1535
**Rossi L.** see Bonini C. 173
**Rouessac F. P.** see Girodier L. D. 1203
**Roumestant M.-L.** see Calmes M. 1643
**Roy R.** see Cao S. 2303
**Rozwadowska M. D.**
Synthesis of (2*S*,3*S*)-3-amino-2-phenylthietane 1327
**Ruveda E. A.** see Bacigaluppo J. A. 1877
**Ruveda E. A.** see Preite M. D. 503
**Rychlewska U.** see Kazmierczak F. 527
**Ryu T. H.** see Song C. E. 1215

**Saba A.** see Chelucci G. 1973
**Sabbatini F.** see Fioravanti S. 473
**Saigo K.** see Sudo A. 1333
**Salvadori P.** see Pini D. 1875

**Samadi M.** see Barton D. H. R. 2123
**Šaman D.** see Rejzek M. 1501
**Samuel O.** see Diter P. 549
**Sánchez-Agulló P.** see Chinchilla R. 1393
**Sandri S.** see Porzi G. 453
**Sanfilippo C.** see Nicolosi G. 283
**Sanner M. S.** see Blaney P. M. 1815
**Sano H. Mio S. Kitagawa J. and Sugai S.** Stereocontrolled synthesis of spirodihydrouracil nucleoside 2233
**Santaniello E.** see Ferraboschi P. 19
**Santaniello E.** see Ferraboschi P. 691
**Santaniello E.** see Ferraboschi P. 1921
**Santiesteban F.** see Tlahuext H. 1579
**Santos F.** see Martínez-Díaz M. V. 1291
**Sanvito A. M.** see Allevi P. 13
**Sanvito A. M.** see Allevi P. 927
**Sargent M. V.** see Baker R. W. 45
**Sarra A.** see Fuganti C. 1135
**Sasaki H.** see Taguchi T. 1423
**Sassy E.** see Fellous R. 343
**Sato M. Hirokawa T. Hattori H. Toyota A. and Kaneko C.** Synthesis of enantiomerically pure 4-acetoxy-2-fluoro-2-cyclopenten-1-one 975
**Sato M. Sunami S. Kaneko C. Satoh S. and Furuya T.** 6-Methyl-3-benzylidene-5,6-dihydropyran-2,4-diones: synthesis and diastereoselectivity 1665
**Satoh S.** see Sato M. 1665
**Savignac M. Durand J.-O. and Genêt J.-P.** A short synthesis of the unusual amino acid of cyclosporine (4*R*)-4-[(*E*)-2-butenyl]-4,*N*-dimethyl-L-threonine (MeBmt) 717
**Sawada M.** see Naemura K. 1549
**Scala A.** see Colombo D. 1377
**Scala A.** see Colombo D. 1993
**Scheffer J. R.** see Koshima H. 1415
**Schenkelaars E. M. C.** see Baker R. W. 45
**Schick H.** see Henkel B. 17
**Schick H.** see Weidner J. 751
**Schmidt R. R.** see Wild R. 2195
**Schoemaker H. E.** see Toniolo C. 507
**Schwarz J.** see Solladié-Cavallo A. 1621
**Self C. R.** see Linney L. P. 813
**Sellergren B. and Shea K. J.** Enantioselective ester hydrolysis catalyzed by imprinted polymers 1403
**Seoane C.** see Martín N. 1435
**Sequeira L. C. Costa P. R. R. Neves A. and Esteves P.** Enantioselective synthesis of substituted octalones 1433
**Servi S.** see Fuganti C. 1135
**Sewald N. Seymour L. C. Burger K. Osipov S. N. Kolomiets A. F. and Fokin A. V.** Asymmetric synthesis of α-trifluoromethyl substituted aminoacids via 3-hydroxy-3-trifluoromethyl-2,5-diketopiperazines 1051
**Seymour L. C.** see Sewald N. 1051
**Shanmuganathan K. French L. G. and Jensen B. L.** Chelation controlled allylation of aldehydes with a chiral allylsilylene derived from (–)-10-phenylpinanediol 797
**Shapira M. and Gutman A. L.** Enzymatic synthesis of chiral monosubstituted malonates in organic solvents 1689
**Sharma G. V. M. Ramanaiah K. C. V. and Krishnudu K.** Clay montmorillonite in carbohydrates: use of 'claysil' as an efficient heterogenous catalyst for the intramolecular Ferrier reactions leading to 1,6-anhydro rare saccharides 1905
**Sharpless K. B.** see Bennani Y. L. 1473
**Shea K. J.** see Sellergren B. 1403
**Shibuya A.** see Taguchi T. 1423
**Shimada C.** see Soai K. 789
**Shimada K.** see Hashimoto H. 2351
**Shimamoto M.** see Ishizaki M. 411
**Shimizu M.** see Fujisawa T. 1095
**Shing T. K. M.** A synthesis of 3-deoxy-D-*gluco*-oct-2-ulosonic acid 2405
**Shing T. K. M.** see Tai V. W.-F. 1353
**Shing T. K. M. and Tsui H.-C.** Enantiospecific syntheses of (3*S*,4*R*)- and (3*S*,4*R*,7*S*)-diastereoisomers of goniofufurone 1269
**Shing T. K. M. and Wong C.-H.** An enantiospecific approach to an oxepane related to zoapatanol via a 1,3-dipolar cycloaddition 1151
**Shiro M.** see Taguchi T. 1423
**Shishkina I. P.** see Soloshonok V. A. 1119
**Shoda S.** see Karthaus O. 2213
**Silks, III L. A.** see Peng J. 1627
**Sim K. Y.** see Chooi S. Y. M. 49
**Sim K. Y.** see Lim C.-C. 1883
**Simon H.** see Eck R. 1419
**Simpson T. J.** see O'Neill J. A. 117
**Sinaÿ P.** see Mallet A. 2593
**Sirit A.** see Pelter A. 1745
**Skelton B. W.** see Baker R. W. 45
**Slaghek T. M. Hyppönen T. K. Ogawa T. Kamerling J. P. and Vliegenthart J. F. G.** Synthesis of hyaluronic acid related di- and tetra-saccharides having a glucuronic acid at the reducing end 2291
**Smith D. I.** see Blaney P. M. 1815
**Soai K. Hayase T. Shimada C. and Isobe K.** Catalytic asymmetric synthesis of chiral diol, bis[2-(1-hydroxyalkyl)phenyl]ether, an asymmetric autocatalytic reaction 789
**Sodano G.** see Trincone A. 1453
**Solladié G. and Almario A.** Asymmetric synthesis induced by chiral sulfoxides: 2-deoxy-sugars from β-ketoesters via malic acid 1717
**Solladié G.** see Carreño M. C. 1439
**Solladié G. and Huser N.** Asymmetric synthesis of chiral spiroacetals from chiral diketodisulfoxides: 2,8-dimethyl-1,7-dioxaspiro[5,5]-undecane 255
**Solladié-Cavallo A. Schwarz J. and Burger V.** A four-step, highly enantioselective synthesis and enzymatic resolution of 3,4-dichloro-phenylalanine 1621
**Soloshonok V.** see Bravo P. 987
**Soloshonok V. A.** see Bravo P. 2009
**Soloshonok V. A. and Hayashi T.** Gold(I)-catalyzed asymmetric aldol reactions of fluorinated benzaldehydes with an α-isocyanoacetamide 1091
**Soloshonok V. A. Kirilenko A. G. Fokina N. A. Kukhar V. P. Galushko S. V. Švedas V. K. and Resnati G.** Chemo-enzymatic approach to the synthesis of each of the four isomers of α-alkyl-β-fluoroalkyl-substituted β-amino acids 1225
**Soloshonok V. A. Kirilenko A. G. Fokina N. A. Shishkina I. P. Galushko S. V. Kukhar V. P. Švedas V. K. and Kozlova E. V.** Biocatalytic resolution of β-fluoroalkyl-β-amino acids 1119
**Soman R.** see Taj S. S. 1513

**Song C. E. Ryu T. H. Roh E. J. Kim I. O. and Ha H.-J.** Polymeric cinchona alkaloids as catalysts in the enantioselective 2,2-cycloaddition reaction of ketene and chloral 1215
**Soriente A.** see Trincone A. 1453
**Sorochinsky A. E.** see Kornilov A. M. 1015
**Spencer J. Maassarani F. Pfeffer M. DeCian A. and Fischer J.** Resolution of a cyclopalladated complex containing an asymmetric metallated carbon atom 321
**Spilling C. D.** see Blazis V. J. 499
**Srivastava R. P. Zjawiony J. K. Peterson J. R. and McChesney J. D.** *N*-Benzoyl-(2*R*,3*S*)-3-phenylisoserine methyl ester; a facile and convenient synthesis and resolution by entrainment 1683
**Stegemeyer H.** see Vill V. 2443
**Steglich W.** see Velten R. 1229
**Stephan E. Rocher R. Aubouet J. Pourcelot G. and Cresson P.** Preparation of chiral indanones and dihydrocoumarins; application to synthesis of (+)-3-(2,6-dimethoxyphenyl) pentanoic acid 41
**Stephan M.** see Horiuchi T. 325
**Stimac A.** see Mohar B. 863
**Stone G. B.** Oxazaborolidine catalyzed borane reductions of ketones: a significant effect of temperature on selectivity 465
**Straathof A. J. J.** see Rakels J. L. L. 93
**Strässler C.** see Pellegrini C. 1979
**Studley J. R.** see Burns B. 801
**Subramanian L. R.** see García Martínez A. 949
**Subramanian L. R.** see García Martínez A. 1373
**Subramanian L. R.** see García Martínez A. 1599
**Sudo A. Hashimoto Y. Kimoto H. Hayashi K. and Saigo K.** The chiral amino alcohol, *cis*-2-amino-1-acenaphthenol: synthesis, resolution, and application to the diastereoselective [2,3]-Wittig rearrangement 1333
**Sugai S.** see Sano H. 2233
**Sugai T.** see Katoh O. 1935
**Sugimoto T.** see Fujisawa T. 1095
**Sugimura T. Nishiyama N. Tai A. and Hakushi T.** Corrigendum 1127
**Sugimura T. Nishiyama N. Tai A. and Hakushi T.** Regio- and diastereochemically controlled photocycloaddition of an arene and an alkene linked by a chiral auxiliary 1163
**Summa V.** see Botta M. 181
**Sunami S.** see Sato M. 1665
**Suto M. J.** see Fedij V. 1131
**Suzuki H.** see Tanaka K. 1175
**Suzuki T. Kasai N. and Minamiura N.** A novel generation of optically active 1,2-diols from the racemates by using halohydrin dehydrodehalogenase 239
**Švedas V. K.** see Soloshonok V. A. 1119
**Švedas V. K.** see Soloshonok V. A. 1225
**Sweeney J. B.** see Haughan A. F. 177
**Szarka L. J.** see Hanson R. L. 1925

**Tada N.** see Tsubouchi H. 441
**Tadano K.** see Ishihara J. 2217
**Taddei M.** see Corelli F. 1469
**Taguchi T. Shibuya A. Sasaki H. Endo J. Morikawa T. and Shiro M.** Asymmetric synthesis of difluorocyclopropanes 1423
**Tai A.** see Sugimura T. 1127
**Tai A.** see Sugimura T. 1163
**Tai V. W.-F. Fung P.-H. Wong Y.-S. and Shing T. K. M.** Synthesis and glycosidase-inhibitory activity of cyclophellitol analogues 1353
**Taino I. M.** see Colombo D. 1377
**Taino I. M.** see Colombo D. 1993
**Taj S. S. and Soman R.** Asymmetric methylene transfer reactions—I. Asymmetric synthesis of oxiranes from carbonyl compounds by methylene transfer reaction using chiral S-methyl-S-neomenthyl-*N*-tosyl sulfoximines 1513
**Takabe K.** see Yoda H. 169
**Takahashi J.** see Asami M. 1649
**Takahashi K.** see Uenishi J. 101
**Takahashi O.** see Umezawa J. 491
**Takahashi Y.** see Kitazume T. 1029
**Takai Y.** see Naemura K. 1549
**Takaya H.** see Horiuchi T. 325
**Takaya H.** see Zhang X. 1179
**Takeuchi S. Ohira A. Miyoshi N. Mashio H. and Ohgo Y.** Enantioselective protonation of samarium enolates by a $C_2$-symmetric chiral diol 1763
**Tamura M.** see Murakata M. 2019
**Tan K. S.** see Chooi S. Y. M. 49
**Tanabe G.** see Muraoka O. 317
**Tanaka A.** see Fukui T. 73
**Tanaka K. Uno H. Osuga H. and Suzuki H.** Stereocontrolled cyclopropanation of α,β-unsaturated carboxamides derived from bicyclic amino alcohols 1175
**Tang P. C.** see Levy D. E. 2265
**Tardella P. A.** see Fioravanti S. 473
**Taudien S.** see Diter P. 549
**Taylor D. W.** see Kennedy J. F. 2571
**Tellitu I. Badía D. Domínguez E. and García F. J.** A simple enzymatic synthesis of (3*S*,4*R*)-(+)-4-hydroxy-3-phenyltetrahydroisoquinolines 1567
**Teodorovic A. V.** see Ramachandran P. V. 1061
**Teodorovic A. V.** see Ramachandran P. V. 1075
**Terada M.** see Mikami K. 1087
**Terao Y.** see Mizuguchi E. 1407
**Terasawa Y.** see Ishihara J. 2217
**Teso Vilar E.** see García Martínez A. 949
**Teso Vilar E.** see García Martínez A. 1373
**Teso Vilar E.** see García Martínez A. 1599
**Theil F.** see Weidner J. 751
**Thiem J.** see Becker B. 2339
**Thomas A. P.** see Aggarwal V. K. 723
**Thomas S. E.** see Griffiths S. L. 545
**Thomas S. E.** see Griffiths S. L. 1847
**Thomas S. E.** see Griffiths S. L. 1865
**Thorey C.** see Aboulhoda S. J. 1321
**Tkachev A. V.** see Popov S. A. 479
**Tlahuext H. Santiesteban F. García-Báez E. and Contreras R.** Determination of the nitrogen configuration in ephedrine *N*-boranes and a study of their assisted stereospecific deuteration of NH 1579
**Tobe Y.** see Naemura K. 1549
**Tokunaga Y.** see Ihara M. 1041
**Toma L.** see Colombo D. 1377
**Toma L.** see Colombo D. 1993
**Tomic M.** see Herak J. J. 1605
**Toniolo C. Formaggio F. Crisma M. Schoemaker H. E. and Kamphuis J.** The *p*-bromobenzamido chromophore as a circular dichroic probe for the

assignment of the screw sense of helical peptides 507
**Torres T.** see Martínez-Díaz M. V. 1291
**Touet J.** see Brown E. 1191
**Toyota A.** see Sato M. 975
**Tozer M. J.** see Herpin T. F. 2269
**Trapassi G.** see Botta M. 181
**Treré A.** see Cainelli G. 1913
**Trincone A.** see Fantin G. 1631
**Trincone A. Gambacorta A. Soriente A. and Sodano G.** Improved method for the assignment of the relative configuration of 1,3-diols, by using $^{13}C$-enriched acetonides 1453
**Trotter J.** see Koshima H. 1415
**Trujillo M.** see Llera J.-M. 709
**Tsai W.-J. Lin Y.-T. and Uang B.-J.** Asymmetric Michael addition of thiols to (1*R*,2*R*,4*R*)-(−)-2,10-*N*-enoylcamphorsultam 1195
**Tseng G. W.-M.** see Caron G. 83
**Tsubouchi H. Tsuji K. Yasumura K. Tada N. Nishitani S. Minamikawa J. and Ishikawa H.** A convenient one pot asymmetric synthesis of *cis*-β-lactams: key precursors for optically active 2-oxaisocephems 441
**Tsui H.-C.** see Shing T. K. M. 1269
**Tsuji K.** see Tsubouchi H. 441
**Tunger H.-W.** see Vill V. 2443
**Turner N. J.** see Baker A. 2517
**Tveit I. C.** see Oppedal H. 895
**Tye H.** see Burns B. 801

**Uang B.-J.** see Po S.-Y. 1869
**Uang B.-J.** see Tsai W.-J. 1195
**Uda H.** see Kosugi H. 1139
**Uemura M. Hayashi Y. and Hayashi Y.** Enantioselective *ortho* lithiation of tricarbonyl(masked phenol and aniline)-chromium complexes 1427
**Uemura M. Nishimura H. Yamada S. Hayashi Y. Nakamura K. Ishihara K. and Ohno A.** Kinetic resolution of hydroxymethyl-substituted (arene)$Cr(CO)_3$ and (diene)$Fe(CO)_3$ by lipase 1673
**Uenishi J. Motoyama M. and Takahashi K.** Asymmetric synthesis of D- and L-2-deoxy-4-thioriboses 101
**Umezawa J. Takahashi O. Furuhashi K. and Nohira H.** Synthesis of optically active oxazolines from optically active epoxides 491
**Uno H.** see Tanaka K. 1175
**Urban F. J.** Synthesis of *R*- and *S*-3-oxo-2-oxaspiro[4.4]-nonane-1-carboxylic acid 211
**Urban F. J. Bordner J. DeCosta D. Dee M. F. and Vincent L. A.** Synthesis and stereochemistry of some thiazolidines related to 6-(hydroxyethyl)-penams 215

**Valoti E.** see Pallavicini M. 5
**Valoti E.** see Pallavicini M. 111
**Valoti E.** see Pallavicini M. 363
**Valverde S.** see Herradón B. 1479
**van Bekkum H.** see Johnson L. 2475
**van Boom J. H.** see van Delft F. L. 2261
**van Delft F. L. de Kort M. van der Marel G. A. and van Boom J. H.** Stereocontrolled hydroxymethylation of carbohydrate imines: formal synthesis of destomic acid and lincosamine 2261
**van der Gen A.** see de Vries E. F. J. 377
**van der Marel G. A.** see van Delft F. L. 2261
**van Haveren J.** see Johnson L. 2475
**Vanhessche K. P. M.** see Bennani Y. L. 1473
**Vasconcellos M. L. A. A.** see Filho H. C. A. 1219
**Velázquez S. and Camarasa M.-J.** Radical cyclizations on sugar templates: stereoselective synthesis of fused γ-butyrolactones of carbohydrates 2141
**Velten R. Steglich W. and Anke T.** Determination of the absolute configuration of a tetracyclic drimane sesquiterpenoid by Mosher's method 1229
**Ventalon F. M. Faure R. Laurent E. G. and Marquet B. S.** Synthesis of both enantiomers of 2-fluoro-1-tetralones 1909
**Verraest D. L.** see Johnson L. 2475
**Veschambre H.** see Besse P. 1249
**Veschambre H.** see Besse P. 1727
**Viani F.** see Bravo P. 987
**Viani F.** see Bravo P. 2009
**Vic G. and Crout D. H. G.** Synthesis of glucosidic derivatives with a spacer arm by reverse hydrolysis using almond β-D-glucosidase 2513
**Vilarrasa J.** see Berenguer R. 165
**Vill V. Tunger H.-W. Stegemeyer H. and Diekmann K.** Sign inversion of the helical pitch in carbohydrate-based liquid crystals 2443
**Villa L.** see Pallavicini M. 5
**Villa L.** see Pallavicini M. 111
**Villa L.** see Pallavicini M. 363
**Vincent L. A.** see Urban F. J. 215
**Vinkovic M.** see Herak J. J. 1605
**Viossat B.** see Felk A. 1459
**Visentin G.** see Edwards P. J. 2609
**Vliegenthart J. F. G.** see Slaghek T. M. 2291
**Vogel P.** see Ferritto R. 2077
**von Matt P. Loiseleur O. Koch G. Pfaltz A. Lefeber C. Feucht T. and Helmchen G.** Enantioselective allylic amination with chiral (phosphino-oxazoline)Pd catalysts 573
**Voss G.** see Böhm U. 1281
**Voß G. and Gerlach H.** Resolution and absolute configuration of the enantiomeric spiro[5.5]-undecane-3,9-diols 425

**Wakamatsu H.** see Mizuguchi E. 1407
**Walker B.** see Darkins P. 195
**Walters I. A. S.** see Bunnage M. E. 35
**Ward R. S.** see Pelter A. 329
**Ward R. S.** see Pelter A. 909
**Ward R. S.** see Pelter A. 1745
**Watanabe K.** see Itsuno S. 523
**Watkin D. J.** see Wheatley J. R. 2523
**Webberley M. C.** see Baker A. 2517
**Weber M.** see Pellegrini C. 1979
**Weidner J. Theil F. and Schick H.** Kinetic resolution of (1*RS*,2*SR*)-2-(hydroxymethyl)-cyclopentanol by a biocatalytic transesterification using lipase PS 751
**Weimar T.** see Mehta S. 2367
**Welch C. J.** see Pirkle W. H. 777
**Welch J. T.** see Abouabdellah A. 1005
**Wemple J.** see Fedij V. 1131
**Westwell A. D. and Rayner C. M.** Homochiral 2,3-epoxy sulfides as precursors to *E*-γ-hydroxy-α,β-unsaturated sulfoxides and sulfones 355
**Wheatley J. R. Beacham A. R. Lilley P. M. de Q. Watkin D. J. and Fleet G. W. J.** Ketals of L-rhamno-

heptonolactones: potential mimics of L-rhamnose 2523
**Wheatley J. R.** see Bichard C. J. F. 431
**White A. H.** see Baker R. W. 45
**Widhalm M. and Klintschar G.** Relative and absolute configurations of diastereomeric macrocyclic diphosphine ligands and their Ni(II) complexes 189
**Wild R. and Schmidt R. R.** Sphingosine and phytosphingosine from D-threose. Synthesis of a 4-keto-ceramide 2195
**Wilken J.** see Mehler T. 185
**Williams I. H.** see Linney L. P. 813
**Williams J. M. J.** see Allen J. V. 277
**Williams J. M. J.** see Allen J. V. 1895
**Willis C. L.** see O'Neill J. A. 117
**Wills M.** see Burns B. 801
**Wimmer Z.** see Rejzek M. 1501
**Winterfeldt E.** see Riviere P. 1831
**Witherington J.** see Hodgson D. M. 337
**Wong C.-H.** see Halcomb R. L. 2437
**Wong C.-H.** see Shing T. K. M. 1151
**Wong Y.-S.** see Tai V. W.-F. 1353
**Woo S. and Keay B. A.** Thermodynamically controlled asymmetric induction: applications with the intramolecular Diels–Alder reaction involving a furan diene 1411
**Wypchlo K. and Duddeck H.** Chiral recognition of olefins by $^1$H NMR spectroscopy in the presence of a chiral dirhodium complex 27

**Yajima T.** see Mikami K. 1087
**Yamada S.** see Uemura M. 1673
**Yamada T.** see Honda T. 247
**Yamamoto N.** see Katsumura S. 161
**Yamazaki T. Iwatsubo H. and Kitazume T.** Diastereospecific cyclization of optically active trifluoromethylated epoxycarbamates 1823
**Yamazaki T.** see Kitazume T. 1029
**Yaozhong J. Yong Q. Aiqiao M. and Zhitang H.** Asymmetric synthesis—XXI. Enantioselective reduction of ketones catalyzed by new (4*S*,5*R*)-4,5-diphenyl-1,3,2-oxazaborolidine 1211
**Yasumura K.** see Tsubouchi H. 441
**Ye T.** see Darkins P. 195
**Yoda H. Nakagami Y. and Takabe K.** Diastereoselective reactions of Grignard reagents with chiral amino lactols derived from L-aspartic acid 169
**Yong Q.** see Yaozhong J. 1211

**Zaidi N. A.** see O'Hagan D. 1111
**Zanda M.** see Bravo P. 2009
**Zarevucka M.** see Rejzek M. 1501
**Zdravkovski Z.** see Jursic B. S. 1711
**Zeller J. R.** see Fedij V. 1131
**Zhang J. Mao J. Chen H. and Cai M.** Studies on carbohydrates—XVIII. Synthesis of tetrasaccharide corresponding to biological repeat units of *Serratia marcescens* O18 polysaccharide 2283
**Zhang X. Kumobayashi H. and Takaya H.** Enantioselective hydrogenation of acyclic aromatic ketones catalyzed by BINAP–Ir(I)–aminophosphine systems 1179
**Zhitang H.** see Yaozhong J. 1211
**Zijlstra R. W. J.** see Hulst R. 1701
**Zijlstra R. W. J.** see Rispens M. T. 607
**Zimmerman R. L.** see Boaz N. W. 153
**Zinczuk J.** see Bacigaluppo J. A. 1877
**Zinczuk J.** see Preite M. D. 503
**Zjawiony J. K.** see Srivastava R. P. 1683
**Zouhiri F.** see Desmaële D. 1645
**Zuanic M.** see Jursic B. S. 1711